INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1897. Parts I & II.

(Marked A. i and A. ii respectively); and also to Transactions, 1897, (marked T.); and to Proceedings of the Session 1896-1897, Nos. 169 to 182, Nov., 1896—June, 1897 (marked P.).

A.

Abbot, Charles G. See Arthur Amos Noves.

Abegg, Richard, dielectric constants at low temperature, A., ii, 240.

Adler, Max, precipitated calcium carbonate, A., ii, 552.

Aeby, Julius H., R. Dorsch, Fr. Matz, and Paul Wagner, relative manurial value of, and the preservation of nitrogen in, stable manure, A., ii, 428.

Aglot, optical method for the estimation of sulphuric acid, A., ii, 431.

Aguiar, Alberto d', and W. da Silva, detection of coal tar colours in white wines, and their distinction from caramel colours, A., ii, 295.

Ahrens, Felix B., coal-tar bases, A., i, 203. sparteine, A., i, 231.

--- syntheses in the piperidine series, A., i, 296.

 electrolytic conversion of nitriles into amines, A., i, 313.

- electrosyntheses in the pyridine and quinoline groups, A., i, 368.

Ahrens, Felix B., and Georg Meissner. dimethylpyrazine, A., i, 298.

Aignan, A., detection of rosin oil in turpentine, A., ii, 523.

Alberda van Ekenstein, W., crystallised d-mannose, A., i, 4.

Alberda van Ekenstein, W., and Corne-lis Adriaan Lobry de Bruyn, the methyl-, ethyl-, amyl-, allyl-, and benzyl-phenylhydrazones and the β -naph-

thylhydrazones of the sugars, A., i, 41.

Alberda van Ekenstein, W., W. P.

Jorissen, and Lodewyk Theodorus Reicher, changes of rotation in the passage from amide to lactone, A., ii, 129.

VOL. LXXII. ii.

Allaire, Pierre. See George M. Richardson.

Allen, Eugene T. See Henry Barker Hill.

Allessandri and Guassini, nitrates in water, A., ii, 71.

Altschul, Emil, solubilities of salts of caproic and of cenanthylic acids, A., i, 10.

Altschul, Julius, conversion of phenylhydrazine into diazobenzene by nitrous acid, A., i, 216.

diazotisation of aniline in the presence of acetic acid or of an insufficient amount of hydrochloric acid, A., i, 217.

Alvarez and Jean, contributions to qualitative analysis, A., ii, 600.

Alvisi, Ugo, triethylsulphine metaluminate, A., i, 329.

Alvisi, Ugo. See also Giovanni Giorgis. Alway. See Ludwig Gattermann.

Amagat, Émile Hilaire, verification of the van der Waals law of corresponding conditions, A., ii, 363.

van der Waals' law of corresponding conditions and the determination of critical constants, A., ii, 364.

Ambronn, Hermann, and Max Le Blanc, isomorphous mixtures, A., ii, 251.

Ampola, G., and E. Carlinfanti, nitrobenzene as a solvent in cryoscopic researches, A., ii, 12.

Ampola, G. and C. Rimatori, aniline in cryoscopy, A., ii, 306.

- dimethylaniline in cryoscopy, A., ii, 306.

Ampola, G. See also Giuseppe Oddo and $ar{E}manuele$ Paterno.

Amsel, Hugo, assay of chrome-yellow and chrome-red, A., ii, 163. - assay of linseed oil, A., ii, 609.

Amthor, Carl, and Julius Zink, chemistry of animal fats, A., ii, 152.

André, Gustave. See Marcellin Pierre Eugène f Berthelot.

Andreas, Ernst, production of electricity by chemical means, A., ii, 535.

Andreasch, Rudolf, thiohydantoins, IV, A., i, 327.

Andreocci, Americo, paradimethylethyloctahydronaphthalene, A., i, 624.

— nitrogen sulphide, A., ii, 313.

Andrews, Launcelot W., reduction of sulphuric acid by copper as a function of the temperature, A., ii, 22.

Andrews, W. W., some extensions of the plaster of Paris method in blowpipe analysis, A., ii, 189.

Angeli, Angelo, action of nitrous acid on camphoroxime, A., i, 87.

· nitrohydroxylamine, A., ii, 24. Angeli, Angelo, and Enrico Rimini. action of nitrous acid on camphoroxime, A., i, 88 and 360.

- action of nitrous acid on oximes of the camphor series, A., i, 90.

Annable, Henry. See George Young. Anschütz, Richard, a law of production of

phenolcarboxylic chlorides, A., i, 219. constitution of tartrazine, A., i, 258. action of phosphorus pentachloride

on imides of dibasic acids, A., i, 364. Anschutz, Richard, and Charles Beavis. action of phosphorus pentachloride on succinanil and dichloromaleinanil, A.,

i, 364. Anschütz, Richard, and Alfred Guenther, action of phosphorus pentachloride on succinoparatolil, A., i, 365.

Anschütz, Richard, and Julius Meyerfeld, action of phosphorus pentachloride on

citraconanil, A., i, 366. Anschütz, Richard, and Georg Schroeter, action of phosphorus pentachloride on as-dimethylsuccinanil, dichloromaleinimide, and succinimide, A., i, 367.

Antony, Ubaldo, and T. Benelli, potable waters which have flowed through lead pipes, A., ii, 36.

- estimation of lead in potable water, A., ii, 75.

Antony, Ubaldo, and Adolfo Lucchesi, action of alkali sulphides on auric sulphide, A., ii, 43.

- purple of Cassius, A., ii, 43.

Apel. See Tietjens.

Argenson, G., estimation of acetone in urine, A., ii, 467.

Armstrong, Henry Edward, notes on nitration, P., 1896, 230.

Armstrong, Henry Edward, and William Alfred Davis, 3'-bromo-\(\beta\)-naphthol, P.,

Armstrong, Henry Edward, and William Palmer Wynne, studies on the constitution of tri-derivatives of naphthalene. No. 16. Conversion of chloronaphthalenedisulphonic acids into dichloronaphthalenesulphonic acids, P., 1897, 152.

Armstrong, Henry Edward, and William Palmer Wynne, conversion of 1:1'- into 1:4'-dichloronaphthalene by hydrogen chloride. The products of hydrolysis of 1: 1'-dichloronaphthalene-3-sulphonic acid, P., 1897, 154.

Arnold, August, the ketonehydrazones of aromatic hydrazines, A., i, 409.

Arnold, W., luminescence, A., ii, 3. Arnstein, Robert, estimation of xanthine

bases in urine, A., ii, 611.

Arth, Georges, action of phenylcarbimide on y-pimelic acid derived from menthol, A., i, 214.

action of acetylene on silver nitrate,

A., i, 503.

 calculation of the calorific power of coals by Dulong's law, A., ii, 442.

Asboth, Alexander von, critical temperature of liquids, and a new method of identifying fats and oils, A., ii, 609.

Aschan, (Adolf) Ossian, zinc dust in the presence of acetic acid as an oxidising agent, A., i, 288.

Asher, Theodor, derivatives of 1-phenyl-3:5-pyrazolidone and 1-paratolyl-3:5pyrazolidone, A., i, 441.

Aston, Emily (Alicia), water from wells in the Nubian desert, A., ii, 509.

Aston, Emily (Alicia), and John Norman Collie, oxidation products of aγ-dimethyl-a-chloropyridine, T., 653; P.,

1897, 89. Aston, Emily (Alicia), and L. Newton, estimation of zinc oxide, A., ii, 386.

Aston, Emily (Alicia). See Philippe A. Guye and Paul Dutoit.

Astre, Charles, quinone-orthamidobenzoic acid, A., i, 525.

action of orthamidobenzoic acid on trichloroquinone, A., i, 525.

Astre, Charles, and H. Stévignon, action of orthamidocinnamic acid on trichloroquinone, A., i, 525.

Athanasescu, Nicoles, basic nitrates, A., ii, 451.

Atterberg, Albert, estimation of potassium at the Stassfurt Works, A., ii, 160.

Auchy, George, the precipitation of phosphomolybdate in steel analysis, A. ii, 72

- estimation of phosphorus in steel and cast iron, A., ii, 343.

— complete analysis of iron ores:

notes on Sarnström's method for estimating manganese, A., ii, 603.

Aufrecht, estimation of sulphur in petroleum, A., ii, 595.

Autenrieth, Wilhelm, occurrence iodine in malachite, A., ii, 561.

Auwers, Karl, constitution of hydroxyazo-

compounds, A., i, 40.
— constitution of dibromo-ψ-cumenol bromide and similar compounds, A., i, 335.

action of bromine on phenolalcohols, A., i, 336.

a class of remarkable nitration products of the phenols, A., i, 336.

derivatives of parahydroxybenzoic acid and of anisic acid, A., i, 477.

— cryoscopic observations on acid amides, A., ii, 476. **Auwers**, Karl, and Friedrich Baum, constitution of dibromo-ψ-cumenol bromide and of its derivatives, A., i, 34.

Auwers, Karl, and Kennedy Joseph Previte Orton, cryoscopic researches, A., ii, 132.

Auwers, Karl, and Julius Reis, new derivatives of parahydroxybenzaldehyde, of paracyanophenol, and of parahydróxybenzoic acid A., i, 53.

Auwers, Karl, and H. Rohrig, some new hydroxyazo-compounds, and derivatives of tripheno-dioxazine, A., i, 341.

Auwers, Karl, and E. Ziegler, ketobromides from asymmetrical metaxylenol, A., i, 33.

Aweng, Eugen, estimation of tannin, A., ii, 530.

В.

Babcock, S. C. See Edward D. Campbell. Bach, A., function of peroxides in phenomena of slow oxidation, A., ii, 401.

Baczewski, Max, derivatives of arachidic acid, A., i, 11.

Bäckström, Helge, manganandalustite from Vestanå, A., ii, 271.

a mineral allied to pinakiolite, from

Långban, A., ii, 504. Baemes, detection of tannin, A., ii, 530. Bänziger, Emil. See Robert Gnehm.

Baeyer, Adolf von, orientation in the terpene series: pinene, A., i, 81.

- the double aldehyde of suberic acid, A., i, 588.

Baeyer, Adolf von, and Wladimir Ipatieff, orientation in the terpene series: caronic acid, A., i, 83.

Baeyer, Adolf von, and Victor Villiger, cis- and trans-isomerism of lactones, A., i, 597.

- --- β -lactone of αs -dimethylmalic

acid, A., i, 597.

Baeyer, Hans von, and Karl A. Hofmann, acetodiphosphorous acid,

A., i, 601.

Bailey, Edgar Henry Summerfield and Mary A. Rice, water from a mineral spring in Mitchell Co., Kansas, A., ii, 109.

Bailey, Edgar Henry Summerfield, and W. M. Whitten, gypsum rocks from Kansas, A., ii, 415.

Bailhache, G. See G. Rivière.

Baker, Julian Levett. See Arthur Robert Ling.

Bakker, G., the theory of corresponding states, A., ii, 17, 137.

— potential energy and virial of mole-cular forces, A., ii, 134.

Bakunin, Marussia, stereoisomerism of the phenylnitrocinnamic acids, A., i, 622.

- stereoisomeric phenylcinnamic acids, A., i, 623

Balbiano, Luigi, products of oxidation of camphoric acid, A., i, 253.

- the pyrazole series, A., i, 580. - constitution of camphoric acid, A., i, 626.

Ball, John, on the circumstances which affect the rate of solution of zinc in dilute acids, with especial reference to the influence of dissolved metallic salts, T., 641; P. 1896, 235.

Balland, diminution of the nitrogenous matter in wheat in the département du Nord, A., ii, 227.

- estimation of gluten in flour, A., ii, 296.

- composition of haricots, lentils and peas, A., ii, 514.

Bamberger, Eugen, acidyl-nitrosamines, A., i, 241.

- action of nitrogen oxides on mercurydiphenyl and on nitrosobenzene, A., i, 288.

- action of alphylhydrazines on βnaphthaquinone, A., i, 289. formophenylhydrazide, A., i, 468.

Bamberger, Eugen [and in part Ottokar Boecking, Robert Dietrich, Ernst Hoff, Carl Seitz, Armand Stiegelmann, Fritz Stingelin and Alfred Voss], diazoic acids (alphylnitramines), A., i, 466

Bamberger, Eugen, and Alfred Einhorn, bases in fusel oil, A., i, 259.

Bamberger, Eugen, and Thor Ekecrantz. nitrosophenylhydroxylamine, A., i, 39.

Bamberger, Eugen, and C. Hindermann, molecular rearrangement of phenylsulphonamic acid, A., i, 286.

Bamberger, Eugen, and Alexander Meyenberg, potassium phenylhydrazinedisulphonate, A., i, 242.

Bamberger, Eugen, [and in part N. Rongger], comparative experiments with normal and isodiazotates, A., i, 217.

Bamberger, Max, discovery of argon in the gases of a spring at Perchtoldsdorf near Vienna, A., ii, 109.

Bamberger, Max, and Fritz Böck, nitrocompounds of anthragallol, A., i, 576. Bancroft, Wilder Dwight, solution and

fusion, A., ii, 134.

Bandow, E., derivatives of isonarcotine: hydrodicotarnine, a new base, A.,

Barbet and Jandrier, estimation of nitrites in waters, A., ii, 234.
Barbier, Philippe, and Louis Bouveault,

action of hydrogen chloride on licareol, licarhodol and lemonol, A., i, 358.

- compounds of the iso-gerenaldehyde (iso-citral) series. Preparation and constitution of ionone, A., i, 537. Barbier, Philippe, and Georges Leser, a

menthoglycol, A., i, 537.

Bardach, Bruno, the reason why milk coagulates when heated, A., ii, 420.

Barent, St., capillary behaviour of the crystal faces of rock salt and sylvine towards the mother liquors, A., ii, 9.

Barner, Bayard.See Henry Lord Wheeler.

Barr, L. See Silas W. Holman. Barr, S. H. See Albert B. Prescott.

Barratt, Wakelin, elimination of water and carbonic anhydride from the skin, A., ii, 219.

Bartlett, Edwin J., and William F.
Rice, silver hydride, A., ii, 212.

Bartoli, Adolfo, selection of the unit of heat, A., ii, 7.

- compressibility coefficients of the C_nH_{2n+2} hydrocarbons, A., ii, 9.

Bartoli, Adolfo, and Enrico Stracciati, specific heat at constant volume of the C_nH_{2n+2} hydrocarbons, A., ii, 7.

Bartolotti, Pietro, derivatives of benzophenone, A., i, 193, 566, 621.

- trichlorotrimethylphloroglucinol and trichlorotrimethylpyrogallol, A., i, 558.

Barus, Carl, lecture experiment with liquid carbonic anhydride, A., ii, 400.

Bathrick, H. A., precipitation of salts, A., ii, 135.

Bau, A., fermentability of galactose, A., ii, 423.

Baubigny, Henri, action of heat on antimony tetroxide, A., ii, 322.

 estimation of antimony as tetroxide, A., ii, 351.

Baubigny, Henri and Paul Rivals, separation of chlorine and bromine, A.,

- action of potassium permanganate on cupric bromide, A., ii, 407.

Baucke, H., action of ammonia on alkylic phenyldibromopropionates, A., i, 56.

- phenylpropiolamide, A., i, 56.

Bauer, Albert (Thurgau), derivatives of butyltoluene, A., i, 216.

Bauer, Eduard. See Friedrich Kehrmann. Bauer, Emil, estimation of potassium at the Stassfurt Works, A., ii, 160.

Bauer, Eugen. See Carl Haeussermann. Bauer, Max, occurrence of rubies in Burma, A., ii, 179.

____ jadeite from "Tibet," A, ii, 508. Baum, Friedrich. See Karl Auwers.

Baumann. See Carl Heinrich Leopold Ritthausen.

Baumann, Eugen, and Emil Fromm, action of sulphur on unsaturated organic compounds: bisulphide of thiobenzoylthioacetic acid, A., i, 191.

Baumann, Moritz. See Roland Scholl. Baumann, Sigismund. See Adolf Claus. Baur, E., electrical conductivity of nitramide, A., ii, 358.

- affinity constants and heat of dissociation of some nitrogen acids, A.,

Beatty, W. A. See J. H. Kastle. Beavis, Charles. See Richard Anschütz.

Béchamp, Antoine, changes which take place in milk, either spontaneously or during culinary processes, A., ii, 113, 183, 223.

Becke, Friedrich (Johann), relation bedynamometamorphism $_{
m tween}$ molecular volume, A., ii, 181.

Becker, Theodor. See Carl Arnold August Michaelis.

Beckh, Walter, action of fuming nitric acid on ethylic acetoacetate, A., i, 213.

Beckh, Walter. See also Wilhelm Wislicenus.

Beckmann, Ernst Otto, the camphor series, VI. Menthol and the reduction of menthone, A., i, 248.

the camphor series, VII. Borneol and the reduction of camphor, A.,i, 249. the determination of molecular weights, IV., A., ii, 88.

Beckmann, Ernst Otto [and K. Sandel], rearrangement of oximido-derivatives, A., i, 564.

Beckmann, Ernst Otto [with C. Schulten and H. Pfeiffer], determination of molecular weights, A., ii, 362.

Beensch, Leo. See Emil Fischer. Beeson, J. L., simple and convenient extraction apparatus for the analysis of food stuffs, A., ii, 165.

occurrence of amines in the juice of

the sugar-cane, A., ii, 584.
Béhal, Auguste, and Maurice François, examination of chloroform, A., ii, 524.

Behn, U., reciprocal diffusion of electrolytes in dilute aqueous solutions, A., ii, 545.

Behr-Bregowski, L., some amidoketones, A., i, 458.

Behrens, Johannes, origin of trimethylamine, and the spontaneous development of heat in hops, A., ii, 115.

preservation and composition of

hops, A., ii, 340.

Beilstein, Feodor F., and O. von Blaese, estimation of sodium in presence of potassium, A., ii, 518.

Beitter, A., a constituent of cinchona barks which gives the reactions of "Digitalinum verum," A., i, 383.

Bellocq, A., estimation of boric acid, A., ii, 597.

Bemmelen, JacobusMartinusabsorption: water in colloids, especially in the hydrogel of silicic acid, A., ii, 137.

Bemmelen, Jacobus Martinus van, and Eduard A. Klobbie, absorption of calcium fluoride, lime, and phosphates in fossil bones, A., ii, 490.

Bemmelen, Jacobus M. van, A. Simon-Thomas, and Eduard A. Klobbie, calcium fluoride in a fossil elephant's bone from the tertiary, A., ii, 490.

Benelli, T. See Übaldo Antony.

Benjamin, R., action of rennet, A., ii, 63.

Benkert, Arthur L., and Edgar Francis Smith, separation of bismuth from lead, A., ii, 435.

Bennett, Alfred Allen, and L. A. Placeway, estimation of the three halogens, chlorine, bromine, and iodine, mixtures of their binary compounds, A., ii, 122.

Bentley, William Henry, and William Henry Perkin, jun., the reduction of xylic acid, of paraxylic acid, and of methylterephthalic acid, and the preparation of methylterephthalic acid and methylisophthalic acid, T., 157.

Berend, L. (Marburg), lupinine and lupinidine from yellow lupins, A.,

i, 645.

Berg, Armand, and C. Gerber, recognition of certain organic acids in plants, A., ii, 527.

Berghegger, William. See Carl Arnold August Michaelis.

Bergmann, F. See E. C. Theodore Zincke.

See Giorgio Errera, Arturo Bertè, E. Soldaini.

Marcellin Pierre Eugène, Berthelot, absorption of nitrogen by carbon compounds under the influence of the silent electric discharge, A., i, 330.

cyanic acid, A., ii, 7.
specific heat of gaseous elements

and their atomic constitution, A., ii, 200.

Berthelot, Marcellin Pierre Eugène, thermochemical method for the determination of the equivalents of acids and bases, A., ii, 201.

thermochemical relations between the different modifications of ordinary

glucose, A., ii, 202.

- helium, A., ii, 209. apparatus for examining the spectra of gases, A., ii, 298.

action of light on mixtures of

chlorine and hydrogen, A., ii, 486.

the commencement of the combination of hydrogen and oxygen, A.,

Berthelot, Marcellin Pierre Eugène, and Gustave André, volatility of levulinic acid, A., i, 15.

- decomposition of sugars under the influence of acids, A., i, 133.

– arabinose, A., i, 135. - transformations of

levulinic acid, A., i, 322.

- coefficients of division of phosphoric acid between ether and water, A., ii, 10.

- transformations of pyrophosphoric acid, A., ii, 140.

estimation of pyrosphoric acid,

A., ii, 158, 283. -metaphosphoricacid, A., ii, 256.

Berthelot, Marcellin Pierre Eugène, and Paul Vieille, acetylene solutions and their explosive properties, A., i, 501. -propagation of decomposition

in pure acetylene solutions, A., i, 502. explosive properties of acetylene, A., ii, 91.

Bertini, C. See Robert Schiff.

Bertolio, Solimann, comendite. a new rhyolite, A., ii, 55.

Bertram, Julius, and Heinrich Walbaum, oil of basil, A., i, 625.

Bertrand, Gabriel, lyxonic acid and lyxitol, A., i, 326.

coexistence of laccase and tyrosinase in certain fungi, A., ii, 117.

- the coloration of the sap of beet root and the soluble oxidising ferments A., ii, 338.

oxidising action of manganese salts: constitution of oxydases, A., ii, 493.

Bertrand, Joseph, fatty ketones of high

molecular weight, A., i, 396. Besson, (Jules) Adolphe, action of some hydrogen compounds on thionyl chlo-

ride, A., ii, 139. action of hydrogen sulphide and hydrogen selenide on phosphorus oxy-

chloride, A., ii, 208.

Besson, (Jules) Adolphe, pyrosulphuryl chloride, A., ii, 254.

- stannic chlorobromides, A., ii, 322. — action of water on phosphoryl

chloride, A., ii, 447.

phosphorus iodides, A., ii, 489. Besthorn, Emil, hexahydroquinolinic acids, A., i, 105.

Betti, M. See Robert Schiff.

Bevan, Edward John. See Charles Frederick Cross.

Beyerinck, Martinus Willem, a peculiarity of soluble starch, A., i, 548. - detection and distribution of glucase,

the enzyme of maltose, A., ii, 183. Bhaduri, Iyotibhushan, conversion of

hypochlorites into chlorates, Α., ii, 206.

 decomposition of mercurous chloride and the estimation of free chlorine, A., ii, 228.

Bialobrzeski, M., chemical structure of hæmin and hæmatin prepared by various methods, A., i, 207.

— Folia Bucco, A., i, 433.

 tertiary parabutyltoluene and its nitro-derivatives, A., i, 514.

Bialobrzeski, M., and Marcellus Nencki, acetylsalicylic acid, A., i, 531.

Biehringer, Joachim, dyes of the pyronine group, A., i, 73.

Biernacki, Victor, aluminium amalgam, A., ii, 99.

Biétrix, Alexandre, a dye derived from dibromogallic acid, A., i, 221.

- action of nitrosodimethylaniline on certain bromo-derivatives of gallic acid, A., i, 289.

- action of phenylhydrazine on gallic acid and on dibromogallic acid, A., i, 419.

Bilteryst, detection of arachis meal and arachis cake in chocolate, A., ii, 529.

Biltz, Heinrich, phenyl derivatives of ethane and ethylene, A., i, 533.

- addition of halogen to halogenised and phenyl derivatives of ethylene, A., i, 573.

determination of the molecular weights of some inorganic substances, A., ii, 245.

Biltz, Heinrich [with Stephan Werner], di-iodacetylene and tetriodethylene, A., i, 389. Birk, Rud.

See Max Busch.

Bischoff, Carl Adam, formation of carbon chains. XIII. Diethyldisulphonemethane and ethylic diethoxymalonate, A., i, 267.

Bistrzycki, Augustin, and Julian Flatau,

condensation of mandelic acid with phenols, II., A., i, 190.

Bittó, Béla von, a-sulphocaproic acid and its salts, A., i, 461.

— colour reactions of the aldehydes and ketones, A., ii, 468. Black, Homer V. See Charles H. Herty. Blaese, O. von. See Feodor F. Beilstein. Blair, Andrew A., estimation of sulphur in pig iron, A., ii, 594.

Blaise, Edmond, action of potassium

cyanide on 1:4-olides [lactones], A.,

i, 323.

Blake, Robert Frederick. See Edmund Albert Letts.

Blanc, G., action of aluminium chloride on camphoric anhydride, A., i, 201.

- isolauronolic acid, A., i, 538, 554. Blank, Oscar, a-methylphthalic acid, A., i, 61.

- 8-naphthylacetic acid, A., i, 76. Blau, Fritz, salicylaldehyde, A., i, 413.

- action of bromine on metallic chlorides, and a method for the estimation of both halogens in the presence of one another, A., ii, 122.

Bleier, Otto, apparatus for gas analysis, A., ii, 280, 384.

combustion of nitrogen, A., ii, 404. Blomstrand, Christian Wilhelm, the diazo-controversy, A., i, 185, 465, 562.

Blumcke, Adolf, labile equilibrium of salt solutions, A., ii, 14.

Blumenfeld, Siegfried, and Paul Friedlaender, a general reaction of aromatic ketones, A., i, 473.

Blumenfeld, Siegfried. See also Carl Graebe.

Blumenthal, F. See Rudolf Nietzki. Blyth, T. R., bismuth oxyiodide, A., ii, 102.

Bocchi, O., chlorothymol and dichloro-

cymene, A., i, 182. Bodenbender, Guillermo, wolframite from Argentina, A., ii, 269.

- [halotrichite, dioptase, and rhodochrosite from Argentina], A., ii, 269.

Bodenstein, Max, decomposition and formation of hydrogen iodide, A., ii, 252.

decomposition of hydrogen iodide by light, A., ii, 252.

Bodländer, Guido, abnormal freezing point depressions, A., ii, 133.

Böck, Fritz. See Max Bamberger.

Boecking, Ottokar. See Eugen Bamberger.

Boedtker, Eyvind, action of aluminium chloride on benzene containing thiophen, A., i, 25.

· decomposition of proteid in the human organism, A., ii, 332.

influence of water on the solubility

of hydrated compounds in alcohol and ether, A., ii, 367.

Boggild, B., analyses of spurrey, A., ii, 462
Boeris, G. See Giacomo Luigi Ciamician.
Boeseken, J., Clausius' condensation
method, A., i, 15.

Böttcher, O., estimation of ammoniacal nitrogen in artificial manures, A., ii, 157.

Bogdanoff, E., the fat of flesh, A., ii, 151. Bogojawlensky, A., and Gustav Tammann, influence of pressure on the velocity of reactions in homogeneous fluid systems. A., ii, 398.

Bohn. See Ludwig Gattermann.

Boisbaudran, Paul Emile Lecoq de, classification of chemical elements, A., ii, 205.

examination of some spectra, A., ii, 469.

Bokorny, Thomas, carbon compounds as food material for bacteria, A., ii, 379.

Bolam, Herbert William, on the hydrolysis of ethylic dicarboxyglutaconate, P., 1896, 184.

Bolliger, A. See Franz W. Dafert.

Bolm, F. See Julius Troeger.

Boltwood, Bertram B., a simple automatic Sprengel pump, A., ii, 205.

molecular conductivity of rubidium and cæsium chlorides, A., ii, 240.

Boname, Ph., nitrification of the nitrogenous matter of soil and of some nitrogenous manures, A., ii, 588.

Bondzyński, Stanislas, and V. Humnicki, fate of cholesterol in the animal organism, A., i, 183; ii, 153.

Bone, William Arthur, and John Cannell Cain, the explosion of acetylene with less than its own volume of oxygen, T., 26; P., 1896, 176.

Bone, William Arthur, and David Smiles Jerdan, the direct union of carbon and hydrogen, T., 41; P., 1896, 175.

Bonnefoi, J., compounds of ammonia and of methylamine with halogen salts of lithium, A., ii, 371.

lithium, A., ii, 371.

Boot, John C., a new form of pyknometer, A., ii, 544.

Bordas, Fred., and Sig. de Raczkowski, new method for the estimation of glycerol, A., ii, 193.

Borghaus, H. See Arthur Rudolf Hantzsch.

Borntraeger, Arthur, colorimetric estimation of iron by means of potassium thiocyanate, A., ii, 233.

Bosc and Delezenne, non-putrescibility of blood rendered uncoagulable by leech extract, A., ii, 334.

Boseley, L. Kidgell. See Henry Droop Richmond. Bothof, Heinrich. See Rudolf Nietzki. Bott, Aug. See Wilhelm Marckwald.

Bouchard, Ch., and Alexandre Desgrez, gas from the mineral waters of Bagnoles de l'Orne, A., ii, 148.

Boudouard, O. See Paul Schützenberger. Boulanger-Dausse, Em., action of guaiacol on the germination of the spores of Aspergillus fumigatus, A., ii, 514.

Bourcet, Paul, parabenzoyltoluene derivatives, A., i, 566.

Bourot and Ferdinand Jean, digestibility of cacao butter and of butter from cow's milk, A., ii, 330.

Bourquelot, Emile Elié, action of the oxidising ferment of mushrooms on insoluble phenols, A., ii, 66.

 action of the oxidising ferment of mushrooms on various oxidisable compounds, A., ii, 66.

— action of the oxidising ferments of mushrooms on phenols and phenolic ethers, A., ii, 223. Bourquelot, Émile Elié, and H. Hérissey,

Bourquelot, Emile Elié, and H. Hérissey, hydrolysis of melezitose by soluble ferments, A., ii, 223.

Bouveault, Louis, action of ethyloxalic chloride [ethylic chloroglyoxylate] on ψ -cumene and on mesitylene, A., i, 347.

Bouveault, Louis. See also Philippe Barbier.

Bradley, Walter Parke, and F. Kniffen, paraisobutylphenoxyacetic acid, A., i, 243.

Brandes, P., and Carl Stochr, formation of pyrazine and its homologues from glucose and ammonia, A., i, 230.

Brandes, P. See also Carl Stoehr.
Brauchbar, Maximilian, action of aqueous potassium hydroxide and carhenous on isobutelylehyde. A 127

bonate on isobutaldehyde, A., i, 137. Braun, Ferdinand. See J. E. Myers. Braun, Ludwig, estimation of maltose in

worts, A., ii, 524.

Braun, R., oil of Levisticum officinale,

A., i, 428.

Branner Robustan argon helium and

Brauner, Bohuslav, argon, helium and Prout's hypothesis, A., ii, 259. —— basis of atomic weights, A., ii, 482

Brauns, Reinhard, microchemical reaction for nitric acid, A., ii, 343.

Bréal, Émile, production of ammonia from vegetable substances and humus, A., ii, 584.

Brearley, Harry, estimation of manganese in spiegels, A., ii, 233.

Brearley, Harry, and Rudolf L. Leffler,

estimation of carbon in ferro-chrome, A., ii, 386.

Breckenridge, J. L. See D. Albert Kreider.

Bredig, Georg, thermal conductivity and

ion motion, A., ii, 471.

Bredt, Julius, and J. Kallen, addition of hydrogen cyanide to unsaturated carboxylic acids, A., i, 154.

Bretschneider, W., action of sulphurous

anhydride on aromatic hydroxylamines, A., i, 420.

Breukeleveen, M. van, composition of the gas evolved from the water of a well near Enkhuizen, A., ii, 272.

Brochet, André, influence of the presence of acids on the oxidation of alcohols, A., i, 3.

action of chlorine on hot isobutylic

alcohol, A., i, 4.

Brockerof, H. See Richard Stoermer.

Brodie, T. Gregor, diphtheria antitoxin,

A., ii, 379. Broich, H. von. See Alfred Partheil. Bromberg, Otto, compounds of alloxan and dimethylalloxan with semicar-

bazide, A., i, 181. Bromberg, Otto. See also Emil Fischer. Bromwell, William, action of methylic alcohol on orthodiazotoluene sulphate,

A., i, 564. See Henry Lloyd Brooke, Arthur. Snape.

Brown, Horace T., George Harris Morris, and James Hill Millar, experimental methods employed in the examination of the products of starch-hydrolysis by diastase, T., 72; P., 1896, 241; discussion, P., 244.

- specific rotation of maltose and of soluble starch. T., 109; 1896, P., 244. 242:discussion,

- relation of the specific rotatory and cupric-reducing powers of the products of starch-hydrolysis by diastase, T., 115; P., 1896, 243; discussion, P., 244.

cupric-reducing power of dextrose, lævulose, and invert-sugar, T., 275; P., 1897, 4.

Brown, Horace T., and Spencer Umfreville Pickering, thermal phenomena attending the change in rotatory power of freshly prepared solutions of certain carbohydrates, with some remarks on

the cause of multirotation, T., 756; P., 1897, 129; discussion, P., 181.

— thermochemistry of carbohydrate hydrolysis, T., 783; P., 1897, 130; discussion, P., 131.

Browning, Philip Embury, interaction of chromic and arsenious anhydrides, A., ii, 73.

- reduction of vanadic acid by hydriodic and hydrobromic acids and

its titration in alkaline solution with iodine, A., ii, 78.

Browning, Philip Embury, and Richard J. Goodman, use of organic acids for the estimation of vanadium, A., ii, 234.

Browning, Philip Embury, and Louis C. Jones, estimation of cadmium as oxide, A., ii, 75.

Brühl, Julius Wilhelm, acidyl derivatives of the nitrosamines, a contribution to the diazo-problem, A., i, 339.

- stereochemical spectrometric researches, I., A., ii, 129.

spectrometric determinations, A.,

ii, 198. — hydrazine, hydrogen peroxide, water,

A., ii, 198. - spectrochemistry of nitrogen, A., ii, 297.

Brüll, Julius, and Paul Friedländer, flavone derivatives, IV., A., i, 221.

Brüll, Julius. See also Ferdinand Ulzer. Brugnatelli, Luigi, santonin and its derivatives, A., ii, 4.

Brullé, Raoul, method of establishing the purity of butter by determining the specific gravity, A., ii, 167.

Brun, A., gabbros of Arolla, A., ii, 567. Brunel, H., thioglyoxylic (ethanethiolic acid), A., i, 14.

Bruner, Ludwig, solubility of super-cooled liquids, A., ii, 478.

Bruni, Giuseppe, metadihydroxy-\beta-phenylcoumarin, A., i, 569.

- cryohydrates, A., ii, 477.

Brunner, Heinrich, and Ernest Chuard,

moniodosuccinic acid, A., i, 214.

Brunner, Heinrich, and Louis Pelet, action of bleaching powder solution on phenylhydrazine. Formation of azobenzene, A., i, 217.

Brunner, Karl, indolinones, I., II., A., i, 100, 438.

Bruyn, Cornelis Adriaan Lobry de, action of alkylic iodides on hydroxylamine, A., i, 8.

- free hydrazine, A., ii, 22.

Bruyn, Cornelis Adriaan Lobry de. See also W. Alberda van Ekenstein.

Bucca, Lorenzo, and Giuseppe Oddo, micrographic study of some Italian cements, A., ii, 316.

Buchböck, Gustav, molecular weight of

ethylic ferrocyanide, A., i, 452.

— velocity of the hydrolytic decomposition of carbonyl sulphide, A., ii, 398.

Bucherer, Alfred H., electromotive force and partition equilibrium, A., ii, 358. **Buchner**, Eduard, pseudophenylacetic

acid, A., i, 282.

derivatives of cycloheptane, A., i, 612.

 alcoholic fermentation without yeast cells, A., ii, 154, 380.

Buck, George C., analysis of dolomitic marble from Texas, Md., A., ii, 325. Budischorsky, E. See G. Urbain. Bülow, Carl, behaviour of orthonitro-

paraphenylenediamine towards nitrous acid, A., i, 37.
Bülow, Carl, and Eugen Mann, ortho-

nitroparaphenylenediamine, A., i, 339.

Bugarszky, Stefan, change of free energy in the formation of insoluble mercury compounds, A., ii, 307. **Bull**, *Benjamin Samuel*, on \$\beta\$-oxycellu-

lose, T., 1090; P., 1897, 168.

Bull, Benjamin Samuel. See also Alfred Einhorn.

Burckhardt, Eduard. See RudolfNietzki.

Burgass, Robert, use of nitroso-β-naphthol in inorganic analysis, A., ii, 162.

Burnie, William Beckit, thermoelectric properties of some liquid metals, A., ii, 439.

Burri, R., and Albert Stutzer, denitrifying bacteria and the loss of nitrogen caused by them, A., ii, 114.

- nitrification in soil, A. ii, 588. Burian, Richard, and Heinrich Schur, formation of nuclein in mammals, A., ii, 333.

Burián, Richard. See also RudolfKolisch.

Busch, Max [with Rud. Birk and Wilhelm Lehmann], orthamidobenzylamines, IV., A., i, 543.

Busch, Max, and Albert Rast, cinnoline, A., i, 300.

Busch, Max, and Herm. Ridder, new method of preparing thiosemicarb-azides, A., i, 343.

- action of aldehydes on thiosemicarbazides, A., i, 381. Bussard, L. See H. Coudon. Buttgenbach, H. See Giuseppe Cesàro.

Butureanu, Vasile C., constitution and classification of sulpharsenites, A., ii, 562.

Cain, John Cannell. See William Arthur

Caldecott, William Arthur, on the decomposition of iron-pyrites, P., 1897, 100. Callenbach, Johann Anton, Hagemann's ethylic methylcyclohexenonecarboxylates and their conversion into an isomeride of camphor, A., i, 271.

See Julius Calvert, Harry Thornton. Berend Cohen.

Camerer, William, the nitrogenous constituents of human urine, A., ii, 575.

Camerer, William, and Friedrich Söldner, analyses of human, cows', and mares'

milk, A., ii, 112. Camilla, S. See Antonio Longi.

Campbell, Edward D., diffusion of sulphides through steel, A., ii, 101.

pure carbide of iron, A., ii, 214. Campbell, Edward D., and S. C. Babcock, influence of heat treatment, and of carbon on the solubility of phosphorus

in steels, A., ii, 101. Campbell, H. D. S See James Lewis Howe.

Campredon, Louis, estimation of phosphorus in coal ash, A., ii, 158.

Cannizzaro, Stanislao, reply to the congratulatory address to, P., 1897, 1.

Canzoneri, Francesco, puglia olive oil, A., i, 624.

Capaldi, Achille, kynurenic acid, A., ii, 576.

- estimation of kynurenic acid, A., ii, 608.

Carles, P., pharmacology of kola, A., i, 435.

Carlinfanti, E., cryoscopy applied to the analysis of milk, A., ii, 527.

Calinfanti, E. See also G. Ampola. Carnot, Adolphe, blue apatite from Montebras, A., ii, 105.

- composition of turquoise, A., ii, 325. Carnot, Adolphe, and Goutal, employment of cupric salts in the analysis of irons

and steels, A., ii, 520. - condition in which elements other than carbon exist in iron and

steel, A., ii, 555. Carr, Francis Howard. See Wyndham Rowland Dunstan.

Carrara, Giacomo, electrolytic behaviour of solutions of some salts and acids in methylic alcohol, A., ii, 200.

 electrolytic dissociation in acetone solution A., ii, 471.

electrolytic dissociation of methylic alcohol and of water dissolved in it, A., ii, 473.

Carrara, Giacomo, and I. Zoppelari, velocity of decomposition of some sulphur and phosphorus compounds by water, A., ii, 15.

Case, E. C., deposit from a chalybeate water, A., ii, 110.

Caspari, W., chronic oxalic acid poisoning, A., ii, 576.

Castoro, Nicola, benzylic derivatives of

the santonous acids and of desmotroposantonin, A., i, 629.

Cattaneo, Carlo, electrical conductivity of salts in various solvents, A., ii, 537. Causse, Henri Eugène, two isomeric tri-

i, 408.

action of chloral hydrate on phenylhydrazine: diphenylglyoxazole and its derivatives, A., i, 543.

- phenylisindazole, A., i, 579.

ethylidenediphenylhydrazines,

Cavalier, Jacques, allylic phosphates, A., i, 310.

Cavalli, Anselmo, detection of nickel in presence of cobalt, A., ii, 603.

Cazeneuve, Paul, decomposition of the phenolic acids derived from benzene and naphthalene, A., i, 57.

- some derivatives of dinitro-ortho-

cresol, A., i, 334.

- soluble oxidising ferment and the "breaking" of wines, A., ii, 274.

Cazeneuve, Paul, and E. Haddon, caffetannic acid, A., i, 529.

Cazeneuve, Paul, and Moreau, symmetrical carbamides of the benzene series, A., i, 519.

Cellier, L., conductivity of carbon for heat and electricity, A., ii, 538.

Cerdelli, F., mercuropiperidine compounds, A., i, 370.

Cesaro, Giuseppe, valeite, a new orthorhombic amphibole, A., ii, 147. Cesàro, Giuseppe, and H. Buttgenbach,

a basic sulphate of copper, A., ii, 562. Chabaud, mercury pump without stop-cocks or movable joints, A., ii, 485.

ii, 262

Chamberlain, William E., action of paradiazotoluene nitrate and sulphate on methylic alcohol, A., i, 562.

Charabot, Eugène and G. Chiris, oil of roses, A., i, 197.

Charpy, Georges, constitution of metallic alloys, A., ii, 406.

Chattaway, Frederick D., and Henry Potter Stevens, hydrolysis of perthiocyanic acid, T., 607; P., 1897, 87; discussion, P., 88.

- reduction of perthiocyanic acid, T., 833; P., 1897, 149. Chauliaguet, Mdlle. J., A

AlexandreHébert, and F. Heim, active principles

of some Aroideæ, A., i, 578.

auveau, (Jean Baptiste) Auguste, Chauveau, (Jean Baptiste) Auguste, source of muscular energy, A., ii, 330. — transformation of fat into carbohydrate in the organism, A., ii, 333.

Chauveau, (Jean Baptiste) Auguste, and

F. Laulanié, source of muscular energy, A., ii, 330.

Chauvet, A. See Charles Moreu.

Chavanne, L. See Philippe A. Guye. Chavastelon, R., action of acetylene on

silver nitrate, A., i, 545. Chaves y Pérez del Pulgar, Federico, synthesis of iron silicates, A., ii, 415. - analysis of a barytes rock, A.,

ii, 415.

Chaves y Pérez del Pulgar, Federico, and Federico Relimpio y Ortega, beryl containing cæsium from Galicia, A., ii, 412. michrochemical reaction for didymium, A., ii, 433.

Chesneau, Gabriel, sulphides of cobalt and nickel, A., ii, 172.

Chiris, G. See Eugène Charabot.

Chrétien, Paul, action of sulphuric acid on iodine and iodic acid, A., ii, 138.

Christensen, A. C., reaction between herepathite and barium carbonate in dilute alcohol, A., i, 383.

 volumetric estimation of phosphoric and arsenic acids, A., ii, 282.

Christensen, Odin T., formation of manganese compounds, A., ii, 374.

Christomanos, Anastasios Karl, amorphous greenockite from Laurion, A., ii, 104.

Chrustschoff, Konstantin von, isometric crystals of silica, A., ii, 505.

Chuard, Ernest. See Heinrich Brunner. Ciamician, Giacomo Luigi, constitution of the bases formed by the action of alkyl iodides on indoles, A., i, 101.

Ciamician, Giacomo Luigi, and G. Boeris, relation of trimethylindole to alkyldi-

hydroquinolines, A., i, 102. Ciamician, Giacomo Luigi, and Felice Garelli, solid solutions, A., ii, 250.

Ciamician, Giacomo Luigi, and Antonio Piccinini, trimethyldihydroquinoline, A., i, 101.

-1-methylpyrrolidine, A., i, 542. Ciamician, Giacomo Luigi, and Giuseppe Plancher [and in part G. Boeris], action of ethylic iodide on 2'-methylindole, A., i, 102.

Ciamician, Giacomo Luigi, and Paul G. Silber [phenylcoumalin], A., i, 57.

– tropinic acid, A., i, 173. — curcumin, A., i, 229.

high boiling point constituents

of oil of celery, A., i, 291. - products of decomposition of sedanonic acid, A., i, 292.

- --- odorous constituents of oil of

celery, A., i, 483. -- -- sedanonic acid, A., i, 483.

- --- sedanolic acid and sedanolide, A., i, 484.

Cimatti, A. See Carlo Umberto Zanetti. Claisen, Ludwig, a curious instance of molecular rearrangement, A., i, 188.

- isoxazolones, A., i, 493.

Claisen, Ludwig [and in part E. Haase], hydroxymethylene compounds, A., i, 592.

Claisen, Ludwig [with Carl Niegemann and Franz Thomas], the pyrazole series, A., i, 440.

Clark, Ernest. See George Young.

Clarke, Frank Wigglesworth, constitution of the silicates, A., ii, 50.

third annual report of the committee on atomic weights, A., ii, 251. Claus, Adolph, action of hydroxylamine on benzylideneacetophenone, A., i, 189.

- quinolinesulphonic acids, A., i, 439. Claus, Adolf, and Sigismund Baumann, "loretin" metiodorthohydroxyquinolineanasulphonic acid, A., i, 580.

Claus, Adolph, and Robert Giwartovsky, 1-hydroxyquinoline-4-sulphonic acid, A., i, 204.

Claus, Adolph, and Wilhelm Günther, tetrahydroquinoline-1-sulphonic acid, A., i, 296.

Claus, Adolph, and Hermann Häfelin, oximes of the fatty aromatic ketones containing the higher alkyls: stereo-

chemistry of nitrogen, A., i, 187. Claus, Adolph, and Adolph Kaufmann, methyl-loretine and lorenite, A., i, 633. Claus, Adolph, and Alexander Kaufmann, 3-hydroxyquinoline 4-sulphonic acid,

A., i, 633. Claus, Adolph, and Franz Predari, azo-

opianic acid, A., i, 348.

Clautriau, G., the glycogen of fungi and yeasts, A. i, 548.

Cleve, Astrid, some phenyltriazoles, A., i, 172.

Clever, A. See Wilhelm Muthmann, Cloëz, Charles, cholesterol, A., i, 406. \cdot nitrosodiphenylmethylamine, A.,

i, 561.

Clowes, Frank, limiting the explosive proportions of acetylene and detecting and measuring the gas in the air, A., ii, 128

Coates, Charles E., and W. R. Dodson, nitrogen assimilation in the cotton plant, A., ii, 424.

Cockburn, George Bertram. See John Addyman Gardner.

Coehn, Alfred, electrolytic solution and separation of carbon, A., ii, 241.

Cohen, Emil Wilhelm, meteoric irons [rhabdite and schreibersite], ii, 56.

- meteoric iron from Locust Grove, North Carolina, A., ii, 272.

Cohen, Emil Wilhelm, meteoric iron from Forsyth Co., Georgia, A., ii, 416. · meteoric irons, A., ii, 509.

Cohen, Ernst, explanation of the deviations from the normal course of reaction in the case of solutions, A., ii, 484.

Cohen, Julius Berend, and Harry Thornton Calvert, the action of nitrogen trioxide and tetroxide on alcohols, T., 1050; P., 1897, 166.

Cohen, Julius Berend, and William Hudson Harrison, the action of nitrogen tetroxide on ortho- and paranitrobenzylic alcohols, T., 1057; P., **1897**, 166.

- the action of aromatic amines on diacetyltartaric anhydride, T., 1060; P., 1897, 167.

Cohn, Paul, quinolineoxyquinolines, A., i, 170.

Cohn, Paul, and Franz Fleissner, separation of palladium from platinum, A.,

Cohnheim, Otto, hydrochloric acid compounds of albumoses and peptone, A., i, 207.

Cohnstein, Wilhelm, and Hugo Michaelis, changes of the fat of chyle in the blood, A., ii, 182.

Collet, A., triphenylethanone [diphenylacetophenone], A., i, 73.

- action of α-bromopropionic chloride on benzene in presence of aluminium chloride, A., i, 344.

- action of α-bromobutyric chloride on benzene in the presence of aluminium chloride, A., i, 522.

Collie, John Norman, production of pyridine derivatives from ethylic β-amidocrotonate, T., 299; P., 1897, 43; discussion, P., 44.

- a space formula for benzene, T., 1013; P., 1897, 143; discussion, P., 145.

Collie, John Norman. See also Emily Arthur Lapworth, Alicia Aston, William Ramsay.

Colman, James, action of hydrazine on cumenylimido ether, A., i, 640.

Colson, Albert, action of free bases on salts, A., i, 314.

polarimetric estimation of tartaric acid, A., ii, 167.

-action of hydrogen chloride on alkali sulphates, A., ii, 211.

 decomposition of metallic sulphates by hydrochloric acid, A., ii, 211.

Comey, Arthur Messinger. See Charles Loring Jackson.

Comstock, William James, molecular rearrangement of the oximes by means of certain metallic salts, A., i, 469.

Conrad, Max, synthesis of δ -dimethyl-

lævulinic acid, A., i, 323.

Conrad, Max, [and in part Anton Kreichgauer, and Ruppert], derivatives of methylic bromodimethylaceto-

acetate, A., i, 321.
Constam, Emil Joseph, and Arthur von Hansen, electrolytic preparation of a new class of oxidising substances, A.,

ii, 550.

Conzetti, Alfred. See Richard E. Meyer. Cook, Ellen P., optical activity of aspartic acid in aqueous solution, A., ii, 169.

Cook, Ernest H., note on a method for determining melting points, P., 1897,

Coppet, Louis Casimir de, former determinations of freezing points, A., ii, 305. Coremons. See Courlay.

Cornette, detection of rosin oil in fatty oils, A., 291.

Cossa, Alfonso, constitution of platosemiamine compounds, A., ii, 457.

Coste, John Henry, green slate from Llanberis, A., ii, 55.

Coste, John Henry. See also Ernest J. Parry.

Coudon, H., and L. Bussard, composition of potatoes, A., ii, 514.

Councier, Constantin, condensation of phloroglucinol with sugars and with aldehydes, A., i, 613.

Courlay, and Coremons, detection of horse-flesh, A., ii, 611. Cownley, Alfred John.

See Benjamin Horatio Paul.

Cramer, C. D., thrombosin, A., ii, 331. Crompton, Holland, the theory of osmotic pressure and the hypothesis of electrolytic dissociation, T., 925; P., 1897, 109; discussion, P., 112.

molecular rotations of optically active salts, T., 946; P., 1897, 111;

discussion, P., 112.

- heats of neutralisation, of acids and bases in dilute aqueous solution, T., 951; P., 1897, 111; discussion, P., 112.

Crooker, O. E. See Homer Winthrop Hillyer.

Crookes, Sir William, the alleged new element, lucium, A., ii, 144.

Crosa, F., and C. Manuelli, lapachanone, a new substance from lapacho wood, A., i, 630.

Cross, Charles Frederick, Edward John Bevan, and Claud Smith, the carbohydrates of the cereal straws, T., 1001; P., 1897, 150.

Crossley, Arthur William, note on Wechsler's method for the separation of fatty acids, T., 580; P., 1897, 21.

Cubeddu. See Mameli-Cubeddu. Cuniasse, L., and Sig. de Raczkowski, estimation of benzaldehyde in kirsch-

wasser, A., ii, 526.
Curran, J. Milne, selenium associated with gold and bismuth: graphitic slate, and water from New South Wales, A., ii, 102.

Curtiss, Richard S., some malonic acid derivatives, A., i, 556.

Curtius, Theodor, and J. Reinke, the volatile reducing substance of the green parts of plants, A., ii, 584.

Cushman, Alexander Ramsay, new and rapid method for the qualitative separation of iron, aluminium, chromium, manganese, zinc, nickel, and cobalt, A., ii., 518.

D.

Daccomo, Girolamo, filicic acid, A., i, 202.

Daccomo, Girolamo, and L. Scoccianti, estimation of filicic acid in officinal preparations of the male fern, A., ii, 355.

Daclin, L., detection of santonin in urine, A., ii, 532.

Dafert, Franz W., and R. Bolliger, conservation of farmyard manure, A., ii, 590.

Dahl, Adolf, diphenylindone, A., i, 170. Dahms, Albert, freezing points of binary mixtures, A., ii, 245.

Dam, W. van, action of alkali hypobromites on succinodiamide, A., i, 23. - action of alkaline hypobromite on asparagine, A., i, 601.

Darexy, P. See Ernst Gerard.

Darmstaedter, L., and Isaac Lifschütz, composition of wool fat, A., i, 180.

Darzens, Georges, some derivatives of anethoil, A., i, 558.

David, conversion of oleic acid into stearolactone and hydroxystearic acid, A., i, 396.

Davidis, Ernst, aldazines, ketazines and benzosazones of aldoses and ketoses, A., i, 5.

Davis, L. Sherman, alkaloids contained in the seeds of blue and white lupins,

A., i, 174, 645.

Davis, William Alfred, derivatives of nitro-β-naphthols, P., **1896**, 231.

- morphotropic relations of β-naphthol derivatives, P., 1896, 233.

ivis, William Alfred. S Henry Edward Armstrong. also Davis, Davison, John M., wardite, a new hydrous basic aluminium phosphate, A., ii, 50.

Dawson, H. M. See Jacobus Henricus van't Hoff.

Day, W. S., recalculation of Rowland's value for the mechanical equivalent of heat in terms of the Paris hydrogen thermometer, A., ii, 539.

Decoux, Louis, and Louis Drumel, ordinary and dried superphosphate,

A., ii, 341.

Dedichen, Jens. See Otto Nikolaus Witt. Deeley, R. M., the periodic law, P., 1896, 185.

Defacqz, Ed., reactions of tungsten, A.,

- separation of tungsten and titanium, A., ii, 163.

 reduction of wolframite bv carbon in the electric furnace, A.,

Defren, George, presence of nitrites in the air, A., ii, 94, 140.

estimation of reducing sugars in terms of copper oxide, A., ii, 193.

Defris, Rudolf. See Ferdinand Ulzer. Degner, Otto, and Hans von Pechmann, behaviour of diazomethane towards nitramines, A., i, 264.

Dehérain, Pierre Paul, reduction of nitrates, A., ii, 381.

· fixation and nitrification of nitrogen in arable soils, A., ii, 590.

— drainage waters, A., ii, 591.

Dehérain, Pierre Paul, and E. Demoussy, oxidation of organic matter in soil, A. ii, 68.

Delacour, A., estimation of caffeine in tea, coffee, &c., A., ii, 293.

Delafontaine, M. Marc, fergusonite metals: philippium, A., ii, 373.

- separation of thoria from zirconia, A., ii, 377.

Delauney, atomic weights of the elements, A., ii, 92.

Delépine, Marcel, preparation of primary amines, A., i, 394.

- action of hydrogen sulphide on trimethyltrimethlyenetriamine, A., 456.

- action of carbon bisulphide on trimethyltrimethylenetriamine, A., i,

- diethylformocarbothialdine, A., i,

457. - action of potash on formaldehyde,

A., i, 504. - trioxymethylene and paraformaldehyde, A., i, 505.

- action of water on formaldehyde as related to the rôle of this substance in plants, A., i, 505.

Delépine, Marcel, separation of methylamines, A., i, 586.

thermochemistry of hexamethylenetetramine and its nitroso-derivatives, A., ii, 87.

- hexamethylenetetramine salts, A., ii, 131.

- heat of formation of formaldehyde, A., ii, 359.

Delezenne. See Bosc.

Demeler, Karl. See Carl Paal.

Dementéeff, K., volumetric estimation of zinc, A., ii, 519.

Demerliac, R., variation of melting points with the pressure, A., ii, 201.

application of the Clapeyron formula to the melting point of benzene, A., ii, 363. Demoussy, E. See Pierre Paul Dehérain.

Deniges, Georges, rapid process for the detection of formaldehyde in milk, A., ii, 81.

Nessler's reaction as a test for mercury or iodides, A., ii, 161.

a remarkable case of alcaptonuria: estimation of alcapton (homogentisic acid), A., ii, 337.

- estimation of mercury, A., ii, 433. - extension of Legal's reaction to compounds containing the acetyl group and their derivatives, A., ii, 467.

- rapid method for the estimation of boric acid in milk, A., ii, 517.

- new method for the estimation of casein in milk, A., ii, 532.

method for the examination biliary calculi, A., ii, 612.

Dennis, Louis Munroe, separation of thorium from the other rare earths by potassium nitride (azoimide), A., ii, 232.

Dennis, Louis Munroe, and A. E. Spencer, zirconium tetraiodide, A., ii, 558.

Dennstedt, Maximiliano, simplification of organic elementary analysis, A., ii, 432.

Derby, Orville Adelbert, the Bendego meteorite, A., ii, 416.

Desgrez, Alexandre. See Ch. Bouchard. Detert, W. See Carl Stochr.

Dewar, James, and JohnAmbroseFleming, electrical resistivity of pure mercury at the temperature of liquid air, A., ii, 239.

 electrical resistivity of bismuth at the temperature of liquid air, A., ii, 240.

 electrical resistivity of electrolytic bismuth at low temperatures and in magnetic fields, A., ii, 474.

James, and John Ambrose Dewar, Fleming, dielectric constant of ice and alcohol at very low temperatures, A., ii, 475.

Dewar, James. See also Henri Moissan. Deybeck, S. See Carl Paal.

Dibdin, William Joseph, and Robert Grimwood, analysis of mortars, A., ii, 125.

See Philip Hol-Dickson, Edmund. land.

 $W_{\cdot,\cdot}$ 1:2-diketopenta-Dieckmann, methylene (cyclopentadione 1:2-), A., i, 462

Diepolder, Emil, a new extraction apparatus, A., ii, 446.

Diesselhorst, H. See Max Thiesen. Dieterich, Karl, palm dragon's blood,

A., i, 92. - detection of vanillin in resins, A.,

ii, 610. Dietrich, Robert. See Eugen Bamberger.

Dinkler, detection of arsenic, A., ii,

Ditte, Alfred, action of halogen hydracids on solutions of the corresponding alkali salts, A., ii, 210.

action of alkali hydroxides on solutions of the corresponding halogen salts, A., ii, 210.

Dittrich, Max, methods of rock analysis, A., ii, 121.

Divers, Edward, action of alkalis on benzsulph-hydroxamic acid [benzenesulphonylhydroxylamide], A., i, 67.

— hyponitrous acid, A., ii, 369. Dixon, Augustus Edward, halogen-substituted acidic thiocarbimides, and their derivatives; a contribution to the chemistry of thiohydantoins, T., 617; P., **1897**, 6.

Dixon, Harold Baily, and Edward John Russell, explosion of chlorine perexide with carbonic oxide, T., 605; P., 1897.

99, discussion, P., 100.

Dobbie, James Johnstone, and Fred. Marsden, corydaline, part V., T., 657; P., 1897, 101.

Dobson, W. R. See Charles E. Coates. Doebner, Oscar (Gustav), synthesis of the acids of guaiacum resin, A., i, 166. - guaiacum blue, A., i, 166.

Doebner, Oscar (Gustav), and Ed. Lücker, guaiacum resin, A., i, 165.

Doelter, Cornelius, behaviour of minerals when submitted to the X-rays, A., ii, 45, 469.

- artificial production of rocks by fusion in the presence of various agents, A., ii, 54.

 synthetical studies [on minerals], A., ii, 329.

Donnan, Frederick George, autocatalysis. A., ii, 15.

Donogány, Zakariás hæmochromogen as a test for blood, A., ii, 468.

Dootson, FrederickWilliam.William James Sell.

Dormeyer, Carl, estimation of fats, soaps, and fatty acids in animal organs, A.,

Dorn, Ernst, and B. Völlmer, action of hydrochloric acid on metallic sodium at low temperatures, A., ii, 301.

Dornic, P., effect of work on the quality and composition of cow's milk, A., ii,

Dorp, Willem Arne van. See Sebastiaan Hoogewerff.

Dorrance. See Otto Wallach.

Dorsch, R. See Julius H. Aeby.

Dreser, Heinrich, osmotic pressure of ether and chloroform in the nerve cells, A., ii, 14.

Drossbach, G. Paul, the components of monazite, A., ii, 38.

Drude, Paul, electrical anomaly and chemical constitution, A., ii, 303.

- two methods for the measurement of the dielectric constant, and electrical absorption with rapid vibrations, A., ii, 438.

 new physical method of determining constitution, A., ii, 537.

Drumel, Louis. See Louis Decoux.

Duboin, André, method of preparing double silicates of potassium and other metals, A., ii, 96.

Dubois, Raphael, luciferase or the light producing enzyme of animals and plants, A., ii, 112.

Dudley, William L., nickelonickelic hydroxide, A., ii, 171.

Düring, Franz, estimation of sulphur in animal tissues and in the hair of animals of different ages, A., ii, 63.

 the mineral matters in birds' bones, A., ii, 571.

- the pentosans and crude fibre of various foods, A., ii, 588

Dufau, Em., nickel dioxide and its acid properties: barium nickelite, A., ii, 100.

- crystalline magnesium chromite, A., ii, 145.

Dufau, Em. See also Gustave Patein.

Duhem, *Pierre*, liquefaction of mixtures of two gases, A., ii, 364.

gradual change and thermodyna-

mics [of sulphur], A., ii, 439.

Dunlap, Frederick L., and Isaac K.

Phelps, action of carbamide and primary amines on maleic anhydride, A., i, 461.

Dunlap, Frederick L. See Henry Barker

Dunlop, James Crauford; Diarmid Noel-Paton, Ralph Stockman, and Ivison Macadam, influence of muscular exercise, sweating, and massage on metabolism, A., ii, 570.

 $\dot{W}yndham$ Rowland, and Dunstan, Francis Howard Carr, contributions to our knowledge of the aconite alkaloids. Part XIV., on pseudaconitine, T., 350, P. 1895, 154.

- detection of aconitine, A., ii, 294. Dunstan, Wyndham Rowland, and Ernest Goulding, action of alkyl haloids on aldoximes and ketoximes, T., 573; P., **1897**, 76.

Dunstan, WyndhamRowland, and Thomas Tickel, estimation of aconitine,

A., ii, 294.

Dupont, Justin, and Jacques Guerlain, French oil of roses, A., i, 160.

- French oil of basil, A., i, 429. Dupré, Frederick T. B., estimation of potassium, A., ii, 232.

Durkee, Frank W., action of water of the Hubb coal mine on cast iron, A., ii, 213.

Durrant, Reginald G., the action of hydroxen peroxide and other oxidising agents on cobaltons salts in presence of alkali bicarbonates, P., 1896, 244.

Dussy, J., specific heat of viscous sul-

phur, A., ii, 6.

Dutoit, Paul, and Emily Alicia Aston, relation between the polymerisation of liquids and their power of dissociating electrolytes; A., ii, 546.

Duyk, chemical and industrial importance of ethereal oils: cinnamon oils,

A., i, 358.

Dyes, Wilhelm A., preparation of pure ethylidenelactic acid, and experiments on distillation in a vacuum, A., i, 236.

Dymond, Thomas S., and Frank Hughes, formation of dithionic acid by the oxidation of sulphurous acid with potassium permanganate, T., 314; P., 1897, 42; discussion, P., 42.

E.

Eakle, Arthur S., crystallography of iodates and periodates, A., ii, 21.

Eber, Wilhelm. See F. W. Theodore C. Pfeiffer.

Ebstein, Wilhelm, and Arthur Nicolaier. action of oxalic acid and its derivatives on the kidneys, A., ii, 422.

Eckenroth, Hugo, and George Koerppen,

derivatives of orthobenzoicsulphinide ("saccharin"), A., i, 479.

Edinger, Albert, action of sulphur haloids on aromatic amines, A., i, 103.

- action of sulphur bromide on aromatic amines, A., i, 204.

Edinger, Albert, and Hans Lubberger, action of sulphur chloride on quinoline, A., i, 204.

Edmunds, James, estimation of sulphuric acid or of barium, A., ii, 123.

Edwards, WilliamBuckland.See Frederic Stanley Kipping.

Ehret, Hermann. See Alfred Einhorn. Ehrhardt, Robert, action of furfuraldehyde on aromatic hydroxylamines, A., i, 616.

- action of furfuraldehyde on paradiamines, A., i, 622.

Eibner, Alexander, constitution of the nitroso-derivatives of the two secondary ethylidenanilines, A., i, 142.

- ethylidenediphenamine (ethylidenedianiline), A., i, 464.

Eichloff, Robert, colostrum fat, A., ii, 511.

Eifler, Ludwig. See Carl August Michaelis.

Eijkman, Johan Frederick, refractometric observations, A., ii, 1.

Einecke, Albert, analyses of the juice of different varieties of gooseberries, currants, and strawberries, A., ii, 156.

Einhorn, Alfred [and in part Benjamin Samuel Bull, and Alfred Gernsheim,] hexahydroanthranilic acid, A., i, 345.

Einhorn, Alfred [and in part Hermann **Ehret**], reduction of phenolcarboxylic acids, A., i, 344.

Einhorn, Alfred. See also EugenBamberger,

Eisenlohr, Hermann, estimation paraffin, A., ii, 523.

Ekecrantz, Thor. See Eugen Bamberger. Elbs, Karl, electrolytic oxidation of paranitrotoluene, A., i, 332.

- theory of accumulators, A., ii, 300. Elbs, Karl, and K. Kratz, electrolysis of trichloracetic acid, A., i, 553.

Elion, Hartog, gravimetric estimation of sugars, especially of maltose, by means of Fehling's solution, A, ii, 80.

Ellinger, Alexander. See Karl Spiro. Ellram, W., new reactions of vanadic acid, molybdic acid and thiocyanates, A., ii, 522.

Emerson, Benjamin Kendall [babingtonite, biotite, almandine and gedrite from Massachusetts], A., ii, 566

Emery, William Orren, ketocarboxylic acids: 8-acetylglutaric acid, A., i, 325. Emich, Friedrich, inflammability of explosive mixtures of gases, A., ii, 309.

Oskar, a new bacillus Emmerling, which forms butyric acid from glycerol A., ii, 113.

- putrefaction of albumin, A., ii, 113.

- the cause of poisoning by wall papers containing arsenic, A., ii, 114, 381.

- butylic alcohol fermentation, A.,

- fermentation produced by moulds, A., ii, 223.

decomposition of fibrin by Streptococci, A., ii, 578.

-chemical and bacteriological investigation of the fermentation of fresh grass, A., ii, 579.

Enell, Henrik, detection of calcium hydrogen tartrate in purified cream of tartar, A., ii, 608.

Engel, Rodolphe (Charles), metastannyl chloride, A., ii, 376.

Engelhardt, Rud., action of hydrazines on nitriles under the influence of sodium, A., i, 126.

Engler, Carl, and W. Wild, the socalled rendering active ("activirung") of oxygen and the formation of peroxides, A., ii, 402.

Epstein, Boleslas, action of bromine and hydrogen bromide on ethylic acetate, A., i, 317.

Erdmann, Ernst, and Hugo Erdmann, constitution of "patent-blue," A., i, 286.

Erdmann, Hugo, simple method of quantitative analysis by means of the telephone, A., ii, 384.

Erdmann, Hugo, and Paul Köthner, rubidium dioxide, A., 96.

- double salts of rubidium, A., ii, 98.

Erdmann, Hugo. See also Ernst Erdmann.

Erig, Joh. See Daniel Vorländer.

Erlenmeyer, Emil, jun., formation of desylacetic acid from phenylpyruvic acid and benzaldehyde, A., i, 68.

 hydrochloridesof diphenylhydroxyethylamine bases, A., i, 480.

diphenylhydroxy-- formation of ethylamine bases from benzaldehyde and from glycocine, A., i, 480. resolution of isohydrobenzoin into

its active opponents, A., i, 480.

Erp, H. van. See Nicolas Franchimont. See Antoine Paul

Errera, Giorgio, reduction of dipropyl-malononitrile, A., i, 19.

Errera, Giorgio, and E. Berté, malono-

nitrile derivatives and their reduction. A., i, 18.

Escales, Richard, preparation of aluminium chloride, A., ii, 407.

Eschenbach, Georg. See Siegmund Gabriel,

Eschle, amount of iodine in certain algæ, A., ii, 339.

Eschweiler, Wilhelm, constitution of the acid amides, A., i, 399.

Escombe, F., chemistry of the membranes of lichens and fungi, A., ii,

Estreicher, Thaddaeus, behaviour of halogen hydrides at low temperatures, A., ii, 21.

Étard, Alexandre Léon, spectra of chlorophylls, A., i, 578; ii, 130.

Ettinger. See Léon Franck.

Euler, Hans, dependence of the dissociation of some acids on temperature and the heat of dissociation, A., ii,

Euler, Wilhelm, synthesis and constitution of isoprene, A., i, 585.

Evans, Clare de Brereton, studies on the chemistry of nitrogen: enantiomorphous forms of ethylpropylpiperido-nium iodide, T. 522; P., 1897, 64.

- researches on tertiary benzenoid amines, II., P., 1896, 234.

F.

Fairbanks, Charlotte, iodometric method for the estimation of phosphorus in iron, A., ii, 72

Fairbanks, Charlotte. See also Frank Austin Gooch.

Fairbanks, Harold W., analcite-diabase from California, A., ii, 55.

Faktor, Fr., mineral water of Kralitz, A., ii, 148.

Falck, R. See Alfred Werner.

Famulari, Sebastiano, double acting washing bottle for gases, A., ii, 548.

Farbaky, J., commercial production of tellurium, A., ii, 368.

Farnsteiner, Ernst, absorption of peptone in the small intestine and the effect of drugs on the process, A., ii, 111.

Farrington, E. H., acidity of milk increased by boric acid, A., ii, 194.
Fassbender, Fr. See Alfred Werner.
Fassbender, G., and J. Kern, cause of

the low iodine number of linseed-cake oil, A., ii, 610.

Fawcett, John, and W. Hale White, influence of g-tetrahydronaphthyl-

amine on the body temperature, A., ii, 419.

Fay, Henry. See James F. Norris.
Fedorow, E. von, garnet from the Turjinsk mines, A., ii, 458.

Feist, Franz, existence of condensation rings with para-linking, A., i, 636

Fenton, Henry John Horstman, a new synthesis in the sugar group, T., 375; P., 1897, 63.

Ferenczi, Siegmund, improvements in paper testing, A., ii, 606.

Fernbach, Aug., phosphoric acid in barley and malt, A., ii, 186.

Ferreira da Silva, Antonio Joaquim, new reaction for eserine, A., i, 583.

--- constitution of the metallic carbonyls, A., ii, 406.

Fertig, Eduard. See Ludwig Knorr.
Fichter, Fritz, general synthetical method for the preparation of γδ-unsatu-

rated acids, A., i, 13.

Fichter, Fritz, and Eugen Gully.

δε-heptenoic acid, A, i, 590.

Fichter, Fritz, and Werner Langguth, α-hydroxy-α-methyladipic acid and δε-hexenoic acid, A., i, 590.

Field, Charles, and Edgar Francis Smith, separation of vanadium from arsenic, A., ii, 434.

Fields, John, modification of the Gunning method for nitrates, A., ii, 431

Fileti, Michele, and Giacomo Ponzio, conversion of ketones into α-diketones, A., i, 317.

Filsinger, F., toxicological detection of hydrocyanic acid, A., ii, 288.

— detection of tussah in silk fabrics, A., ii, 296.

Finck, E., ethereal phosphopalladates and their ammoniacal derivatives, A., i, 140.

Findlay, Alexander. See Francis Robert Japp.

Fiquet, Edmond, action of albumoses and peptones in intravascular injections, A., ii, 510.

Fireman, Peter, action of ethers on phosphonium iodide, A., i, 395.Fischer, Armin. See Heinrich Gold.

schmidt. Fischer, Bernhard, estimation of chloro-

Fischer, Bernhard, estimation of chloro form in viscera, A., ii, 524.

Fischer, C. See Emil Knoevenagel. Fischer, Emil, constitution of caffeine, xanthine, hypoxanthine, and allied bases, A., i, 267.

phenylhydrazones from aldehydes, A., i, 469

VOL. LXXII, ii.

Fischer, Emil, synthesis of theobromine, A., i, 641.

— apparatus for simultaneously heating and shaking sealed tubes, A., ii, 401.

Fischer, Emil, and Leo Beensch, the two optically active methylmannosides, A., i, 178.

Fischer, Emil, and Otto Bromberg, caffeidinecarboxylic acid, A., i, 259.

Fischer, Emil [and in part Friedrich Jacobi], the two methyltrichloropurines, A., i, 642.

Fischer, Ferdinand, apparatus for estimating sulphur in coal gas, A., ii, 516.

to the safranines, A., i, 257.

— action of phosphorus chloride on rosindone and aposafranone, Λ., i, 636.

Fittig, Rudolph, transformation of unsaturated α -hydroxy acids into the isomeric γ -ketonic acids, A., i, 14.

Flatau, Julian. See Augustin Bistrzycki, Carl Theodor Liebermann.

Flatow, Philipp, cumenylimido-ethers, A., i, 635.

Flawitzky, Flavian, hypothesis of the atomic motion of the elements and their genesis, A., ii, 93.

Fleck, Hermann, separation of trimethylamine from ammonia, A., ii, 168.

Fleischer, (Hermann Anton) Moritz, effect of manures on the [botanical] composition of crops, A., ii, 427.

on the amount of water, potash, and phosphoric acid in the crops, A., ii, 515.

Fleissner, Franz. See Paul Cohn.

Fleming, John Ambrose. See James Dewar. Flint, Austin, stercorin, A., ii, 575.

Fock, Andreas, solubility of mixed crystals and magnitude of the crystal molecule, A., ii, 479.

Förster, A. See Alexander Herzfeld. Foerster, Fritz, preparation of thallium

by electrolysis, A., ii, 553.

Foerster, Fritz, and O. Seidel, electrolysis of copper sulphate solutions, A., ii, 241.

Foerster, Fritz. See also Franz Mynus. Folin, Otto, urethanes, A., i, 470.

Fonzes-Diacon, action of mercuric chloride on alcohols, A. i, 391.

Foote, H. W. See Samuel Lewis Penfield, Julius Howard Pratt, Horace Lemuel Wells. Foote, Warren M., the Sacramento Mountains meteorite, A., ii, 218.

Forcrand, Robert de, heat of formation of sodioacetylenes, A., ii, 441.

Forster, Martin Onslow, camphoroxime, part I., conversion of camphoroxime into methylcamphorimine and into camphenylnitramine, T., 191; P., 1897, 21.

camphoroxime, part II., the ethers of camphoroxime, T., 1030; P., 1897,

Fortey, Emily C., hexanaphthene and its derivatives. Preliminary note, P., 1897, 161.

Fortmann, Georg, methylanthranilic acid and some quinazoline-derivatives, A., i, 301.

Foulk, C. W., effect of an excess of reagent in the precipitation of barium sulphate, A., ii, 189.

Fouquet, L., separation of codeine from morphine, A., ii, 390.

Fournier, H., preparation of diethylenic

hydrocarbons, A., i, 233.

— ethereal salts of secondary allylic

alcohol, A., i, 453.

Fraenkel, Ernst, 2':3'-dimethylquino-

line, A., i, 487.

Fränkel, Sigmund, chemistry of the

thyroid, A., ii, 61.
— physiological action of the supra-

renal capsules, A., ii, 63.

Framm, Friedrich, decomposition of

monosaccharides by alkalis, A., i, 5. Franchet, Louis, reniform limestone from Villejuif, A., ii, 47.

mysorine (anhydrous copper carbonate), A., ii, 49.

Franchimont, Antoine Paul Nicolas, melting point of organic substances, A., ii, 542.

Franchimont, Antoine Paul Nicolas, and H. van Erp, action of alkalis on neutral aliphatic nitramines, A., i, 6.

Franchimont, Antoine Paul Nicolas, and Herm Umbgrove, methylnitramine, dimethylnitramine, and one of its isomerides, A., i, 8.

Franchimont, Antoine Paul Nicolas. See also Herm Umbgrove.

Franchot, R., nascent hydrogen, A., ii, 138.

Francis, Francis E., the dinitrosamines of ethyleneaniline, the ethylenetoluidines and their derivatives, T., 422; P., 1897, 63.

Franck, Leon [and in part Ettinger], diamonds in steel, A., ii, 370.

Francke, Bruno. See (Ernst Carl)
Theodor Zincke.

Francke, E. See F. W. Theodor C. Pfeiffer.

François, Maurice, action of ammonia on mercurous iodide, A., ii, 492.

--- estimation of aldehyde in ether, A., ii, 526.

François, Maurice. See also Auguste Béhal.

Franke, Adolf, action of alcoholic soda on isobutaldehyde, A., i, 137.

Franke, E., estimation of nitrogen in guano, A., ii, 229.

Frankfurt, S., composition of wheat germs, A., ii, 67.

Frankland, Percy Faraday, Pasteur memorial lecture, T., 683; P., 1897, 79.

Frankland, Percy Faraday, and Thomas Slater Price, the amyl (secondary butylmethyl) derivatives of glyceric, diacetylglyceric and dibenzoylglyceric acids, active and inactive, T., 253; P., 1897, 9.

Freer, Paul C., action of sodium on acetaldehyde, A., i, 136.

--- constitution of certain hydrazones, A., i, 342.

French, William, studies on the interaction of highly purified gases in the presence of catalytic agents, P., 1897, 52.

Frentzel, Joh. See Nathan Zuntz.
Frenzel, August [bismutosmaltine, wolframite, agricolite, &c.], A., ii, 266.
— sylvanite from Kalgoorlie, A.,

ii, 503.

Fresenius, Carl Remigius, and Heinrich Fresenius, water of the Adler Spring at Wiesbaden, A., ii, 569.

Fresenius, Carl Remigius, and Ernst Hintz, thermal spring at Wiesbaden, A., ii, 109.

Fresenius, Heinrich, estimation of fat in milk, A., ii, 167.

Fresenius, Heinrich. See also Carl Remigius Fresenius.

Fresenius, Wilhelm, sweet wines, A., ii, 288.

Fresenius, Wilhelm, and Leo Grünhut, estimation of the caramel on the surface of coffee berries roasted with sugar, A., ii, 355.

Freund, Martin, and Carl Meinecke, derivatives of thiobiazoline, A., i, 122.

Freund, Martin [and in part Carl Meinecke, and Heinrich P. Schwarz], preparation of triazole and its homologues, A., i, 123.

fogues, A., i, 123.

Freund, Martin, [and in part Hugo Michaels, Ernst Göbel], thebaine, A., i, 495.

Freund, Martin and Alfred Schander,

aminotriazsulphole[aminothiotriazole], A., i, 125.

Freund, Martin, and Alfred Schander, thiourazole, A., i, 126.

Freund, Martin, and Heinrich P. Schwarz, derivatives of triazsulphole [thiotriazole], A., i, 125.

Freund, Moriz, the aluminium chloride reaction, A., i, 68.

Freundler, Paul, preparation of furfuran, A., i, 506.

Freyer, Franz, estimation of alcohol by means of the ebullioscope; influence of extractive matters, A., ii, 164.

estimation of salicylic acid, A., ii, 608.

Freyss, Georges, titration with potassium hydrogen carbonate, A., ii, 593.

Friedel, Charles, fatty substances found in Egyptian tombs at Abydos, A., i, 318.

Friedheim, Carl, volumetric estimation of molybdenum and of vanadium, A., ii, 127.

Friedländer, Paul, and W. H. Kielbasinski, a correction [diaminonaphthalenesulphonic acids], A., i, 80.

Friedländer, Paul, and R. Löwy, flavone derivatives, III., A., i, 32.

Friedländer, Paul, and Julius Neudörfer, flavone derivatives, V. Ketocoumaran, and some of its condensation products, A., i, 424.

Friedländer, Paul, and R. Taussig, some sulphonic acids of α-naphthol, A., i, 481.

Friedländer, Paul. See also Siegfried Blumenfeld, J. Brull.

Friedländer, Siegfried. See Carl Theodor Liebermann.

Friswell, Richard John, on the properties of nitrobenzene, T., 1010; P., 1897, 147; discussion, P., 149.

— the action of light on a solution of nitrobenzene in concentrated sulphuric acid, P., 1897, 148.

Fritsch, Carl, electrolytic conductivity of solid substances, A., ii, 301.

Fritsch, Paul, patent blue colouring matters: derivatives of benzylsultone, benzylsultame, and benzylidenesultime, A., i, 72.

condensation products of chloral with alkyl derivatives of metahydroxybenzoates and symmetrical dihydroxybenzoates: synthesis of alkylated monohydroxy-and dihydroxy-phthalic acids, A., i, 568.

— wet method for estimating carbon and nitrogen in organic compounds, A., ii, 124.

Fromm, Emil. See Eugen Baumann.

Fuchs, Paul, determination of the rise of boiling point in molecular weight determinations, A., ii, 244.

laboratory electrolytic cells, A., ii, 535.

Fuhse, Otto, crystalline thorium nitrate, A., ii, 377.

Funk, Robert. See Franz Mylius.

G.

Gaab. See Schneider.

Gabriel, Siegmund, and George Eschenbach, dibromodiethylamine, A., i, 313.

preparation of allylamine, A., i, 395.

A., i, 414.

Gabriel, Siegmund, and George Giebe, action of glycocine on acetophenone-orthocarboxylic acid, A., i, 59.

Gabriel, Siegmund, and Carl (Freiherr) von Hirsch, preparation of thiazolines, A., i, 120.

lene), A., i, 135.

from benzylphthalimidine, A., i, 157. Gadamer, Johannes, optical rotation of

atropine and its salts, A., i, 132.

— glucosides of black and white mustards, A., i, 254, 360.

Garbarini, G., organo-mercuric compounds derived from α-picoline, A., i, 370.

Gardner, John Addyman, and George Bertram Cockburn, action of phosphorus pentachloride on fenchone, T., 1156; P., 1897, 173.

dation of fenchene, P., 1897, 137.

Gardner, John Addyman. See also James Ernest Marsh.

Garelli, Felice, solid solutions of phenol in benzene, A., i, 26.

— attempts to determine the constitution of tropanine and granatanine bases by cryoscopic methods, A., i, 173.

the cryoscopic behaviour of substances similar in composition to the solvent, A., ii, 14.

Garelli, Felice. See also Giacomo Luigi Ciamician.

Garfunkel, H. See Oscar Hinsberg.
Garnett, Henry, testing lemon oil, A.,
ii, 290.

Garnier, Jules, fluidity of fused nickel, A., ii, 496.

44--2

Garola, C., estimation of phosphoric acid in organic substances, A., ii, 596.

Garrod, Archibald Edward, the yellow colouring matter of urine, A., ii, 220.

Gaspari, Ausonio de, derivatives of veratrole, A., i, 30.

Gassmann, Charles, conversion of eugenol into isoeugenol, A., i, 337.

 formation of vanillin from vanilloylcarboxylic acid, A., i, 343.

 estimation of the constituents of a mixture of primary, secondary, and tertiary amines of the same radicle, A., ii, 81.

Gattermann, Ludwig [and Alway], electrolytic reduction of aromatic nitrocompounds, A., i, 189.

Gattermann, Ludwig, and J. A. Koch, new synthesis of aromatic aldehydes, A., i, 519.

Gattermann, Ludwig [and in part A. E. Lockhart and C. Weinlig], electrolytic reduction of aromatic nitro-compounds, A., i, 188.

Gattermann, Ludwig, and H. Schulze, thiobenzophenone, A., i, 192.

- colouring matters derived from the sulphonic acids of a-naphthol and a-naphthylamine, A., i, 195.

Gattermann, Ludwig [and with Würst and Bohn], electrolytic reduction of aromatic nitro-compounds, A., i, 189. Gattermann, Ludwig. See also Robert E.

Schmidt. Gaule, Justus, absorption of iron and

synthesis of hæmoglobin, A., ii, 570. Gautier, (Émile Justin) Armand, the function of humic substances in the

fertility of soils, A., ii, 463. - action of light on mixtures of chlorine and hydrogen, A., ii, 486.

Gautier, E. J. Armand, and H. Hélier, action of light on gaseous mixtures with special reference to hydrogen and chlorine, A., ii, 437, 486.

Gautier, Henri, estimation of potassium hydrogen tartrate in wines, A., ii, 289. Gawalowksi, A., recovery of uranium

from residues, A., ii, 214.

Gawalowksi, A., and Alexander Katz, apparatus for testing oils, A., ii, 604. Gay, Paul, nutritive value of horse-

chestnuts, A., ii, 119.

Gebhardt, Franz von, influence on metabolism of dividing the nutriment into

several meals, A., ii, 182. Geelmuyden, H. Chr., acctone as a meta-

bolic product, A., ii, 571.

Geitel, Adolf C., interaction of glycerol and acetic acid, A., i, 546.

- decomposition of triglycerides by bases, A. ii, 547.

Genvresse, P., aromatic bisulphides, A.,

- trihydroxyphenylenic bisulphide, A., i, 514.

Georges, estimation of caffeine, A., ii, 83.

estimation of albumin in urine, A., ii, 84.

Gérard, Ernest, vegetable lipase in Penicillium glaucum, A., ii, 274. Gérard, Ernest and P. Darexy, fatty

matter of beer yeast, A., ii, 459.

Gerber, C., function of tannin in plants and especially in fruits, A., ii, 460.

Gerber, C. See also Armand Berg. Gerhard, K., the alkaloids of the black lupin, A., i, 646.

the alkaloids of the perennial lupin (Lupinus polyphyllus) and of other species of lupins, A., i, 646.

Gerichten, von. See Vongerichten. Gerlach, Max, and Max Passon, estimation of readily soluble phosphoric acid in basic slags, A., ii, 158.

Germann, H., fruit of Myroxolon percira, and of white Peru balsam, A., ii, 185.

Gernsheim, Alfred. See Alfred Einhorn.

Geuther, Theodor. See Ludwig Knorr. Giacosa, Piero, amount of hæmoglobin in the blood at high altitudes, A., ii, 569.

Gibson, John, chemical action of light, A., ii, 437.

Giebe, Georg, a-methylphthalide and orthoethylbenzoic acid, A., i, 62.

Giebe, Georg. See also Siegmund Gabriel.

Giese, O. von, electrolytic estimation of lead, A., ii, 522.

Gieseke, Adolf. See Richard Stoermer. Giesel, Fritz, artificial colouring of crystals of the haloid salts of the alkali metals by means of sodium and potassium vapour, A., ii, 170.

Giesel, Fritz. See also Carl Theodore Liebermann.

Giglioli, Italo, latent vitality of seeds, A., ii, 423.

Gildemeister, Eduard, and KarlStephan, ethereal oils: palmarosa oil, A., i, 81.

Gilles, William Setten, and Frank Forster Renwick, further note on ketopinic acid: pinophanic acid, P., 1897, 64.

— δ-ketopinic acid and camphoic acid, P., 1897, 158.
Gilpin, Joseph Elliott, action of phosphorus pentachloride on aniline and its salts, A., i, 463.

Giordani, Felice, essence of Angelica archangelica, A., i, 80.

Giorgis, Giovanni, estimation of lead in minerals, A., ii, 346.

- estimation of manganese and chromium in products of the iron industry, A., ii, 350.

Giorgis, Giovanni, and Ugo Alvisi, analyses of steel, A., ii, 39.

Girard, Aimé, composition and analysis of wheats, A., ii, 382, 425.

Giustiniani, Ercole. See Arnaldo Piutti. Giwartovsky, Robert. See Adolph Claus. Gladding, Thomas S., estimation of iron and aluminium oxides in phosphate rock, A., ii, 125.

Gladstone, John Hall, relation between the refraction of the elements and their

chemical equivalents, A., ii, 237. Gladstone, John Hall, and Walter Hibbert, the molecular refraction of dissolved salts and acids. Part II. 822; P., 1897, 141; discussion, P.,

- action of metals and their salts on Röntgen rays, A., ii, 131.

Glaser, Charles, estimation of thoria. Analysis of monazite sand, A., ii, 190.

— estimation of thoria, and its behaviour with oxalic acid and am-

monium oxalate, A., ii, 349. Glaser, F., and Karl Mühle, estimation of phosphoric acid in medicinal wines,

A., ii, 596.

Glaubitz, Hubert. See Carl Arnold August Michaelis.

Gley, Eugène, presence of iodine in the parathyroid glandules, A., ii, 572.

Glimmann, G., dammar resin, A., i, 164. Glinka, Konstantin D., alteration of glauconite, A., ii, 54.

Glücksmann, Carl, estimation of hydrocyanic acid in officinal waters, A., ii, 81.

Glücksmann, Carl. See also Richard Přibram.

Gnehm, Robert, and Emil Bänziger, 2:5dichlorobenzaldehyde, A., i, 413.

Godlewski, Emil, formation of proteids in plants by the reduction of nitrates, A., ii, 583.

Göbel, C. See Adolf Pinner.

Göbel, Ernst. See Martin Freund.

Götze, K. See F. W. Theodor C. Pfeiffer. Goldschmidt, Carl, action of formaldehyde on carbamide, A., i, 22.

phenylhydroxylamine, A., i, 39. - derivatives of piperonol, A., i, 54.

Goldschmidt, Heinrich, $\quad \text{and} \quad$ ArminFischer, isomeric carvylamines, A., i, 625.

Goldschmidt, Heinrich, and August Merz. dynamical researches on the formation of azo-dyes, A., i, 278.

Goldschmiedt, Guido, and Alfred Kirpal, action of methylic iodide on papaveric acid, A., i, 131.

Goldschmiedt, Guido, and Gustav Knöpfer, ethylic isoallylenetricarboxylate, A.,

i, 21.

Goldstein, Eugen, colours produced by the cathode discharge in some salts A., ii, 302.

Goldstein, Karl. See Wilhelm Wislicenus.

Gomberg, Moses, action of Wagner's reagent on caffeine, and a new method for the estimation of caffeine, A., i, 129. - caffeine perhaloids, A., i, 130.

— tetraphenylmethane, A., i, 623. Gonnard, Ferdinand, augite crystals from the central plateau [of France], A.,

Gooch, Frank Austin, and Charlotte Fairbanks, iodometric estimation of molybdic acid, A., ii, 76.

Gooch, Frank Austin, and Franke S. Havens, separation of aluminium from iron, A., ii, 232.

Gooch, Frank Austin, and W. C. Morgan, estimation of tellurium by precipitation as the iodide, A., ii, 71.

Gooch, Frank Austin, and A. W. Peirce, separation of selenium and tellurium, A., ii, 71.

Goodman, Richard J. See Philip Embury

Browning.
Goodwin, H. M., hydrolysis of ferric chloride, A., ii, 16.

Goodwin, H. M. See also Arthur Amos

Gordon, $C.\ M.$, measurement of the capacity of polarisation, A., ii, 357.

Gordon, Victor, variation with temperature of the transference ratios of cadmium in aqueous solution, A., ii, 474.

Gore, George, influence of proximity of substances on voltaic action, ii, **4**38.

Gorter, K., composition of the root of Baptisia tinctoria, A, i, 627.

Gosio, B., cause of poisoning by wall papers containing arsenic, A., ii, 381.

Gossart, Emile, detection of the adulteration of essential oils, A., ii, 351,

Goulding, Ernest. See Wyndham Rowland Dunstan.

Goutal. See Adolphe Carnot.

Graebe, Carl, suggested existence of the two orthophthalic acids, A., i, 60.

Graebe, Carl, and Siegfried Blumenfeld, derivatives of anthracene and of anthraquinone, A., i, 427.

Graentz, Paul. See (Carl Arnold) August Michaelis.

Gramont (Comte) Arnaud de, spectrum of metalloids in fused salts: silicon, A., ii, 238.

- spectrum of carbon, A., ii, 533.

Grande, Ernesto, dimethylic ether of dibromophenolphthalein, A., i, 623. Grandval, Alexandre, and Henri Lajoux, estimation of morphine in opium and in opiates, A., ii, 391.

Granger, A., action of phosphorus on platinum, A., ii, 215.

chromium and manganese phosphides, A., ii, 265.

action of phosphorus on gold, A., ii, 323.

- silver diphosphide, A., ii, 371.

- compounds of phosphorus with iron, nickel, and cobalt, A., ii, 453.

Granger, James Darnell, synthesis of piperidine and its β-alkylated homologues, A., i, 437.

- resolution of synthetical β-propylpiperidine into its active constituents,

A., i, 437.

Grassi-Cristaldi, Giuseppe, hyposantonous acid and its decomposition products, A., i, 202.

decomposition of ethoxalic chloride [ethylic chloroglyoxylate], with elimination of carbonic oxide, A., i, 320.

Gray, G. Watson. See Ira Remsen. Gray, Thomas, the isomeric dibromethylenes, T., 1023; P., 1897, 140.

Green, Arthur George, constitution and colour, P., 1896, 226.

Greig, David M., fibrinuria, A., ii, 221. Greig, E. D. W. See Ralph Stockman. Grenet, L., effect of the presence of boric acid in glass and enamels, A., ii, 141.

Griffin, John J., metatoluenesulphonic acid, A., i, 352.

action of ethylic and methylic paradiazometatoluenealcohols on sulphonic acid in presence of various substances, A., i, 352.

Griffiths, Arthur Bower, coleopterin, a pigment in the elytræ of some Cole-

optera, A., i, 579.

Grimaldi, Siro, action of carbamide on quinones, A., i, 575.

Grimaux, Edouard, anethoil, A., i, 403. Grimwood, Robert. See William Joseph Dibdin.

Grinberg, S. See Fritz Haber.

Grindley, Harry Sands, and J. L. Sammis, action of mercaptides on quinone, A., i, 403.

Groom, P., relation between lime and the carbohydrates in plants, A., ii, 339.

Groshans, J. A., corresponding temperatures, A., ii, 244.

- volume of vapour produced from

one cubic centimetre of a liquid at the boiling point, A., ii, 545.

Grueber, von, estimation of sesquioxides in phosphates and superphosphates, A., ii, 233.

- estimation of aluminia in phos-

phates, A., ii, 518. Grünhut, Leo, examination of wine for

impure starch sugar, A., ii, 287. Grünhut, Leo. See also Wilhelm Fresenius.

Grützner, Bruno, formaldehyde as a reducing agent. Estimation of formaldehyde, A., ii, 166.

estimation of nitrites and nitrous

acid, A, ii, 595.

Guareschi, Icilio, synthesis of pyridine compounds from ethereal salts of ketonic acids and ethylic cyanacetate in presence of ammonia and of amines, A., i, 168.

Guassini. See Allessandri.

Gümbel, C. Wilhelm (Ritter) von, green earth from Monte Baldo, A., ii, 568.

See Richard An-Guenther, Alfred. schütz.

Günther, Wilhelm. See Adolph Claus. Gürber, August, serum album in crystals, A., i, 176.

Guerchgorine, J. See Philippe A. Guye. Guérin, Gabriel, a compound rich in manganese obtained from woody tissue, A., ii, 583.

Guerlain, Jacques. See Justin Dupont. Guichard, M., molybdenum iodide, A., ii, 145.

reduction of molybdic anhydride by hydrogen, A., ii, 496.

Gully, Eugen. See Fritz Fichter. Gundermann, Erich. See (Carl A See (Carl Arnold) August Michaelis.

Gundlich, Charles. See Joseph Lesinsky. Gunn, Alexander, estimation of total alkaloids in coca leaves, A., ii, 294.

Guntz, Antoine, heat of formation of

lithium hydride, A., ii, 86.

- lithium nitride, A., ii, 143.

- action of lithium on carbon and certain carbon compounds, A., ii, 212.

Guntz, Antoine, and Arthur Masson, action of carbonic anhydride and carbonic oxide on aluminium, A., ii, 262.

Guthzeit, Max, an additive compound of aniline with ethylic dicarboxyglutaconate, A., i, 532.

Guye, Philippe A., isomerism of position and rotatory power, A., ii, 437.

Guye, Philippe A., and Emily (Alicia) Aston, influence of temperature on rotatory power, A., ii, 237.
Guye, Philippe A., and L. Chavanne,

molecular dissymmetry and the rota-

tory power of active homologous compounds, A., ii, 357.

Guye, Philippe A., and J. Guerchgorine, rotatory power and structure, A., ii,

Guye, Philippe A., and Charles Jordan, simplified formula for calculating the changes in density of liquids with the temperature, A., ii, 365.

Guye, Philippe A., and P. A. Melikian, normal rotatory dispersions, A., ii, 198.

H.

Haagn, Ernst, internal resistance of galvanic cells, A., ii, 393.Haase, E. See Ludwig Claisen.

Haber, Fritz, theory of the pyrogenic relations of aliphatic hydrocarbons, A., i, 133.

oxidation by means of hydroxyl-

amine, A., ii, 23.

Haber, Fritz, and S. Grinberg, analysis

of coals, A., ii, 605.

Haber, Fritz, and H. Oechelhäuser, estimation of ethylene in the presence of benzene vapour, A., ii, 128.

Haber, Fritz [and in part H. Samoylowicz], decomposition of hexane and trimethylethylene by heat, A., i, 305. Haber, Fritz, and A. Weber, com-

bustion of illuminating gas on cooled surfaces, A., ii, 141.

- combustion of coal gas in gas engines, A., ii, 170.

Habermann, Josef, preparation of reagents free from arsenic, A., ii, 384.

Haddon, E. See Paul Cazeneuve. Haefcke, Hermann, new method of

estimating potassium, A., ii, 160. Häfelin, Hermann. See Adolph Claus.

Härtel, Friedr. See Carl Paal.

Haeussermann, Carl, and Eugen Bauer, derivatives of phenylic ether, A., i, 333.

Hagenbach, August, attempt to separate the two constituents of clèveite gas by diffusion, A., ii, 258.

Hagenbach, Hans. See Rudolf Nietzki. Hake, Henry Wilson, further experiments on the absorption of moisture by deli-

quescent substances, P., 1897, 147. Haldane, John Scott, detection and estimation of carbonic oxide in air, A., ii, 74.

Haldane, John Scott, R. H. Makgill, and A. E. Mayrogordato, physiological action of nitrites, A., ii, 63, 221.

Haldane, John Scott, and James Lorrain Smith, oxygen tension of arterial blood, A., ii, 59.

See also James Haldane, John Scott. Lorrain Smith.

Hall, (Capt.) Marshall, obituary notice of, T., 1294.

Hall, Edgar, origin of malachite, A., ii, 105.

Hall, Vernon J., ferric hydroxide in precipitation, A., ii, 408.

Hall, Winfield Scott, iron in the animal organism, A., ii, 111.

Haller, Albin, a partial synthesis of camphor, A., i, 227.

Haller, Albin, and Edmond Michel, purification of hydrocarbons from thiophen, its homologues, and other impurities by means of aluminium chloride: purification of benzene

toluene, A., i, 513. **Halliburton**, William Dobinson.

Frederick Walker **Mott**.

Hallopeau, L. A., antimoniotungstates,

A., ii, 178. - zirconotungstates, A., ii, 498.

Hambly, Frederick John. See James Walker.

Hamburger, Hartog Jakob, estimation of added water in milk by the freezing point method, Λ ., ii, 389.

Hammarsten, Olof, influence of calcium salts on fibrin formation, A., ii, 152.

Hammerl, Hans, bacteria of human fæces, Á., ii, 574.

Hanai, T., physiological observations on

lecithin, A., ii, 275.

Hanamann, Joseph, river waters Bohemia, A., ii, 509. Handy, James Otis, analysis of aluminium,

A., ii, 191.

See Arthur H. Edgar S. Hanes, McConnell.

Hanriot, Maurice, a new enzyme in the blood, A., ii, 149.

- non-identity of lipases of different origin, A., ii, 378.

Hanriot, Maurice, and L. Camus, estimation of lipase, A., ii, 273.

Hansen, Arthur von. See Emil Joseph Constam.

Hansen. See Jessen-Hansen.

Hantzsch, Arthur (Rudolf), normal diazo-compounds, A., i, 240.

— behaviour of isomeric diazotates

towards benzoic chloride, A., i, 278.

- acidyl amides, A., i, 399.

---- acid diazonium chlorides, A., i, 408. - isomerism of the compounds $N_2O_2H_2$, A., ii, 26.

- nitramide, A., ii, 369.

Hantzsch, Arthur (Rudolf), and H. Borghaus, action of potassium sulphite on nitrodiazonium salts, A., i, 186.

-- --- bis-diazonium salts, A., i, 186.

Hantzsch, Arthur (Rudolf), and Ludwig Kaufmann, hyponitrous acid, ii, 25.

Hantzsch, Arthur (Rudolf), and Frederick Mollwo Perkin, migration of the diazogroup, A., i, 465.

- diazoamido-compounds, A., i, 467.

Hantzsch, Arthur (Rudolf), and M. Schmiedel, diazosulphonates and free diazosulphonic acids, A., i, 185.

Hantzsch, Arthur (Rudolf), and Martin benzoyldiazobenzene, Singer, i, 216.

- action of diazo-compounds on benzenesulphinic acid, A., i, 222.

Hapgood, C. W. See Arthur Amos Noyes.

Augustus George Vernon, Harcourt, presidential address, T., 592; P., **1897**, 80.

- a few thoughts on the question whether the changes which matter undergo are different in their nature, T., 595; P., **1897**, 81.

Hardin, Willett Lepley, determination of the atomic masses of silver, mercury, and cadmium by the electrolytic method, A., ii, 483.

Harker, A. J., determination of freezing points, A., ii, 304.

Harnack, Erich, a forgotten colour reaction of gallic acid and tannin, A.,

- erythrophleine, A., i, 176.

Harper, Charles A., derivatives of isocoumarin, isocarbostyril and isoquinoline, A., i, 106.

Harpf, August, crystallised Martin-slag, A., ii, 40.

Harries, Carl D., stereochemistry in the piperidine series, A., i, 170, 293.

— a correction [action of hydroxyl-

amine on mesityl oxide], A., i, 236. - tropeines of the triacetonamine

series, \widehat{A} ., i, 552.

Harries, Carl D., and Friedrich Hübner, reduction of a6-unsaturated ketones, A., i, 549.

Harries, Carl D., and Fritz Lehmann, action of hydroxylamine on phorone, A., i, 211.

Harrington, Bernard James, advances in- mineralogical chemistry, ii, 102.

- andradite from Ontario, A., ii, 415. Harris, E. B., derivatives of dihydrocis-campholytic acid, A., i, 90.

Harrison, William Hudson. See Julius Berend Cohen.

Harth, Theodor, mercury haloid double compounds, A., ii, 451.

Hartley, Walter Noel, spectrum of cyanogen as produced and modified by spark discharges, A., ii, 298.

Hartley, WalterNoel, and Ramage, the wide dissemination of some of the rarer elements and the mode of their association in common ores and minerals, T., 533; P., 1897,

- on the spectrographic analysis of some commercial samples of metals, of chemical preparations, and minerals from the Stassfurth potash beds, T., 547; P., 1897, 46; discussion, ibid., 48.

clay iron-stone of the Cleveland district of Yorkshire, determination of gallium in blast-furnace iron from Middles-

brough, A., ii, 318. **Hartmann**, *Hilderich*, action of trimethylamine and pyridine on chlorhydrins, A., i, 315.

Hasenclever, Robert Wilhelm, the development of the soda manufacture and allied industries in the last 25 years, A., ii, 142.

Haussmann, Emil. See Carl Adolph Friedrich Stohmann.

Havens, Franke S. See Frank Austin Gooch.

Haywood, John K., sulphur and toluene, A., i, 402.

Heath, George L., improvements in the colorimetric test for copper, ii, 601.

Heath, H. Ll. See C. R. Marshall. Heberdey, P. Philipp, artificial antimonite [stibnite] and bismuth crystals, A., ii, 265.

Hébert, Alexandre, composition of some oil seeds, A., i, 555.

Hébert, Alexandre, and Georges Truffaut. physiological study of the cyclamen, A., ii, 426.

Hébert, Alexandre. See also (Mdlle.) E. Chauliaguet.

Hecker, Bernhard. See (Carl Arnold) August Michaelis.

Hedin, Sven Gustav, determination of isosmotic concentrations, A., ii, 91.

Hefelmann, Rudolf, estimation of alcohol in essences, A., ii, 605.

Hehner, Otto, and Charles Ainsworth Mitchell, estimation of stearic acid in fats, A., ii, 289.

Heid, J. George, valuation of borax, A., ii, 231.

Heim, F. See (Mdlle.) E. Chauliaguet. Heinrich, B., relation between the transpiration of plants and the concentration of the nutritive solutions, A., ii, 424.

Heinrich. B., lime and lupins, A., ii, 426. Heinze, Berthold. See Hans von Pechmann.

Helbach, G. See Rudolf Nietzki.

Hélier, H. See E. J. Armand Gautier. Helmhacker, R., meerschaum, A., ii, 564. Hemmy, A. S.See Siegfried Ruhe-

mann.

Hempel, Walther, elementary analysis under pressure in a closed vessel, A., ii, 189.

Hemptinne, Alexander de, chemical action of Röntgen rays, A., ii, 130.

- chemical action of electrical oscillations, A., ii, 303, 473.

Hemsalech, Gustav A., new lines in the spark spectrum of aluminium, A.,

ii, 534. Henderson, George Gerald, and Matthew Archibald Parker, the action of bromodiphenylmethane on ethylic sodioaceto-

acetate, T., 676; P., 1897, 119.

Henrich, Fr., two modifications of nitroso-orcinol [oximido-orcinol], A.,

i, 404. derivatives of amido-orcinol and of methylamido-orcinol, A., i, 446.

Henriet, H., mercury pump without stopcocks or movable joints, ii, 485.

Henriques, Robert, cerotic acid and cerylic alcohol, A., i, 460.

Henriques, Valdemar, reducing substances in the blood, A., ii, 570.

Henry, Louis, mixed trimethylene compounds, A., i, 1.

WilliamArnon, \mathbf{value} creamery separator skim milk for pig feeding, A., ii, 228.

Hensen, Hans, permeability of membranes for putrefactive processes, A., ii, 332.

Hentschel, W., nitrogen chloride, A., ii, 404, 447.

See Otto Fischer. Hepp, Eduard.

Herbig, W., use of the iodine number in the analysis of wool fat, A., ii, 609.

Herczfelder, Armand Dezsö, citrate solubility of phosphoric acid, A., ii, 344.

Heringa, J. See Eduard Mulder. Hérissey, H. See Émile Elié See Émile Elié Bour-

quelot. Heron, John, the tannin of hops, A.,

ii, 185. - invert-sugar, I. and II., A., ii, 194.

Herty, Charles H., and Homer V. Black, alkali trihaloids, A., ii, 210.

Herty, Charles H., and J. G. Smith, mercuric chlorothiocyanate, A., i, 209. **Herz**, W., derivatives of piperazine, A., i, 488.

Herz. W. See also Albert Ladenburg.

Herzfeld. Alexander, and A. Förster, detection and estimation of small quantities of magnesia in limestones, A. ii, 345.

Herzig, Josef, quercetin and its derivatives, A., i, 94.

- luteolin, A., i, 292.

Herzig, Josef, and Hans Meyer, phthalein derivatives, A., i, 69.

Herzig, Josef, and F. Schiff, guaiacum resin, A., i, 254.

Hesse, B. C., malononitrile and some of its derivatives, A., i, 16.

Hesse, Julius, derivatives of acetal, A., i, 457.

Hesse, Oswald, phenylcoumalin, A., i, 57. - scopolamine and i-scopolamine, A., i, 132.

- compounds from lichens, A., i, 255, 630.

- testing quinine, A., ii, 391.

Heubach, W. See Paul Jannasch. Heusler, Friedrich, removal of thiophen from benzene by means of aluminium chloride, A., i, 402.

Hewitt, John Theodore, T. S. Moore. and A. E. Pitt, derivatives of phenetolazo-phenols, P., 1897, 157.

Hewitt, John Theodore, and Frank G. Pope, the condensation of chloral with resorcinol, part II., T., 1084; P., 1897, 167.

 — [oxidation of diacetylcitraconfluorescein], A., i, 156.

--- compounds hydrogen of chloride with azophenols, A., i, 517.

Heycock, Charles Thomas, and Francis Henry Neville, the freezing points of alloys containing zinc and another metal, T., 383; P., 1879, 60; discussion, P., 62.

X-ray photographs of solid alloys, P., 1897, 105.

complete freezing point curves of binary alloys containing silver or copper together with another metal, A., ii, 245.

Heydweiller, Adolf, contraction on solidification of some organic compounds, A., ii, 544.

Hibbert, Walter. See John Hall Gladstone. Hibbs, Joseph Gillingham, atomic weights

of nitrogen and arsenic, A., ii, 403.

Hicks and O'Shea, preparation of pure iron, A., ii, 374.

Hildebrand, K., xanthorrhoea resins, A., i, 227.

Hildenbrand, Br. See Carl Paal.

Hilgard, Eugen Woldemar, the geologic efficacy of alkali carbonate solutions, A., ii 58.

Hilgard, Eugen Woldemar, recent progress in soil examination, A., ii, 119. the supply of soil nitrogen, A.,

ii, 226.

Hilgard, Eugen Woldemar, and Robert Hills Loughridge, distribution of the salts in alkali soils, A., ii, 226.

growing sugar beets on alkali

soils, A., ii, 227

Hilger, Albert, and K. Jansen, chemicolegal detection of alkaloids and narcotic substances, A., ii, 436.

Hilger, Albert, and A. Juckenack, estimation of caffeine in tea and coffee. A., ii, 611.

Hilger, Albert. See O. Künnmann.

Hill, Henry Barker, and Eugene T. Allen, derivatives of bromomaleic and chloromaleic acid aldehydes, A.. i, 556.

Hill, Henry Barker, John A. Widtsoe, and Frederick L. Dunlap, oximes of mucophenoxychloric and mucophenoxybromic acids: the action of aluminium chloride and benzene on mucochloric and mucobromic acids, A., i, 571.

Hillmayr, Wilhelm, the freezing point of dilute sulphuric acid, A., ii, 313.

Hillyer, Homer Winthrop, aluminium alkyloxides, A., i, 546.

Hillyer, Homer Winthrop, and O. E. Crooker. aluminium ethoxide, A., i. 235.

Hiltner, Lorenz. See Friedrich Nobbe. Himmelbauer, R., pyrazolone derivatives, A., i, 113.

Hindermann, C. See Eugen Bamberger, Hinsberg, Oscar, quinoxaline derivatives, A., i, 120.

Hinsberg, Oscar, and H. Garfunkel, hydrogenised azines, A., i, 123.

Hintz, Ernst, and Hermann Weber, estimation of thorium in thorite, A., ii, 162.

Hintz, Ernst. See also Carl Remigius Fresenius.

Hintze, Carl, phenakite from Silesia. A., ii, 411.

Hinze, A. See Julius Troeger.

Hirsch, Benno, halogenated diazonium chlorides, A., i, 407.

Hirsch, Carl (Freiherr) von. See Siegmund Gabriel.

Hirschfeld, Felix, acetonuria, A., ii, 422. Hirschsohn, Eduard, action of stannous chloride on ethereal oils. A., ii, 236.

Hirtz, Heinrich, and Victor Meyer, slow oxidation of hydrogen and carbon, A., ii, 93.

Hobohm, Karl. See Daniel Vorländer. Hodes, Franz. See E. C. Theodor Zincke.

Hodurek, O., constitution of bromophen-

acetin, A., i, 276.

Högbom, Arvid Gustaf, beryl in a pseudomorph after beryl, A., ii, 506.

— [orthoclase, melanite, and zircon from Alnö], A., ii, 565.

Hoehnel, M., convolvulin, the glucoside

of Tubera Jalapæ (Ipomæa Purja Hayne), A., i, 228.

— metaplumbates, A., ii, 36.

Hönig, Max, and Gustave Spitz, volumetric estimation of boric acid, A., ii, 159.

Hofacker, Erwin. See Eduard Alexandre Kehrer.

Hoff, Ernst. See Eugen Bamberger.

Hoff, Jacobus H. van't, and H. M. Dawson, freezing point depressions of magnesium chloride, A., ii, 361.

Hoffa, E. See Wilhelm Traube.

Hoffmann, G. Christian [antimony ochre, celestite, galena, graphite, tetrahedrite, meymacite, and anthraxolite from Canada], A., ii, 103.

- [scheelite, tetradymite, altaite, stromeyerite, danaite, &c., from Canadal,

A., ii, 503.

Hofmann, Karl A., ferric alkali salts of sulphurous acid, A., ii, 319.

- metallic ammonium derivatives, A., ii, 320.

-hydroxylamine-ammonia compounds

of uranic acid, A., ii, 557.

Hofmann, Karl A., and F. Küspert, compounds of hydrocarbons with metallic salts, A., i, 546.

Hofmann, Karl A., and Ed. C. Marburg, compounds of hydrazine with mercury salts, A., ii, 554.

Hofmann, Karl A., and W. O. Rabe, reaction of mercaptides with alkylic iodides, A., i, 310.

Hofmann, Karl A. See also Hans von Bayer.

Hofmeister, Franz, formation of urea by oxidation, A., ii, 335.

Hoitsema, C., explosions, A., ii, 17.

Holde, D., estimation of paraffin in the last fractions of brown-coal tar and crude petroleum, A., ii, 351.

- iodine number of cacao butter, A., ii, 529.

Holland, Philip, and Edmund Dickson, Permian and Triassic rocks from near Liverpool, A., ii, 415.

Holland, Thomas H., crystallography of the monhydrated mercurous nitrite, T., 346; P., 1896, 218.

- [augite from Madras], A., ii, 508.

Hollard, A., analysis of commercial copper by electrolysis, A., ii, 161.

estimation of arsenic antimony

and foreign metals in commercial copper by electrolytic methods, A., ii, 190.

Hollard, A., electrolytic analysis of bronze and brass, A., ii, 521.

Holle, O. See (Carl Arnold) August Michaelis.

Holleman, Arnold Frederik, fulminates, A., i, 3.

 oximamidoxalic acid and hydroxyoxamide, A., i, 23. · preparation of phenylacetylene, A.,

i, 26.

phenylnitromethane [exo-nitrotoluene], A., i, 409.

nitrobarbituric acid and dimethyl-

nitrobarbituric acid, A., i, 599. Holman, Silas W., R. R. Lawrence, and L. Barr, melting points of aluminium, silver, gold, copper, and platinum, A., ii, 6.

Hoogewerff, Schastiaan, and Willen Arne van Dorp, action of alkali hypochlorites and hypobromites on amides, A., i, 23. Hooper, David, camphor leaf oil, A.,

i, 289.

Hornberger, Richard, cause of increased growth of trees when thinned, A., ii, 280.

Hostmann, Georg, aromatic thicketones and resorcinol dimethylic ether [1:3dimethoxybenzene], A., i, 475.

Hovey, Edmund Otis, [coral limestones from Florida], A., ii, 504.

Howald, W., iodine in the hairs, A., ii, 572.

Howard, Curtis C., paramidophenoxyacetic acid, A., i, 283.

Howard, David, estimation of quinine, A., ii, 391.

Howe, James Lewis, and H. D. Campbell, [water] from Chichan-Kanab, Yucatan, A., ii, 218.

Howe, James Lewis, and Paul S. Mertins. Reinsch's test for arsenic and antimony, A., ii, 344.

Hudson, Edward J. See Charles Frederic Mabery.

Hübner, Friedrich. See Carl D. Harries. Hüfner, Carl Gustav, determination of the diffusion coefficients of some gases in water, A., ii, 249.

Hürthle, Karl, hæmosterol, a new constituent of blood, A., i, 183.

Hughes, Frank.See Thomas Dymond.

Hugounenq, Louis, purification of phenylglucosazone, A., i, 235.

Hulett, George Aug., purification of water by distillation, A., ii, 94.

Hulsebosch. See Ledden-Hulsebosch. Humnicki, V. See Stanislas Bondzyński. Hunter, J. R. See Ira Remsen.

Huppert, Karl Hugo, albuminosuria, A., ii, 221.

Krüger and Wulff's method of estimating xanthine bases in urine, A., ii, 293.

- alcaptonic acids, A., ii, 576.

Hussak, Eugen, and George Thurland Prior, derbylite from Tripuhy, Brazil, A., ii, 410.

Hutchison, Robert, chemistry of the thyroid gland, A., ii, 61.

I.

Igelström, Lars Johan, dicksbergite from Dicksbergite, Wermland, A., ii, 266.

- munkforssite, bliabergite, and ransatite, three new Swedish minerals, A, ii, 267.

gersbyite and munkrudite, ii, 458.

Ihle, Rudolf, so-called 'autoxidation, A., ii, 253.

Ince, Walter H., tabasheer, A., ii, 278. Innes. See Rose-Innes.

Ipatieff, Wladimir, constitution synthesis of isoprene, A., i, 233.

Ipatieff, Wladimir, and Nicolaus von Wittorf, constitution of isoprene, A., i, 233.

Ipatieff, Wladimir. See also Adolf von Baeyer.

Ishizuka, T., physiological behaviour of maleic and fumaric acids, A., ii, 276.

Istrati, Constantin I., roumanite, [rumänite], A., ii, 502.

- ozocerite from Moldavia, A., ii, 502. Ittner, Martin H. See Charles Loring Jackson.

J.

Jackson, Charles Loring, and Arthur Messinger Comey, hydrocobaltocobaltievanic acid and its salts, A., i, 390.

Jackson, Charles Loring, and Martin H. Ittner, parabromometadinitrotoluene and some of its derivatives, A., i, 237. - coloured compounds obtained

from sodium ethoxide and aromatic nitro-compounds, A., i, 332.

Jackson, Charles Loring, and W. R. Lamar, derivatives of trichlorodinitrobenzene, A., i, 29.

Jackson, Charles Loring, and H. A. Torrey, oxide of dichlorodimethoxyquinol dibenzoate, A., i, 272.

Jackson, Percy G. See John J. Sudborough.

Jacobi, F. See Emil Fischer.

Jacobson, H. See St. Smorawski.

Jacobson, Paul, M. Jaenicke, and Friedrich Meyer, reduction products from azo-compounds, A., i, 143.

Jaeger, Wilhelm, and Richard Wachs-

muth, cadmium standard cell, A., ii,

Jaenicke, M. See Paul Jacobson. Jaffé, Max, hydroxysantonin and its production from santonin in the animal body, A., i, 628.

constituents of urine precipitated by phenylhydrazine, A., ii, 575.

Jahns, Ernst, use of potassium bismuth iodide in the preparation of organic bases, A., i, 381.

Jahr, Emil, qualitative examination of butter, A., ii, 355.

Jakowkin, Alexander A., dissociation of chlorine hydrate in aqueous solution at 0°, A., ii, 246. Jandrier. See Barbet.

Jannasch, Paul (Ehrhardt), and W. Heubach, action of sodium on dibromomesitylene, A., i, 403.

Jannasch, Paul (Ehrhardt), and E. Kölitz, separation of chlorine and bromine in the presence of acetates, sulphates and nitrates, A., ii, 594.

- separation of chlorine, bromine and iodine in the analysis of organic compounds, A., ii, 594.

Jansen. K. See Albert Hilger.

Japp, Francis Robert, supposed condensa-

tion of benzil with ethylic alcohol: a correction, T., 297; P., 1897, 48.

Japp, Francis Robert, and Alexander Findlay, phenanthrone, T., 1115; P., 1897, 169.

Japp, Francis Robert, and George Druce Lander, synthesis of pentacarbon rings, Part I. Anhydracetonebenzil and its homologues, T., 123; P., **1896**, 107.

synthesis of pentacarbon rings. Part II. Condensation of benzil with acetonedicarboxylic acid, T., 139; P., 1896, 109.

-reduction of desyleneacetic acid and the constitution of Zinin's pyroamaric acid, T., 154; P., 1896, 109.

Japp, Francis Robert, and Thomas Smith Murray, synthesis of pentacarbon rings. Part III. Condensation of benzil with levulinic acid, T., 144; P., 1896, 146.

Japp, Francis Robert, and Alfred Tingle, ammonia and phenylhydrazine derivatives of aB-dibenzoylcinnamene (anhydracetophenonebenzil), T., 1138: P., **1897,** 170.

Jarry, R., compound of silver chloride with methylamine, A., i, 455.

- ammonio-silver chlorides. ii, 259.

Jassoy, Augusta, estimation of sugar in urine, A., ii, 354.

Jaubert, George F., a new form of turbine for use in the laboratory, A., ii. 93.

Jaworowski, Adam, delicate test for copper, A., ii, 285.

reagent for detecting albumin and peptones in urine, A., ii, 295.

— new reagent for alkaloids, A.,

ii, 610.

Jean, Ferdinand. See Bourot.

Jedermann, Robert, testing the purity of rose oil, A., ii, 290.

Jeffreys, Elizabeth, preparation of higheamines of the fatty series: pentar decylamine, A., i, 315.

Berthold, \beta-benzovlpicolinic acid and \(\beta\)-phenylpyridyl ketone, A., i, 97.

Jeller, Rudolf, apparatus for estimating small quantities of marsh gas in the air of mines, A., ii, 235.

Jenkins, Henry C., and Ernest A. Smith, the reactions between lead and the oxides of sulphur, T., 666; P., 1897, 104; discussion, P., 105.

Jerdan, David Smiles, a new synthesis of phloroglucinol, T., 1106; P., 1897, 168.

Jerdan, David Smiles. See also William Arthur Bone.

Jerome, William J. Smith, uric acid for-

mation in man, A., ii, 575.

Jessen-Hansen, H., the carbohydrates of rye, barley, and wheat at different periods, A., ii, 581.

Jörgensen, Gunner, volumetric estimation of boric acid, A., ii, 283.

Jörgensen, Sofus Mads, constitution of cobalt, chromium, and rhodium bases, A., ii, 41, 453.

Joffre, Jules, agricultural value of deteriorated phosphatic manures, ii, 121.

Johannsen. Friedrich. See FranzKunckell.

John, Conrad H. von, dust which fell [in Austria-Hungary] in February, 1896, A., ii, 108.

Johnson, Samuel William, composition of wood gum, A., i, 5.

Jolles, Adolf, estimation of the iron in blood for clinical purposes, A., ii, 126. occurrence and detection of nucleo-

histon in urine, A., ii, 183.

- estimation of iron in urine, A., ii, 286.

Jolles, Adolf, urometer for small quan-

tities of urine, A., ii, 356.

Jones, A. C., some emission spectra of cadmium, zinc, and the haloid compounds of mercury and some other metals, A., ii, 534.

Jones, F. W., and F. A. Willcox, analysis of cap composition, A., ii, 164. Jones, Harry Clary, boiling point apparatus for use with low and with high boiling solvents, A., ii, 539.

Jones, $Harry\ Clary$, and E. Mackay, convenient method of purifying water,

A., ii, 312.

- --- study of water solutions of some of the alums, A., ii, 396.

Jones, Louis C. See Philip Embury Browning.

Jong, J. H. de, detection of lactic acid and its clinical significance, A., ii, 607. Jordan, Charles. See Philippe A. Guye. Jordis, Eduard, estimation of zinc by electrolysis, A., ii, 600.

Jorissen, Armand, molybdenum, selenium, &c., in coal from Liége, A.,

ii, 265.

Jorissen, W. P., formation of benzoic and propionic peroxides by active oxygen, A., i, 282.

production of active oxygen by the slow oxidation of triethylphosphine and of benzaldehyde, A., ii, 253.

- rendering oxygen active during the slow oxidation of sodium sulphite, A., ii, 487.

Jorissen, W. P. See also W. Alberda van Ekenstein.

Jovitschitsch, Milorad Z., Stereoisomerism of ethylic isouitrosoacetoacetate, A., i, 213.

Jovitschitsch, Milorad Z. See also Sima

M. Losanitsch.

Jowa, L., artificial gypsum, A., ii, 268. Jowett, Hooper Albert Dickinson, some gold salts of hyoscine, hyoscyamine, and atropine, T., 679; P., 1897, 136. Juckenack, A. See Albert Hilger.

Judd, John Wesley, simple massive minerals, A., ii, 414.

Jüptner, Hanns von, saturation of iron with carbon, A., ii, 407.

Jugilewitsch, A. See Richard E. Meyer. Junker, Jos. See (Carl Arnold) August Michaelis.

K.

Kahan, M., diacetonalkamine, A., i, 494. Kahlenberg, Louis, and Oswald Schreiner, boric acid and its salts, A., ii, 30. Kalecsinszky, Alexander von [Hungarian

ores, water, &c.], A., ii, 417.

Kalkow, Fritz. See Daniel Vorlander. Kallen, J. See Julius Bredt.

Kanitz, Aristides, internal friction of salt solutions and mixtures, A., ii, 308.

Karlowa, A. See Albert Stutzer. Karpowitsch, H. See Wladim See Wladimir B. Markownikoff.

Karsch, W., estimation of volatile fatty acids by the Leffmann-Bean process, A., ii, 607.

Karslake, W. J. See Ira Remsen. Kassner, Georg, ferricyanides and their

use as oxidising agents, A., i, 2. · increased absorption of oxygen by the blood, and the therapeutic use of

oxygen, A., ii, 418. Kastle, J. H., and W. A. Beatty, effect of light on the displacement of bromine and iodine from organic bromides and iodides, A., i, 272.

- detection of halogens in or-

ganic compounds, A., ii, 430. atz, Alexander. See A. Gawalowski. Katz, Alexander. Katzenstein, R. See (Carl Arnold) August Michaelis.

Katzer, Friedrich, [mispickel, vivianite, &c., from Bohemia], A., ii, 267. **Kaufmann**, Adolph. See Adolph Claus.

Kaufmann, Alexander. See Adolph Claus.

Kaufmann, Ludwig. See Arthur (Rudolf) Hantzsch.

Kaufmann, Maurice, chemical changes within the organism of a normal animal, A., ii, 332.

Kaufmann, Victor, diphthalylethylene: an analogue of indigo in the indene series, A., i, 245.

Kawalki, Wilhelm, relationship of the rate of diffusion to the initial concentration of dilute solutions, A., ii, 90. Kay, Sydney A. See James Walker.

Kehrer, Eduard Alexandre, and Erwin Hofacker, normal dilevulinic acid (4:7-decandiondioic acid), A., i, 214.

Friedrich, conversion phenosafranine and rosinduline into the corresponding azonium compounds. A., i, 107.

Kehrmann, Friedrich, and Eduard Bauer, action of sodium sulphide on 1: 4-chlo-

ronitrobenzene, A., i, 27.

Kehrmann, Friedrich, and W. Schaposchnikoff, azonium compounds from aposafranine, rosinduline, and their isomerides, A., i, 172.

- conversion of phenylphenazonium into phenosafranine, and of Nietzki and Otto's isorosinduline into naphthophenosafranine, A., i, 491.

Keiser, Karl, coal-tar thioxen [dimethylthiophen], A., i, 24.

Kelhofer, composition and fermentability of fruit sugar, A., ii, 194.

Keller, C. C., estimation of the alkaloids in Nux vomica, A., ii, 84.

Kelley, Jerome, and Edgar Francis Smith, action of acid vapours on

metallic sulphides, A., ii, 405.

Kellgren, A. G., and Lars Fredrik
Nilson, Swedish fodder plants, A., ii, 187.

Kenrick, Frank B., racemic transformation of acid ammonium malate, A., i, 506.

Kermauner, Fritz, flesh in human fæces.

A., ii, 574. Kern, J. See G. Fassbender.

Kerp, Wilhelm, conversion of nitrites into cyanides, A., i, 261.

 substituted amido-acids and imides of the asymmetric dimethylsuccinic

acids, A., i, 267. Kerp, Wilhelm, and Karl Unger, substituted amides of oxalic acid, A., i, 269. - --- semioxamazide, A., i, 270.

Ketel, B. A. van, estimation of glucose in urine, A., ii, 80.

Kiefer, Herman Eugene. See William B. Schober.

Kielbasinski, W. H. See Paul Friedländer.

Kiliani, Heinrich, the sap of Antiaris toxicaria (upas tree), A., i, 91.

digitoxin, A., i, 95.

Kionka, Heinrich, poisonous action of sulphurous acid and its salts, and the admissibility of their use in foods, A.,

Kippenberg, Heinrich, some aromatic amido-alcohols and their derivatives, A., i, 421.

 derivatives of phenopenthiazole, A., i, 447.

Kippenberger, Carl, estimation of antipyrine, A., ii, 292.

Kipping, Frederic Stanley, dimethylketohexamethylene, P., 1896, 247.

Kipping, Frederic Stanley, and William Buckland Edwards, preparation of dimethylketohexamethylene, and experiments on the synthesis of dimethylhexamethenylmalonic acid, P., **1896**, 188.

Kipping, Frederic Stanley, and William Jackson Pope, optical inversion of camphor, T., 956; P., 1897, 132.

 derivatives of camphoric acid. Part II. Optically inactive derivatives, T., 962; P., **1897**, 133.

- racemism and pseudoracemism, T., 989; P., 1897, 135; discussion, P., 136.

Kipping, Frederic Stanley. See also Arthur Lapworth, William Jackson Pope, Cecil Revis.

Kirpal, Alfred, reduction of aromatic nitro-derivatives, A., i, 520.

Kirpal, Alfred. See also Guido Goldschmiedt.

Kissling, Richard, estimation of sulphur in the gases produced by the combustion of petroleum, A., ii, 157.

Kittelberger, Arthur S. See Charles Frederic Mabery.

Kjellin, Carl, B-substituted hydroxyl-

amines, A., i, 614.
— action of bromine on \(\beta\)-benzylhydroxylamine, and the constitution of the bisnitrosylbenzyls, A., i, 616.

 isomerism of compounds from diazonium salts and ethylic acetoacetate, A., i, 616.

Kjellin, Carl, and K. Gustav Kuylenstβ-orthonitrobenzylhydroxylamine, A., i, 279.

- a new method of formation of bisnitrosylbenzyl, A., i, 615. labukoff, Ivan. See Wladimir F.

Klabukoff, Ivan. Luginin.

Klein, Arnold. See Alfred Werner.

Kleine, Friedrich Karl, behaviour of formanilide in the animal organism, A., ii, 153.

Klobb, (Constant) Timothée, diphenacylcyanacetic acid, A., i, 531.

homologues of a-cyano-\beta-benzoylpropionic acid, A., i, 419. Klobbie, Eduard A. See Jacobus Mar-

tinus van Bemmelen. Klockmann, Friedrich, "mangankiesel"

from the Harz, A., ii, 105. Klooz, Otis T. See Charles Frederic

Mabery.

Klug, Ferdinand, gastric digestion, A., ii, 149.

Kluge, Fritz, estimation of lime in raw materials used in cement making, A., ii, 232.

See Rudolf Nietzki. Knapp, Th.

Kniffen, F. See Walter Parke Bradley. Knight, N., constitution of benzanilide, A., i, 279.

Knoblauch, Osc., velocity of formation and decomposition of ethereal salts, A., ii, 311.

Guido Gold-Knöpfer, Gustav. See schmiedt.

Arthur. See Daniel Vor-Knötzsch, länder.

Knoevenagel, Emil, hydrogenised aromatic compounds, A., i, 606.

Knoevenagel, Emil, and C. Fischer, synthesis and constitution of isophorone, A., i, 611.

Knoevenagel, Emil, and MacGarvey,

stages in the hydrogenation of metaxylene, A., i, 609.

Knoevenagel, Emil, and A. Schürenberg, constitution of cyclohexenones obtained from 1:5-diketones, A., i, 606. Knoevenagel, Emil, and J. Tübben,

stages in the hydrogenation of toluene,

A., i, 607.

Knoevenagel, Emil, and K. Wedemeyer, corrections regarding tetrahydrophe-

nols and dihydrobenzenes, A., i, 610. Knoevenagel, *Emil*, and *G*. Wiedersymmetrical menthol, A., i, 609.

Knorr, Ludwig, behaviour of antipyrine towards alkyl haloids, A., i, 108.

amidoethylic alcohol (1:2-ethanolamine), A., i, 313.

- diethanolamine [dihydroxydiethylamine], A., i, 314.

- triethanolamine

[trihydroxytriethylamine], A., i, 314. - addition of methylic iodide nitrosodimethylaniline, A., i, 339.

-- addition of methylic iodide to methylquinaldone, A., i, 370.

- behaviour of the oxygen ethers of carbostyril and 2'-hydroxy-4'-lepidine towards alkyl halogen derivatives, A., i, 371.

correction [ethanolamines], i, 455.

Knorr, Ludwig, and Eduard Fertig, behaviour of 4'-methoxy-2'-phenylquinoline towards methylic iodide, A., i, 371.

Knorr, Ludwig, and Theodor Geuther, reduction of nitrosoantipyrine, A.,

i, 112.

Knorr, Ludwig, and Robert Pschorr, 4-hydroxy-1-phenyl-2: 3-dimethyl-5pyrazolone (4-hydroxyantipyrine), A., i, 111.

Knorr, Ludwig, and Paul Rabe, additive product of antipyrine and benzoic chloride, A., i, 110.

- an additive compound of methylquinaldone and benzoic chloride, A., i, 370.

Knorr, Ludwig [and in part Julius

Schmidt], tautomerism, A., i, 63. Knorr, Ludwig, and Friedrich Stolz,

4-aminoantipyrine, A., i, 112. Koch, J. A. See Ludwig Gattermann. Köbner, Heinrich, changes in cane-sugar in the alimentary canal, A., ii, 111.

Kölitz, E. See Paul Ehrhardt Jannasch. König, (Franz) Josef, reformation of the present methods for the analysis of food stuffs, A., ii, 165.

Koenigs, Wilhelm, leuponic and hexahydrocinchomeronic acids, A., i, 497.

Koenigs, Wilhelm, some derivatives of meroquinine and cincholeuponic acid, A., i,497.

Koeppe, Hans, osmotic pressure as the cause of exchange between red blood corpuscles and salt solutions, A., ii, 418.

Koerppen, Georg. See Hugo Eckenroth. Köthner, Paul. See Hugo Erdmann. Köthner, Paul.

Kohn, Leopold, condensation products of isovaleraldehyde, II., A., i, 396.

Kolisch, Rudolf, and Richard Burián, the proteids of leucæmic urine, A., ii, 112. Kondakoff, Iwan L., preparation of tetramethylethylene, A., i, 177.

— polymerisation of olefine hydrocar-

bons, I. and II., A., i, 209. ethereal oil of bucco leaves, A.,i, 227.

Koninck, Lucien Louis de, estimation of sulphur in ores, A. ii, 123.

Koningh, Leonard de, modification of de Vrij's chromate process, A., ii, 293.

estimation of boric acid in foods, A., ii, 597.

Konowaloff, Dmitri P., aluminium amalgam, A., ii, 374.

Konowaloff, Michail I. See Wladimir B. Markownikoff.

Kossel, Albrecht (Carl Ludwig Martin Leonhard), phrenosin, A., i, 208.

Kossler, A., and F. W. Theodor C. Pfeiffer, estimation of fibrin in blood, A., ii, 196.

Kostanecki, Stanislaus von, 3': 4'-dihydroxybenzylideneindanedione, i, 425.

Kosutány, Tamás, production of vegetable proteids, A., ii, 115.

Kowalski, M., and Stefan von Niementowski, amidines of the anthranilic acids, A., i, 416.

Kowerski, Stanislaus von, increase of the nitrogen of the soil by white mustard, A., ii, 590.

Kramers, J., methyl derivatives of acetyl-

methyl hexyl ketone, A., i, 589.

Kramers, Johan Gerhard, estimation of quinine salts by means of sodium nitroprusside, A., ii, 83.

Krapiwin, Sergei G. See Nicolai D. Zelinski.

Krascheninnikoff. See Wladimir B. Markownikoff.

Kratz, H. See Ferdinand Wohltmann. Kratz, K. See Karl Elbs.

Krause. See Kunz-Krause.

Kraut, Karl, zinc carbonate, A., ii, 34. estimation of boric acid by Gooch's method and analyses of colemanite and pandermite, A., ii, 283.

Krawkoff, N., carbohydrates group in the albumin molecule, A., i, 207.

Kreichgauer, Anton. See Max Conrad. Kreider, D. Albert, estimation of oxygen in the air and in aqueous solution, A., ii, 228.

Kreider, D. Albert, and J. L. Breckenridge, separation and identification of potassium and sodium, A., ii, 74.
Kremers, Edward, and O. S. Schreiner,

Kremers, Edward, and O. S. Schreiner, estimation of hydrocyanic acid in oil of bitter almonds, A., ii, 607.

Kremers, Edward, See also W. O Richtmann.

Kretzer, H., iodosobenzoic acids, A., i, 617.

Kreutz, Felix, artificial coloration of crystals of the haloid salts of the alkali metals by sodium or potassium vapour,
A., ii, 210.

Krickmeyer, R., isomorphism of alkali salts, A., ii, 18.

Kroeker, K., elementary analysis in the Berthelot calorimetric bomb, A., ii, 284.

Krönig, Bernhard. See Theodor Paul. Kromer, Nicolai, a glucoside contained in Adonis æstivalis L., A., i, 94.

— action of carbon bisulphide on hæmoglobin, A., ii, 64.

constituents of the seeds of *Pharbitis*Nil L., A., ii, 68.

Kromschröder, Geo. See Carl Paal.

Krüger, Martin, and Bernhard Tollens, estimation of pentoses and pentosans by means of the furfural dehydereaction, A., ii, 353.

Krüss, Gerhard, thorium, A., ii, 456. Kubli, Melchior, testing quinine sulphate, A., ii, 83, 168.

Ruenen, J. P., condensation and critical phenomena of some substances and mixtures, A., ii, 544.

Künnmann, O., and Albert Hilger, chemistry of honey, A., i, 392.

Küspert, F. See Karl A. Hofmann.

Küster, Friedrich Wilhelm, volumetric estimation of alkali hydroxides containing carbonates, and of alkali carbonates. Value of phenolphthalein and methyl-orange as indicators, A., ii, 74.

— unit of atomic weights, A., ii, 482. Küster, William, oxidation products of hematoporphyrin and the composition of hæmin produced by different methods, A., i, 282.

---- biliverdic acid, a product of the hydrolysis of the colouring matter of bile. A. i. 647.

bile, A., i, 647. Kuhlmann, Fritz. See Carl Arnold August Michaelis.

Kulisch, Paul, detection and estimation of cane-sugar in wine, A., ii, 287.

Kunckell, Franz, phenacyl compounds, A., i, 276.

halogenised ketones, A., i, 282, 521.

Kunckell, Franz, and Friedrich Johannsen, action of chloracetic chloride on phenol and its ethers, A., i, 522.

Kundsen, Peter, constitution of pilocar-

pine, A., i, 498.

Kunz, Ph. See (Carl Arnold) August

Michaelis.

Kunz-Krause, Hermann, constitution of emetine, A., i, 498.

— caffetannic acid (glucosylcaffeic acid) and its decomposition into caffeic acid, vinylcatechol and catcheol, A., i, 530.

Kuriloff, Basil B., researches on organic additive products: triphenylmethane

and benzene, A., i, 573.

---- volumetric estimation of ethylic alcohol and ethylic acetate in admixture, A., ii, 352.

use of the mass reaction law in the examination of organic additive products: the reaction between picric acid and \$\textit{\beta}_naphthol in aqueous solution, \$\textit{A}\$., ii, 397.

--- application of the phase law to researches on organic additive products,

A., ii, 484.

Kutscher, Fr., properties of albumoses, A., i, 500.

— phosphorescence of wood, A., ii,381.

Kuylenstjerna, K. Gustav. See Carl

Kjellin.

Kyle, Juan J. J., Argentine waters, A., ii, 417.

Kym, C., paranitrophenoxyacetic and paramidophenoxyacetic acids and their derivatives, A., i, 283.

L.

Lachaud, Marcel, precipitation of organic compounds by bases, A., ii, 445.

— precipitation of dextrin by soils, A., ii, 445.

study of capillary affinity, A., ii, 445.

Lachmann, Arthur, cryoscopic determination of the constitution of amides, A., i, 326.

---- action of zinc ethyl on phenylic iododichloride, A., i, 333.

preparation of zinc ethyl, A., i, 461.

Lachowicz, Bronislaw, condensation of benzaldehyde with ethylic acetoacetate in presence of aromatic amines, A., i, 118. Lacroix, Alfred, endomorphic alterations of granitic magma in contact with limestone, A., ii, 148.

- gonnardite, A., ii, 412.

marcasite, &c., pseudomorphs after pyrrhotite, A., ii, 502.

crystallised minerals formed in readen coffins [brushite and metabrushite], A., ii, 505.

— formation of zeolites, A., ii, 506. - action of volcanic fumeroles on

serpentine, A., ii, 508.

Ladenburg, Albert, asymmetric nitrogen, V., imides of tartaric acid and of benzoyltartaric acid, A., i, 138.

- asymmetric nitrogen, IV., isoco-

niine, A., i, 173.

- a reply [tetrahydropyridine derivatives, &c.], A., i, 437.

— existence of condensation rings

with para-linkage, A., i, 485.

- racemism and the heat changes produced when liquids are mixed, II., A., ii, 246.

Ladenburg, Albert, and W. Herz, benzylimides of malic acid, A., i, 460.

Lafay, L., modified method for the qualitative analysis of a mixture of bases, A., ii, 345.

Lajoux, Henri. See Alexandre Grandval. Lamar, W. R. See Charles Loring Jackson.

Lamberti-Zanardi, Manfredo. See Girolamo Mazzara.

Lammers, J., cytisine, A., i, 646.

Lance, Denis, ammonium cyanide and its manufacture, A., i, 390.

Lander, George Druce. See Robert Japp; Thomas Purdie. See Francis

Landero, Carlos F. de, argentiferous gold from Lower California, A., ii, 559. Landolph, Frédéric, analysis of urine:

thermo-optically positive and negative diabetic sugar, A., ii, 512.

Landolt, Hans (Heinrich), behaviour of

circularly polarising crystals in a state of powder, A., ii, 2. Lane, Alfred Church, crystallised slags

from copper smelting, A., ii, 35.

Lang, Viktor von, crystal symmetry, A., ii, 92.

Langguth, Werner. See Fritz Fichter. Lapworth, Arthur, and John Norman Collie, production of some nitro- and amido-hydroxypicolines, T., 838; P., **1897**, 146.

Lapworth, Arthur, and Frederic Stanley Kipping, sulphocamphoric acid and other derivatives of camphorsulphonic acid, <u>T.</u>, 1; P., **1896**, 215.

Lasne, Henri, estimation of aluminium in phosphates, A., ii, 191, 518.

VOL. LXXII. ii,

Laspeyres, (Ernst Adolph) Hugo, stony constituents of the meteoric iron of Toluca, Mexico, A., ii, 272.

Lauenstein, O. See Rudolph F. Weinland.

Laulanié, F. See Jean Baptiste August Chaveau.

Launay, L. de, [origin of iron ores], A., ii, 504.

Charles, amidoamidines, A., Lauth, i, 516.

Lawrance, R. R. See Silas W. Holman Lawrence, William Trevor, a synthesis of citric acid, T., 457; P., 1897, 65.

Lea, Matthew Carey, an experiment with

gold, A., ii, 215

Lean, Bevan, and Frederic H. Lees, interaction of ethylenic chloride, ethylic malonate and sodium ethoxide, T., 1062; P., 1897, 160.

Lebbin, new method of detecting formaldehyde, A., ii, 606.

Lebeau, Paul, beryllium oxide, A., ii, 144.

Le Blanc, Max. See Hermann Ambronn, Le Chatelier, Henri Louis, some abnormal cases of solubility, A., ii, 135.

some peculiarities of solubility curves, A., ii, 203.

- lithium borate, A., ii, 448.

Ledden Hulsebosch, Marius L. Q. van, estimation of caffeine in tea, A., ii, 83.

Leduc, Anatole, compressibility of certain gases at 0° and under nearly atmospheric pressure, A., ii, 133.

densities of nitrogen, argon, and oxygen, and the composition of atmospheric air, A., ii, 140.

-atomic weights of nitrogen, chlorine,

and silver, A., ii, 549. Lees, Frederic H. See Bevan Lean.

Leeuwen, J. Docters van, transition of seignette salt and of the corresponding ammonium compound, A., ii, 397.

Lefèvre, Léon, some reactions of metadimethylamidophenol, A., i, 464. · Schiff's reaction with "acid ma-

genta," A., ii, 526. Leffler, Rudolf L. See Harry Brearley. Leger, Eugène, distinctive reaction for α- and β-naphthol, A., ii, 526.

Lehmann, Eduard, active principles contained in the bark of Periploca graeca, A., i, 626.

Lehmann, Franz, nutritive value of beetroot leaves, A., ii, 340.

Lehmann, Fritz. See also Carl D. Harries Lehmann, Wilhelm. See Max Busch.

Lehmkuhl, J. N., synthesis of 3'-isopropylisoquinoline and of 3'-butylisoqui. noline, A., i, 372.

Leicester, James, blue dye from quinone, A., i, 183.

Leidié, Émile, the nucleins of pus, A., ii, 62.

- the proteids of purulent urine (pyin

and mucin), A., ii, 62. Lemoult, Paul, cyanuric chloride, A., i, 234 polymerisation of some cyanic compounds, A., i, 234.

thermochemistry of cyanamide, A.,

Lenoble, E., new method proposed by Etard for the curve representation of

the solubility of salts, A., ii, 367. **Léonard**, rapid estimation of organic nitrogen, A., ii, 343.

Leonard, Norman, and Harry M. Smith, estimation and separation of formaldehyde, A., ii, 288.

Leonard, Norman, Harry M. Smith, and Henry Droop Richmond, distillation of formaldehyde from aqueous solutions, A., ii, 526. Leonardi, G. See Giuseppe Oddo.

Lepel, Franz von, oxidation of nitrogen by means of electric sparks or the electric arc, A., ii, 369.

Lepierre, Charles, constitution of analcite, A., ii, 507.

Lépinois, E., action of iodine on proteids, A., i, 584.

Lescour, Henri, the neutrality of salts and coloured indicators, A., ii, 136.

Leser, Georges. See Philippe Barbier. Lesinsky, Joseph, and Charles Gundlich. behaviour of chloral hydrate with ammonium sulphide, A., i, 549.

— thorium compounds, A., ii, 499. Lespieau, Robert, 1:3-dibromopropene [$\alpha\gamma$ -dibromopropylene], A., i, 209.

Lessing. See Loewinson-Lessing. Lettermann, W., preparation of hydrogen

from iron and water, A., ii, 368. Letts, Edmund Albert, and Robert Frederick Blake, on Pettenkofer's method for determining carbonic anhydride in air, P., **1896**, 192.

Levat, the tempering of steel in a solution of phenol, A., ii, 145.

Levat, L. A., action of red wines on zinc, A., ii, 279.

Lévy, Albert, and Félix Marboutin, estimation of oxygen dissolved in sea water, A., ii, 430.

Lewin, Louis, spectroscopic investigation of the blood, A., ii, 534.

Lewschinsky, Moritz. See (Carl Arnold) August Michaelis.

Ley, Heinrich, constitution of salt solutions, A., ii, 251.

Leys, A., estimation of invert-sugar, A., ii, 235.

Liebenoff, C., theory of lead accumulators, A., ii, 239, 394.

Liebermann, Carl (Theodor), tautomerism of orthoaldehydic acids, III., A., i, 284.

Liebermann, Carl (Theodor), and Julian Flatau, corulignone colouring matters, A., i, 224.

Liebermann, Carl (Theodor), and Siegfried Friedländer, history of madder

dye-stuffs, A., i, 157. Liebermann, Carl (Theodor), and Fritz Giesel, cuskhygrine hydrate, A., i, 448. Liebermann, Carl (Theodor), and Hugo Voswinckel, cochineal dye, A., i, 292,

Liebmann, Louis, electrolysis of quinol, A., i, 239.

Liebrecht, A., iodo-derivatives of proteids (casein), A., i, 648.

Liebrich, estimation of silicon in pig iron, A., ii, 73.

Liebrich, A., bauxite and emery, A., ii, 104.

- formation of bauxite and allied minerals, A., ii, 560.

Lifschütz, Isaac. See L. Darmstaedter See Mancuso-Lima. Lima.

Limpricht, Heinrich [and Parow], dinitrodiphenylethylenedisulphone, A.,

Lindemann, Ludwig, and Richard May, value of rhamnose in the normal and diabetic organism, A., ii, 112.

Linder, S. Ernest. See Harold Picton. Lindet, Léon, estimation of starch in cereals, A., ii, 525.

- estimation of calcium, aluminium, and iron in mineral phosphates, A., ii, 602.

Lindner, Paul, formation of "fruit ethers" by yeasts in green malt and in worts, A., ii, 459.

Lindström, ndström, Gustaf, edingtonite from Böhlet, Sweden, A., ii, 507.

Linebarger, Charles Elijah, specific gravities of mixtures of normal liquids, A., ii, 8.

- apparatus for the rapid determination of the surface tension of liquids, A., ii, 247.

surface tension of mixtures of normal liquids, A., ii, 247.

Ling, Arthur Robert, estimation of the diastatic capacity of malt, A., ii, 196.

Ling, Arthur Robert, and Julian Levett Baker, action of diastase on starch, III., T., 508; P., 1897, 3; discussion, P., 4. Linge, A. R. van, action of alkaline

potassium hypobromite on certain amides. Preparation of methenedioxyaminobenzene, A., i, 618.

Linton, Laura A. technical analysis of asphaltum, A., ii, 79.

Linton, Laura A. See also Stephen Farnum Peckham.

Lipp, Andreas, synthesis of tetrahydropyridine derivatives and their conversion into piperidine derivatives, A., i, 229.

analysis of water from a new iodine spring, A., ii, 181.

Lippert, Walther, assay of linseed oil, A., ii, 529.

Lippmann, Edmund O. von, nitrogenous constituents of beet juice, A., ii, 118.

Lippman, Eduard and Carl Regensdorfer, action of dichlorethylamine on ethylamine, A., i, 586.

Littleton, Fannie T., note on the heat of formation of the silver amalgam Ag₂Hg₈, P., **1896**, 220.

conditions affecting the volumetric estimation of starch by means of a solution of iodine, A., ii, 235.

Livache, Ach., function of manganese in certain oxidations, A., ii, 493.

Liversidge, Archibald, presence of gold in natural saline deposits and marine plants, T., 298; P., 1897, 22.

the crystalline structure of gold and platinum nuggets and gold ingots, T., 1125; P., 1897, 22. Lloyd, Lorenzo L. See John J. Sud-

borough.

Lockhart, A. E. See Ludwig Gattermann.

Lockyer, Sir Joseph Norman, unknown lines observed in the spectra of certain minerals, A., ii, 298.

iron lines present in the hottest

stars, A., ii, 469.

Löb, Walther, electrolytic reduction of aromatic nitro-compounds, A., i, 331. - electrolysis of benzoic acid, A., i, 344.

 action of sodium on nitrobenzene, A., i, 463.

theory of lead accumulators, A., ii, 239, 300.

- use of porous carbon cylinders in electrolytic experiments, A., ii, 536.

Lösche, Paul, new method of estimating potassium, A., ii, 160.

Loew, E., a graphic representation of the periodic system of the elements, A., ii, 400.

Loew, Oscar, behaviour of yeast at a high temperature, A., ii, 578.

Loew, Oscar, and S. Takabayashi, bromalbumin and its behaviour towards microbes, A., i, 648.

Löwenherz, Richard, saturated sclution of magnesium chloride and potassium

sulphate, or of magnesium sulphate and potassium chloride, A., ii, 396.

Loewinson-Lessing, Franz, pyrophyllite from the Urals, A., ii, 53.

– altered Vesuvian lava, A., ii, 56.

Löwy, R., gallacetophenone, A., i, 474. Löwy, R. See also Paul Friedländer. Long, John Harper, formation of anti-

mony cinnabar, A., ii, 43.

— inversion of sugar by salts, A.,

Longi, Antonio, action of chromic acid on thiosulphuric acid, A., ii, 42.

Longi, Antonio, and S. Camilla, estimation of manganese in manganous and permanganic solutions, A., ii, 387.

Loof, Gustav, estimation of morphine in opium, A., ii, 293.

Loomis, Elmer Howard, specific gravity and electrical conductivity of normal solutions of sodium and potassium hydroxides, and of hydrochloric, sulphuric, nitric, and oxalic acids, A.,

ii, 301. freezing points of dilute aqueous

solutions, III., A., ii, 305. - measurement of freezing point de-

pressions, A., ii, 361.

Lopriore, G., action of carbonic anhydride on the protoplasm of living plant cells, A., ii, 338.

Lord, E., [action of hydrochloric acid on titaniferous augite], A., ii, 147.

Lorenz, Richard, study of atomic weights, A., ii, 399.

Losanitsch, Sima M., and Milorad Z. Jovitschitsch, chemical syntheses by aid of the dark electric discharge, A., i, 179.

- electrolysis of solutions of ammonia containing salts and bases, A., ii, 25.

Lossen, Wilhelm (Clemens), and Walther Riebensahm, decomposition of dibromosuccinic acids with water, A., i, 16.

Lottermoser, C. A. Alfred, action of sodium on aromatic nitriles, A., i, 38. Lotti, Alfredo. See Arturo Miolati.

Loughridge, Robert Hills. See Eugen Woldemar Hilgard.

Louguinine. See Luginin.

Louis, Henry, altaite from Burma, A., ii, 409.

Lovén, Johan Martin, trithiodilactylic acid, A., i, 15.

 enantiomorphic phenethylamines, A., i, 37.

- theory of liquid chains, A., ii, 4.

Lovisato, Domenico, [hedenbergite and epidote] from Sardinia, A., ii, 414. - tourmaline from Caprera, Saidinia,

A., ii, 414.

Lovisato, Domenico, garnet from Sardinia, A., ii, 566.

Lowitsch, Leopold. See Carl Paal. Lowry, T. M., note on stereoisomeric di-derivatives of camphor, and on nitrocamphor, P., 1897, 159.

Lubberger, Hans. See Albert Edinger. Lucas, Ad., mesitylene from acetone, A., i, 181.

Lucas, Maurice, colorimetric estimation of lead, A., ii, 125.

Lucchesi, Adolfo. See Ubaldo Antony. Ludwig, Ernst, carbonated water from Seifersdorf (Austrian Silesia), A., ii, 110.

- the Constantin-spring in Gleichenberg (Styria), A., ii, 110.

- the fat of ovarian dermoid cysts, A., ii, 336.

Lücker, Ed. See Oscar Doebner.

Lütjens, Jacob, chemical behaviour and oxidation of tetriodoterephthalic acid and tri-iododiamidobenzoic acid, A., i, 154.

Luggin, H., photoelectric phenomena and photographic processes, A., ii, 470. Luginin, Wladimir F., and Ivan Klabukoff, development of heat by the action of bromine on unsaturated

compounds, A., ii, 475.

Lugowsky, L. S., detection of Japanese wax and tallow in beeswax, A., ii, 529. Lumsden, John S. See James Walker. Lumière, Auguste, Louis Lumière, and Alphonse Seyewetz, use of aldehydes and ketones in the presence of sodium sulphite for developing the latent

photographic image, A., ii, 470. Lunge, Georg, estimation of sulphur in

pyrites, A., ii, 123.

- estimation of caustic alkalis in the presence of alkali carbonates, A., ii, 285.

 testing sodium hydrogen carbonate, A., ii, 386.

Luther, Robert, electromotive force and partition equilibrium, A., ii, 240. Lutter, Eduard, metanitrobenzyl deri-

vatives, A., i, 406.

Lyons, Albert Brown, composition of Hawaiian soils and rocks, A., ii 217.

M.

Mabery, Charles Frederic, constituents of petroleum boiling between 150° and 220°, A., i, 449.

Mabery, Charles Frederic, and Edward J. Hudson, butanes and octanes in American petroleum, A., i, 389.

- refractive power of hydro-

carbons [from petroleum] and their chlorine derivatives, A., i, 451.

Mabery, Charles Frederic, and Arthur S. Kittelberger, American petroleum, A., i, 449.

Mabery, Charles Frederic, and Otis T. Klooz, American kaolins, A., ii, 509. Mabery, Charles Frederic. A. E. Robinson. See also

Macadam, Ivison. See James Crauford

Dunlop.

Macallum, A. B., distinction between organic and inorganic compounds of iron, A., ii, 572.

McConnell, Arthur H., and Edgar S. Hanes, researches on the oxides of Cobalt dioxide or cobaltous cobalt. anhydride, cobaltous acid and cobaltites, T., 584; P., 1897, 62.

McCoy, Herbert N., action of aluminium chloride on the chlorides of carbodiphenylimide: synthesis of anilido-

quinazolines, A., i, 422, 490.

McFarland, B. W. See Henry Lord Wheeler.

Mac Garvey. See Emil Knoevenagel. McIlhiney, Parker C., action of ferric chloride on metallic gold, A., ii, 408.

McIntosh, Douglas, solubility of mercuric chloride, A., ii, 372.

Mackay, E. See Harry Clary Jones. McKee, S. R. See Ira Remsen.

Maecker, Wilhelm. See Carl Arnold August Michaelis.

Maeno, N., physiological action of amidosulphonic acid, A., ii, 279.

Maercker, Max (Heinrich), action of potassium salts on sandy soil, A., ii, 341. Magalhaes, Antoine José da Cruz, detection of caramel in wine and its possible confusion with coal-tar colours, A., ii, 164.

Magnanini, Gaetano, hypothesis of the coloration of the ions, A., ii, 14.

Mahla, Friedrich, and (Johann Carl Wilhelm) Ferdinand Tiemann, preparation of terpenylic and terebic acids, A., i, 84.

- substances derived from camphoroxime and fenchoneoxime, A., i, 85.

Mairet, Albert, and Vires, coagulating and toxic properties of liver, A., ii, 330.

Majorana, Quirino, formation of cuprite by electrolysis of copper sulphate, A.,

Makgill, R. H. See John Scott Haldane. Mallet. Frederick Richard, nemalite from Afghánistán, A., ii, 409.

Mallet, John William, note on the constitution of the so-called "nitrogen iodide," P., 1897, 55.

Mallory, F. See C. W. Waidner.

Malmström, R., measurement of great electrolytic resistances with a constant current, A., ii, 302.

Malpeaux, L., manurial value of oil cakes, A., ii, 383.

Mameli-Cubeddu, E. See G. Tarulli.

Manasse, Otto, hydroxycamphor, A.,
i, 290.

Mancuso-Lima, G., and Giuseppe Sgarlata, estimation of glycerol in wine and indirect estimation of mannitol in mannitic wines, A., ii, 352.

Mangin, Louis, vegetation in respired air, A., ii, 115.

Mann, Eugen. See Carl Bülow.

Manuelli, C. See F. Crosa and Giuseppe Oddo.

Marboutin, Felix. See Albert Levy.

Marburg, Ed. C. See Karl A. Hoffmann. Marburg, Richard, constitution of vinaconic acid (trimethylenedicarboxylic acid), A., i, 140.

Marchlewski, Leo, the chemistry of chlorophyll, A., i, 202.

Marckwald, Wilhelm, and Aug. Bott, 1-benzoyl-4-phenylthiosemicarbazide, A., i, 205.

Marckwald, Wilhelm, and Erwin Sedlaczek, derivatives of methylhydrazine, A., i, 231.

Marcourt, E., a condensation product of formaldehyde with antipyrine, A., i, 298.

Marforio, Pio, change which some acids of the oxalic series undergo in the organism, A., ii, 419.

Marie, Theod., oxidation of the acids derived from fats, A., i, 266.

— chlorides, amides and nitriles of cerotic and melissic acids, A., i, 266.
— formulæ of cerotic and melissic

formulæ of cerotic and melissic acids, A., i, 318.

- bromo-derivatives of cerotic and

melissic acids, A., i, 319
—— comparison of the derivatives of cerotic and melissic acids with those of the fatty acids, A., i, 320.

--- hydroxy- and amido-derivatives of cerotic and melissic acids, A., i, 320.

—— cyanide and a dibasic acid and its amide, derived from cerotic acid, A., i, 323.

Marini, L., diffusion coefficients of sodium chloride solutions of various concentrations, A., ii, 545.

Markownikoff, Wladimir B., some new constituents of Caucasian naphtha, A., i, 329.

remarks on Zelinsky's "Researches in the hexamethylene series," A., i, 400.

Markownikoff, Wladimir B. [and in part H. Karpowitsch, Retzoff, and Krascheninnikoff], action of hydriodic acid on some cyclic compounds at a high temperature, A., i, 401.

temperature, A., i, 401.

Markownikoff, Wladimir B. [and in part Michael I.Konowaloff and Miller], methylcyclopentanes of differentorigin and their derivatives, A., i, 401.

Marsden, Fred. See James Johnstone Dobbie.

Marsh, James Ernest, and John Addyman Gardner, researches on the terpenes, VII. Halogen derivatives of camphor and their reactions, T., 285; P., 1896, 187.

camphor, P., 1897, 137.

Marshall, C. R., antagonistic action of digitalis and nitrites, A., ii, 573.

Marshall, C. R., and H. Ll. Heath, physiological action of chlorhydrins, A., ii, 573.

Marshall, Dorothy, heats of vaporisation of liquids at their boiling points, A., ii, 244.

Martelli, Domenico, composition and nutritive value of tunny preserved in oil, A., ii, 335.

— detection of ground olive stones in pepper, A., ii, 392.

Martin, H. W. See Arthur George Perkin.

Martin, Léon, drainage waters, A., ii, 393.

Martin, W. J., jun., platinum, A., ii, 501.

Massa, C. See Guido Pellizzari.

Massol, Gustave, magnesium malonate, A., i, 505.

- zinc malonate, A., i, 506.

heat of formation of zinc hydroxide, A., ii, 440.

Masson, Arthur. See Antoine Guntz.
Masson, Orme, does hydrogen find its
proper place at the head of group I.
or at the head of group VII? A.,
ii, 19.

Mastbaum, Hugo, the iodine number cf oils, A., ii, 292.

estimation of the tin in tin-plate, A., ii, 604.

Mathews, Albert, chemistry of spermatozoa, A., ii, 572.

Mathews, John A., phthalimide, A., i, 621.

Mathews, John A. See also Edmund H. Miller.

Matignon, Camille, sodium carbide and monosodacetylene, A., i, 390.

thermochemistry of the sodio-acetylenes, A., ii, 440.

Matthews, Charles G., reducing action of chloroform on Fehling's solution, A., ii, 193.

Matthews, Francis Edward, apparatus for "steam distillation," T., 318; P., 1897, 18.

Matthey, Edward, liquation of certain alloys of gold, A., ii, 323.

Matz, Fr. See Julius H. Aeby.

Maupy, L., estimation of theobromine in cocoa and in chocolate, A., ii, 531.

Maury, G. P. See C. B. Murray.

Mauthner, Julius, and Wilhelm Suida, cholesterol, IV., A., i, 31.

Mavrogordato, A. E. See John Scott Haldane.

Mawrow, F. See Wilhelm Muthmann. May, Richard. See Ludwig Lindemann. Mayençon, electrolytic examination of silicates, A., ii, 599.

Mayer, Adolf, the maximum of plant

production, A., ii, 118.

- simplification of Schweitzer and Lungwitz's method of estimating potassium, A., ii, 284.

Mayer, Bertram. See Josef Plöchl.

Mayrhofer, Joseph, estimation of starch

in sausage meat, A., ii, 525.

Mazé, fixation of free nitrogen by the bacillus of leguminous nodules, A., ii, 459.

Mazzara, Girolamo, and Manfredo Lamberti-Zanardi, action of sulphuryl chloride on carbazole: mono- and dichlorocarbazoles, A. i, 107.

 mono- and di-chloroparacresols, A., i, 182.

Medvedeff, An., oxidation in the tissues, A., ii, 152.

Meinecke, Carl. See Martin Freund. Meineke, C., critical examination of methods for the estimation of phosphoric acid, A., ii, 157.

Meissner, Georg, new method of preparing mesotartaric acid and the imides,

A., i, 460.

Meissner, Georg. See also Felix B.

Melikian, P. A. See Philippe A. Guye. Mende, Fritz, decomposition of pipe-colinic acid into its two optical com-

ponents, A., i, 203.

Merck, (Carl) Emanuel, condensation of tannins $_{
m with}$ formaldehyde, i, 155.

- action of formaldehyde on aloin, A., i, 167.

bitter principles contained in the leaves of Leucodendron concinnum, A,

- crystalline bitter principle contained in Plumiera acutifolia, A., i, 167.

Merck (Carl) Emanuel, compounds contained in Radix imperatoric ostruthium, A., i, 168.

- molybdic acid a reagent for alcohol, A., ii, 164.

Merling, Georg, eucaine, A., i, 499.

Mermet, Achille Ernest, reaction of carbonic oxide, A., ii, 345.

Merrill, George Perkins, free gold in granite, A., ii, 46.

the meteorite of Hamblen Co., Tennessee, A., ii, 58.

disintegration and decomposition of diabase, A., ii, 107.

 asbestos and asbestiform minerals, A., ii, 412.

- [chrome-diopside, hornblende and pleonaste from Montana], A., ii, 508.

Mertins, Paul S. See Jas. Lewis Howe.

Merz, August. See Heinrich Goldschmidt.

Messinger, Carl, sodium thioselenide, A., ii, 313.

- selenoarsenates, A., ii, 314.

Messinger, Carl. See also Emerich Szarvasy.

H. Metcalf, F. See Henry Lord Wheeler.

René, heat of formation of Metzner, selenic acid and selenates, A., ii, 132. - selenic anhydride, A., ii, 169.

- action of ammonia on tellurium, tetrachloride: tellurium nitride, A., ii, 208.

- action of telluric chloride and fluoride on the corresponding hydracids, A., ii, 488.

- combination of telluric bromide and iodide with the corresponding hydracids, A., ii, 489.

Meulen, P. Hojonides van der, isoimides, A., i, 281.

- action of alcohols on isoimides, A., i. 414.

Meunier, Jean, precipitation of zinc as sulphide, A., ii, 464.

Meunier, Stanislas, asphaltic rocks and the origin of asphaltum, A., ii, 501

Meyenberg, Alexander. See Eugen Bamberger.

Meyer, Friedrich. See Paul Jacobson. Meyer. Georg, diffusion constants of some metals in mercury, A., ii, 482.

Meyer, Hans, castor oil, A., i, 591. Meyer, Hans. See also Josef Herzig.

Meyer, Heinrich. See Richard E. Meyer. Oswald. See (Carl Arnold) Meyer, August Michaelis.

Meyer, Richard E.. action of ethylic oxalate on aromatic amines, II., A., i, 376.

Meyer, Richard E., and Alfred Conzetti, 3:6-dihydroxyxanthone, A., i, 380.

Meyer, Richard E., and A. Jugilewitsch, some ethylic salts of phthalic and tetrachlorophthalic acids, A., i, 350.

Meyer, Richard E., and Heinrich Meyer, the phthalein group, II., fluorescein, A., i, 69.

the phthalein group III., orcinolphthaleins, A., i, 70.

Meyer, Richard E., and Wilhelm Müller, action of ethylic oxalate on aromatic

amines, III. and IV., A., i, 356. Meyer, Richard E., and Alb. Seeliger, action of ethylic oxalate on aromatic amido-compounds, A., i, 45.

Meyer, Victor, and Wilhelm Molz, mesitylene from acetone, A., i, 142.

- supposed decompositions in the mesitylene series, A., i, 474.

— consecutive durenecarboxylic

acid, A., i, 476.

Meyer, Victor, and G. Pavia, regularities in the behaviour of the diortho-substituted aromatic carbonyl compounds, A., i, 54.

Meyer, Victor, and Max von Recklinghausen, slow oxidation of hydrogen and of carbonic oxide, A., ii, 19.

Meyer, Victor, and W. Scharvin, hexahydrobenzophenone and its oximes, A., i, 612.

Meyer, Victor, and Hermann Weil, an isomeride of triphenylacrylic acid, and the conversion of one into the other, A., i, 480.

Meyer, Victor, and Lothar Wöhler, durenecarboxylic acids, A., i, 55.

Meyer, Victor. See also Heinrich Hirtz. Meyerfeld, Julius. See Richard Anschütz. Meyerhoffer, Wilhelm, modification of the Beckmann apparatus, A., ii, 360.

- non-concentrating solutions, A., ii, 442.

- application of the laws of chemical equilibrium to complex inorganic compounds, A., ii, 445.

Michaelis, (Carl Arnold) August, and Theodor Becker, constitution of phosphorous acid, A., i, 391.

Michaelis, (Carl Arnold) August [and in part William Berghegger, Hubert Glaubitz, Bernhard Hecker, Moritz Lewschinsky, Oswald Meyer, Moritz G. Miething, E. Piper, Fritz Rothe, Luis da Rocha Schmidt, and R. Uster], aromatic chlorophosphines and their derivatives, A., i, 146.

Michaelis, (Carl Arnold) August [and in part Ludwig Eifler, Hubert Glaubitz, Erich Gundermann, O. Holle, Jos. Junker, R. Katzenstein, Fritz Kuhlmann, Ph. Kunz, Wilhelm Maecker, Ignaz Rabinersen, and Georg Schlüter,] chlorophosphines of the aromatic series and their derivatives, A., i, 48.

Michaelis, (Carl Arnold) August, and Paul Graentz, thionyl derivatives of the aliphatic diamines, A., i, 395.

Michaelis, Hugo, automatic cut-off of gas on stoppage of the water supply, A., ii, 169.

See also Michaelis, Hugo. Cohnstein.

Michaels, Hugo. See Martin Freund. Michel, A., serum-albumin crystals, A., i, 176.

Michel, Edmond. See Albin Haller. Micko, Karl, a-acetoacetylpyridyl

[2-acetoacetylpyridine], A., i, 95. Middleton, Jefferson, clay, A., ii, 415.

Miething, Moritz G. See Carl Arnold August Michaelis.

Millar, James Hills. See Horace T. Brown.

Miller. See Wladimir B. Markownikoff. Miller, Edmund Howd, ferrocyanides of zinc and manganese, A., ii, 433.

Miller, Edmund Howd, and John A. Mathews, table of factors, A., ii, 188. Miller, Wilhelm von, and Georg Rohde, carminic acid, A., i, 540.

Milner, S. Roslington, heats of vaporisation of liquids, A., ii, 439.

- variation of the dissociation coefficient with temperature, A., ii, 442.

Milroy, T. H., compounds of proteid with nucleic acid and with thymic acid, A., i, 232.

Mingaye, John C. H., artesian waters of N. S. Wales, A., ii, 58.

Minguin, Jules, crystallographic properties of substituted camphors, A., i, 163.

Minunni, Gaetano, and E. Rap, oxidation of phenylbenzylidenehydrazone, A., i, 40.

Minunni, Gaetano, and D. Vassallo, conversion of a aldoximes into nitriles, A., i, 43.

Miolati, Arturo, mixed platino-haloids, A., ii, 323.

Miolati, Arturo, and Alfredo Lotti, preparation of 1:2:3-metaxylidine, A., i, 560.

Miolati, Arturo. See also Alfred Werner. Mirat, Santiago Bonilla, analysis of a meteoric stone which fell at Madrid, February 10, 1896, A., ii, 458.

Mitchell, Charles Ainsworth. See Otto Hehner.

Miyachi, T., can old leaves produce asparagine by starvation? A., ii, 277.

Mjöen, J. Alfred, polymethacrylic acid, A., i, 399.

Moeller, Joseph, vegetable matter in

human fæces, A., ii, 574.

Mörner, Carl Thore (Graf) multiple intestinal concretions in man, A., ii,

— fermented fish, A., ii, 222.

— the sulphuric acid in bone ash, A., ii, 571.

Mohr, L. See Carl Paal.

Moissan, Henri, diamondiferous sand from Brazil, A., ii, 46.

— conversion of diamonds into graphite in a Crookes tube, A., ii, 315. production of iron carbide by direct

combination of iron and carbon, A., ii, 375.

- the different varieties of carbon: amorphous graphite: diamond, A., ii, 549.

- chromium, A., ii, 556.

 analysis of aluminium and its alloys, A., ii, 602.

Moissan, Henri, and James Dewar, liquefaction of fluorine, A., ii, 446.

Joseph, combination Moitessier, phenylhydrazine with metallic bromides, A., i, 561.

- combination of phenylhydrazine with metallic iodides, A., i, 562.

Moitessier, Joseph. See also Jules Ville. Moldauer, D., isomeric nitrosodiethylphloroglucinols, A., i, 42.

Molisch, Hans, crystallisation of xanthophyll (carotin) and proof of its presence

in leaves, A., ii, 224.

Molz, Wilhelm. See Victor Meyer.

Monaco, D. Lo, constitution of hydroxysantonin, A., i, 628.

Monsacchi, U. See Hugo Schiff.

Montemartini, Clemente, syntheses in the adipic acid series, A., i, 19.

Moore, B., active physiological substance of the suprarenal gland, A., ii, 331.

Moore, B., and D. P. Rockwood, absorption of fats, A., ii, 150.

- the reaction of the intestine in relationship to intestinal digestion, A., ii, 331.

Moore, T. S. See John TheodoreHewitt.

Moraczewski, Waclaw von, the significance of chlorides in anæmia, A., ii, 64.

chlorides and phosphates of the blood in disease, A., ii, 221.

- the mineral constituents of human organs, A., ii, 571.

Moreau. See Paul Cazeneuve.

Moreigne, Henri, raphanol, a substance contained in the root of Raphanus niger and other Cruciferæ, A., i, 94.

Morgan, John James, estimation of titanic acid, A., ii, 388.

See Frank Austin Morgan, W. C. Gooch.

Moro, Natale Vianello, velocity of formation of alkali xanthates [alkali ethylic αβ-dithiocarbonates], A., ii, 16.

Morpurgo, Giulio, distinction of boiled from unboiled $_{
m linseed}$ oil. ii, 292.

Morris, George Harris, enzyme-action, A., ii, 184.

estimation of the ready formed sugars of malt, A., ii, 194.

Morris, George Harris. See also Horacc T. Brown.

Morse, Harmon Northrup, reduction of permanganic acid by manganese dioxide, A., ii, 145.

Mosse, Max, ethereal hydrogen sulphates in the urine and the influence of drugs, A., ii, 379.

Mott, Frederick Walker, and William Dobinson Halliburton, physiological action of chlorine, neurine, and allied substances, A., ii, 222.

Mott, Henry Augustus, obituary notice of, T., 1204.

Mourelo, José Rodriguez, phosphorescent strontium sulphide, A., ii, 450.

- colour of the phosphorescence of strontium sulphide, A., ii, 469.

Moureu, Charles, methylene catechol ether, A., i, 336.

Moureu, Charles, and A. Chauvet, anethoil and two of its homologues, A., i, 403.

Mourlot, A., effects of a high temperature on copper, bismuth, silver, tin, nickel, and cobalt sulphides, A., ii, 372.

Moyer, C. B. See William Ridgely Orndorff.

Moyer, J. Bird, metal separations by means of gaseous hydrogen chloride, A., ii, 434.

Mudford, E. G. See Alexandre Nau-

Mühle, Karl. See F. Glaser.

Müller, Friedrich, chemistry of the mucin of the respiratory tract, A.,

Müller, Hermann, effect of nitrogen on root formation, A., ii, 116.

Müller, Martin, amount of nucleon in human muscle, A., ii, 219.

Müller, R., condensation of guanidine and of carbamide with ethylic oxalate, A., i, 549.

Müller, Wilhelm.See Richard E. Meyer.

Müller-Erzbach, Wilhelm, vapour pres-

sure of compounds of calcium chloride

with water, A., ii, 203.

Mulder, Eduard, silver peroxynitrate,
A., ii, 551.

Mulder, Eduard, and J. Heringa, silver peroxynitrate, A., ii, 260.

Munby, Alan E., a Bunsen burner for

acetylene, P., 1897, 103.

Murmann, Ernst, quantitative analysis of refined copper, A., ii, 346.

- purification of commercial potash and soda, A., ii, 448.

- combustion boat with partitions, A., ii, 464.

Murray, C. B., and G. P. Maury, rapid method for estimating silicon in silicospiegel and ferrosilicon, A., ii, 599.

Murray, Thomas Smith. Robert Japp. See Francis

Musset, Franz, action of chloroform on starch, A., i, 455.

Muthmann, Wilhelm, and A. Clever, nitrogen pentasulphide, A., ii, 26.

- compounds of phosphorus with selenium, A., ii, 29.

Muthmann, Wilhelm, and F. Mawrow, estimation of bismuth, A., ii, 78.

Muthmann, Wilhelm, and E. Schröder, separation of tellurium from antimony, A., ii, 463.

Muthmann, Wilhelm, and E. Seitter, nitrogen sulphide, A., ii, 255.

Mutnianski, M., barium thiosulphate as

basis for iodimetry, A., ii, 342. Myers, Henry C., monochlorodipar-aconic acid, T., 614; P., 1897, 100.

Myers, J E., and Ferdinand Braun, decomposition of silver salts by pressure, A., ii, 547.

Mylius, Franz, Fritz Foerster, and Georg Schoene, steel, A., ii, 39.

Mylius, Franz, and Robert Funk, corrosion phenomena of zinc plates, A., ii, 34.

 electrolytic refining of cadmium, A., ii, 35.

 — hydrates of cadmium sulphate, A., ii, 316.

- solubilities of several readily soluble salts, Λ ., ii, 442.

N.

Nagendra Ch., new cobalt and nickel salts, A., ii, 41.

Nagel, Oskar, 1-quinolyloxyacetic acid, A., i, 372.

Alexander, dithienylethane, Nahke, dithienylethylene and the condensation of thiophen with benzotrichloride and aluminium chloride, A., i, 602.

Alexander, Nahke, a-dithienvlethyl methyl ketone or acetyl-α-dithienylethane, A., i, 603.

dithienylphenylmethane and its nitro-, amido- and sulphonic deriva-

tives, A., i, 603.

condensation of iodothiophen with benzaldehyde, and of thiophen with different aldehydes, A., i, 604.

Nakamura, Teikichi, relative value of asparagine as a nutrient for phænogams, A., ii, 275.

relative value of asparagine as a nutrient for fungi, A., ii, 276.

- behaviour of yeast at a high temperature, A., ii, 577.

Natanson, Ladislaus, laws of irreversible

processes, A., ii, 90. Naumann, Alexander, and F. G. Mudford, action of chlorine and steam on

red hot carbon, A., ii, 208. Neesen, Friedrich, mercury air pump for the estimation of the gases of the blood, A., ii, 149.

Negami, K., physiological action of disodium sulphite on phænogams, A., ii, 585.

Nencki, Marcellus, organic syntheses depending on elimination of halogen hydride by means of ferric chloride, Λ., i, 520.

biological relation of chlorophyll

and hæmoglobin, A., ii, 335.
Nencki, Marcellus, and E. Stoeber, action of acidyl chlorides on benzene and monhydric phenols in presence of ferric chloride, A., i, 521.

Zaleski, Nencki, Marcellus, and J. estimation of ammonia in animal secretions and tissues, A., ii, 343.

Nencki, Marcellus. See also M. Bialobrzeski.

Nernst, Walther, chemical equilibrium, &c., of metallicmixtures, ii, 366.

 electrolytic decomposition οf aqueous solutions, A., ii, 394.

Neudörfer, Julius. See Paul Friedländer.

Neumann, B., limits of delicacy of various tests for metals, A., ii, 599.

Neville, Francis Henry. See Charles Thomas Heycock.

Newbiggin, M. I., pigments of decapod crustacea, A., ii, 334.

Newlands, John Alexander Reina, does hydrogen find its proper place at the head of group I. or at the head of group VII.? A., ii, 19.

Newton, L. See Emily (Alicia) Aston. Nicol, W., anhydrite in Ontario, A., ii, 147.

Nicolaier. Arthur. See WilhelmEbstein.

Niebel, W., detection of horse flesh, A., ii, 392.

Niegemann, Carl. See Ludwig Claisen. Niementowski, Stefan von, and Johann Roszkowski, diazotisation aniline, A., i, 340.

Niementowski, Stefan von. See also M. Kowalski.

Nietzki, Rudolf, constitution of the safranines, A., i, 108. Nietzki, Rudolf, and F. Blumenthal,

diquinoyltrioxime \mathbf{and} tetranitrophenol, A., i, 218.

Nietzki, Rudolf, and Heinrich Bothof, amidodiphenylic sulphides, A., i, 36.

Nietzki, Rudolf, and Eduard Burckhardt, quinoidal derivatives of phenolphthalein, A., i, 225.

Nietzki, Rudolf, and Hans Hagenbach, reduction of picramide: unsymmetrical tetramidobenzene, A., i, 277.

Nietzki, Rudolf, and G. Helbach, action of an alkali sulphite on metadinitrobenzene, A., i, 26.

Nietzki, Rudolf, and Th. Knapp, action of nitrous acid on 2:3'-naphtholsulphonic acid, A., i, 226.

- derivatives of dihydroxynaphthalene, A., i, 426.

Rudolf, and A. Schedler, Nietzki, synthesis of symmetrical tetramidobenzene, A., i, 464.

Nilson, Lars Fredrik. See A. G. Kellgren.

Nissen, Paul. See Edgar Wedekind. Nitze, H. B. C., monazite, A., ii, 267. Noack, Heinrich. See Theodor Zincke.

Noaillon, A., estimation of sulphur in iron pyrites or native zinc sulphide, A., ii, 595.

Nobbe, Friedrich, and Lorenz Hiltner, suitability of nodule bacteria of different origin for various kinds of Leguminosæ, A., ii, 64.

Noel-Paton, Diarmid, hepatic glycogenesis, A., ii, 571.

Noel-Paton, Diarmid. See also James Crauford Dunlop.

Nold, August. See Hans von Pechmann.

Nordenskiöld, Otto, edingtonite, from Böhlet, Sweden, A., ii, 328.

Norris, James F., and Henry Fay, iodometric estimation of selenious and selenic acids, A., ii, 70.

Novák, Vladimír, specific electrical conductivities and freezing points of solutions of water in formic acid, A., ii, 536.

Noyes, Arthur Amos, velocity of the

reaction between ferric chloride and stannous chloride, A., ii, 17.

Noyes, Arthur Amos, and Charles G. Abbot, determination of osmotic power by means of vapour pressure measurements, A., ii, 395.

Noyes, Arthur Amos, and H. M. Goodwin, internal friction of mercury

vapour, A., ii, 203.

Noyes, Arthur Amos, and C. W. Hapgood, are diphenyliodionium thallium nitrates isomorphous? A.,

Noyes, Arthur Amos, and C. W. Tucker, formation of diacetylenyl (butadiine) from copper acetylene, A.,

Noyes, Arthur Amos, and R. S. Wason, velocity of the reaction between ferrous chloride, potassium chlorate, and hydrogen chloride, A., ii, 311.

Noyes, Arthur Amos, and Willis Rodney Whitney, velocity of dissolution of a solid in its own solution, A., ii, 479.

Noyes, William Albert, camphoric acid, A, i, 90.

Nussberger, Gustav, mineral waters of Canton Graubünden, A., ii, 569.

Nuttall, George H. F., and Hans Thierfelder, animal life without bacteria in the alimentary canal, A., ii, 570.

0.

Ochs, K., is a diaphragm known that will prevent diffusion, but not the passage of a current? A., ii, 243.

Oddo, Giuseppe, BB-dicamphor, A., i, 430. - action of sodium on camphor, A., i, 577.

-action of sodium on dicamphor and dicamphanhexane-1:4-dione, A., i, 577.

Oddo, Giuseppe, and G. Ampola, stability some diazonium compounds, A., of i, 341.

Oddo, Giuseppe, and G. Leonardi, camphoric nitrile and isomeric change of isonitrosocamphor, A., i, 86. Oddo, Giuseppe, and C. Manuelli, new

method of preparing anhydrides, A., i, 180.

Oddo, Giuseppe. See also Lorenzo Bucca. Oechelhauser, H. See Fritz Haber. Oechsner de Coninck, William, a higher homologue of carbamide, A., i, 400.

action of tannin and gallic acid on

some alkaloids, A., i, 447.

— solubility of ecgonine, A., i, 544.

- action of tannin on some alkaloids, A., i, 447, 570.

Oechsner de Coninck, William, action of tannin and of other aromatic derivatives on some alkaloids and compound ureas, A., i, 570.

Oels, M., rocks and asbestos from Corsica,

A., ii, 53.

Oettel, Felix, a new method of estimating phosphorus in phosphor-bronze, A., ii, 157.

0gg, A., equilibrium between amalgams and electrolytes, A., ii, 366.

Olszewski, Karl, attempt to liquefy helium, A., ii, 31.

Orchard, Ronald, estimation of formalde-

hyde, A., ii, 288. O'Reilly, J. P., mica from Co. Dublin, A., ii, 412.

Orloff, N. A., alums of nitrogenous bases, A., i, 448.

----- methylguanidine, A., i, 456.

Orndorff, William Ridgely, and C. B. Moyer, naphthalene-tetrabromide, A., i, 426.

Orton, Kennedy Joseph Previte. Karl Auwers.

Osborne, Thomas Burr, the proteids of the kidney bean (Phaseolus vulgaris), A., i, 207.

- proteose of wheat, A., i, 388.

O'Shea. See Hicks.

Osmond, Floris, alloys of silver with copper, A., ii, 449.

Ostrogovich, Adriano, imidomethyloxytriazine, A., i, 301.

Ostrogovich, Adriano. See also Hugo Schiff.

Ostwald, Wilhelm, the formation and changes of solids, A., ii, 308.

Oswald, Ad., the amount of iodine in the thyroid gland, A., ii, 572.

Oteha, N., estimation of sulphur in coke, A., ii, 595.

Otto, Marius, ozone and phosphorescence, A., ii, 139.

- density of ozone, A., ii, 207.

Otto, Robert, and Fritz Stoffel, the second stilbene, A., i, 533.

Overton, Ernst, osmotic properties of cells in their bearing on toxicology and pharmacy, A., ii, 337.

P.

Paal, Carl, syntheses of quinoxalines, A., i, 115.

Paal, Carl, and Karl Demeler, 2:6-diphenylpyridine and 2:6-diphenyl-

piperidine, A., i, 486.

Paal, Carl, and S. Deybeck, derivatives of paratolylsulphonitrosamic acid, A., i, 352.

Paal, Carl, and Friedr. Härtel, some derivatives of ethylic diacetylsuccinate and dibenzoylsuccinate, A., i, 598.

Paal, Carl, and Br. Hildenbrand, carbamide derivatives of orthamidobenzyl-

amine, A., i, 407.

Paal, Carl, and Geo. Krömschröder, synthesis of 3'-orthamidophenyldihydroquinazoline, A., i, 115.
aal. Carl. and Leopold Lowitsch,

Paal, Carl, and Leopold benzylsulphamic acid and derivatives of benzylsulphonitrosamic acid, A.,

Paal, Carl, and L. Mohr, derivatives of metadi-iodoparahydroxybenzaldehyde, A., i, 53.

Paal, Carl, and H. Poller, synthesis of 3'-paramidophenyldihydroquinazoline,

- action of orthonitrobenzylic chloride on hydroxylamine, A., i, 184.

Paal, Carl and Wilhelm Schilling, synthesis of 3'-orthanisyldihydroquinazoline, A., i, 116.

- synthesis of 3'-paranisyldihydroquinazoline, A., i, 117. Paal, Carl, and Hermann Sprenger,

paranitrobenzyl bases, A., i, 184. Pagnoul, Aimé, assimilability of nitric

and ammoniacal nitrogen by plants, A., ii, 120. estimation of organic and am-

moniacal nitrogen, A., ii, 229. analysis of sodium nitrate,

ii, 230. Palache, Charles, crocoite from Tasmania.

A., ii, 50. Palmaer, Wilhelm, iridio-ammonium

compounds, A., ii, 44.

- relation between the velocity of inversion and the concentration of the hydrogen ions, A., ii, 367.

Pape, Carl, preparation of mandelic acid, A., i, 190.

Paris, Jules, bat guano from Eboli, Salerno, A., ii, 383.

Parker, H. G. See Theodore William Richards.

Parker, Matthew Archibald. See George Gerald Henderson.

Parow. See Heinrich Limpricht.

Parry, Ernest J., and John Henry Coste, commercial Prussian blue, A., ii, 163.

Partheil, Alfred, and H. von Broich, brominated bases of the fatty series, A., i, 263.

See Carl Runge. Paschen, Friedr.

Passerini, Napoleone, amount of nitrogen conveyed by red clover to different kinds of soil, A., ii, 587.

experiments on the effect of magnesia on wheat, A., ii, 587.

Passon, Max, estimation of citratesoluble phosphoric acid in basic slag by means of citric acid, A., ii, 230, 344.

Passon, Max. See also Max Gerlach. Pasteur, Louis, memorial lecture on, T.,

683; P., 1897, 80.

Patein, Gustave, constitution of the compounds of antipyrine with phenols, A., i, 297.

Patein, Gustave, and E. Dufau, compounds of antipyrine with the cresols, A., i, 375.

- action of antipyrine on tri-

hydric phenols, A., i, 543.

Paternò, Emanuele, veratrole as a solin cryoscopic researches, A., vent ii, 12.

- parabromotoluene as a solvent in cryoscopic researches, A., ii, 12.

- behaviour of phenol as a solvent in cryoscopy, A., ii, 13.

Paternò, Emanuele, and G. Ampola, maximum depression of the freezing point of mixtures, A., ii, 476.

Paton. See Noel-Paton.

Pauer, J., absorption spectra of some compounds in the gaseous and liquid states, A., ii, 393, 469.

Paul, Benjamin Horatio, and Alfred John Cownley, Brazilian and Columbian ipecacuanha, A., ii, 278.

 detection of copper in vegetable substances, A., ii, 285.

Paul, Josef, estimation of aldehyde in

alcohol, A., ii, 235. Paul, Ludwig, technical uses of orthoand para-nitrophenol, A., i, 181.

- α-amido-β-naphthylic ethylic ether, A., i, 193.

- 1:1'-dihydroxynaphthalene-4-sulphonic acid, A., i, 195.

Paul, Theodor, and Bernhard Krönig, behaviour of bacteria towards chemical reagents, A., ii, 155.

Pauly, Hermann, condensation of acetone with ethylic acetoacetate, A.,

i, 266.

Pavia, G. See Victor Meyer.

Pavy, Frederick William, phloridzin diabetes, A., ii, 64.

- estimation of sugar in blood, A., ii, 80.

Pawlewski, Bronislaw, action of phthalic and succinic chlorides on compounds of the type R NH₂, A., i, 146.
— sulphuryl chloride, A., ii, 313.

- the uncertainty of the guaiacum reaction for active diastase,

Payne, George F., mineral constituents of the water melon, Λ ., ii, 427.

Pearce, Richard, a tellurium mineral from Colorado, A., ii, 265.

Péchard, E., manganimolybdates, A., ii, 498.

Pechmann, Hans von, basic coumarins, A., i, 220.

- mixed amidines, A., i, 515.

Pechmann, Hans von, and Berthold Heinze, mixed amidines, A., i, 515.

Pechmann, Hans von, and August Nold, action of diazomethane on phenylthiocarbimide, A., i, 122.

Pechmann, Hans von. See also Otto Degner.

Peckham, Stephen Farnum, and Laura A. Linton, Trinidad pitch, A., ii, 47. Peek, George N., analysis of a variety of

ilmenite, A., ii, 328.

Peirce, A. W., existence of selenium monoxide, A., ii, 403.

Peirce, A. W. See also Frank Austin Gooch. Pekelharing, Cornelius Adrianus, pre-

paration of pepsin, A., ii, 60. - nucleo-proteid in muscle,

ii, 61.

Pélabon, H., absorption of hydrogen sulphide by melted sulphur, ii, 207.

- false equilibria of hydrogen selenide, A., ii, 251.

- conditions of the direct combination of hydrogen and sulphur, A., ii, 312.

Pelet, Louis. See Heinrich Brunner. Péligot, M., solubility of potassium platinochloride in alcohol, A., ii, 386.

Pellizzari, Guido, derivatives of amidoguanidine, A., i, 47.

- identity of formopyrine and methylenebiantipyrine, A., i, 205. - diphenyltetrazoline, A., i, 231.

Pellizzari, Guido, and C. Massa, monosubstituted triazoles, A., i, 205.

Pembrey, Marcus Seymour, deep and surface temperature of the body after section of the spinal cord, A., ii, 220.

Pembrey, Marcus Seymour. See also Charles D. F. Phillips.

Penfield, Samuel Lewis, and H. W. Foote, roeblingite, a new silicate from

Franklin Furnace, A., ii, 563. Perdrix, Léon, action of potassium permanganate on the polyhydric alcohols and their derivatives, A., i, 177.

Pergami, A., action of alcohols on tetra-

chlorethylethylic ether, A., i, 177.

Perkin, Arthur George, derivatives of malcurin, part II., T., 186; P., 1897, 5. - apiin and apigenin, T., 805; P., **1897**, 53, 138.

- the yellow colouring principles of

various tannin matters, T., 1131; P., **1897**, 170.

Perkin, Arthur George, azobenzene derivatives of phloroglucinol, T., 1154;

P., **1897**, 172.

- yellow colouring matters obtained from Rhus rhodanthema, Berberis octnensis, and Rumex obtusifolius, T., 1194; P., **1897**, 198.

Perkin, Arthur George, and H. W. Martin, rhamnazin, T., 818; P., 1897, 139.

derivatives of cotoin and phloretin, T., 1149; P., 1897, 171. Perkin, Frederick Mollwo. See Arthur

Rud'olf Hantzsch.

Perkin, William Henry, jun., sulphocamphylic acid (C₉H₁₄SO₅) with remarks on the constitution of camphoric acid and camphoronic acid, P., **1896**, 189.

Perkin, William Henry, jun., and Jocelyn Field Thorpe, synthesis of i-camphoronic acid, T., 1169; P., **1897**, 72.

Perkin, William Henry, jun.

William Henry Bentley.

Perman, Edgar Philip, William Ramsay, and J. Rose-Innes, attempt to determine the adiabatic relations of ethylic oxide, A., ii, 249.

Perrier, G., β-naphthyl propyl ketone, A., i, 226.

Pesch, F. J. van, maize-germ cake, A., ii, 70.

Pesci, Leone, mercuriobenzylammonium iodide, A., i, 36.

— mecurioaniline, A., i, 559. **Petersen**, *Emil*, the number of ions in some ammonio-cobalt compounds, A., ii, 302.

Petit, Auguste, and Max Polonowsky, pilocarpine and pilocarpidine, A., i, 581. · isomerism of pilocarpine and

pilocarpidine, A., i, 583.

two new alkaloids isolated from a species of Jaborandi, A., i, 583. Petit, Paul, carbohydrates in beer, A.,

i, 311. action of dissolved carbonic anhy-

dride on iron, A., ii, 213. **Petrovitch**, Michel, dynamics of homogeneous endothermic and exothermic chemical reactions, A., ii, 439.

Pfeffer, Wilhelm, selection of organic nutritive substances, A., ii, 224.

formation of diastase, A., ii, 513. Pfeiffer (Franz Wilhelm) Theodor (Christian), estimation of phosphates in pre-

cipitates, A., ii, 72.

Pfeiffer, F. W. Theodor C., and Wilhelm Eber, formation of hippuric acid in the animal organism, A., ii, 512.

Pfeiffer, F. W. Theodor C., E. Francke, C. Götze, and H. Thurmann, decompositions during the putrefaction of nitrogenous organic matter, A., ii, 428. Pfeiffer, F. W. Theodor C. See also A.

Kossler.

Pfeiffer, George J., tables of the specific weight of solutions of sulphur in carbon bisulphide, A., ii, 488.

Pfeiffer, H. See Ernst Beckmann.

Pflüger, Al., indices of refraction of metals at different temperatures, A.,

Pflüger, Eduard, estimation of sugar, A., ii, 378.

Phelps, Isaac K. See Frederick L. Dunlap.

Philippi, E., microcline from the Spessart,

A., ii, 53.

Phillips, Charles D. F., and Marcus Seymour Pembrey, physiological action of hydrastine hydrochloride, A., ii, 222.

Phillips, Francis C., a form of silver obtained on the reduction of the sulphide by hydrogen, A., ii, 32.

 estimation of sulphur in cast iron, A., ii, 431.

Piccini, Augusto, peroxides in their relationship to the periodic system of the elements, A., ii, 99.

- alums of vanadium trioxide, A., ii, 215.

Piccinini, Antonio, hydroxytrimethylindoline (trimethylindolinone), i, 572.

See also Giacomo Piccinini, Antonio. Liugi Ciamician.

Pichard, P., colour reactions of brucine: detection of nitrites in presence of sulphites, A., ii, 168.

Pickering, John William, chemical and physiological reactions of certain synthesised proteid-like substances, A., i, 387.

Pickering, Percival Spencer Umfreville. See Horace T. Brown.

Picton, Harold, and S. Ernest Linder, solution and pseudo-solution. Part III. The electrical convection of certain dissolved substances, T., 568.

Piloty, Oscar, and Otto Ruff, reduction of tertiary nitroisobutylglycerol (nitrotrihydroxy-tert.-butane) and dihydroxyacetoxime, A., i, 453.

amido-alcohols of the fatty

series, A., i, 586.

Piloty, Oscar, and Alfred Stock, quantitative separation of arsenic from antimony, A., ii, 431.

Pincussohn, Ludwig, metallic compounds of pyridine and the electrolysis of pyridine, A., i, 540.

Piñerûa, Eugenio, colour reactions of organic acids, principally tartaric, citric, and malic, A., ii, 289.

 separation of nickel from cobalt and iron, and of cobalt from aluminium, A., ii, 387.

Pinner, Adolf [and in part Alfred Salomon and C. Göbel], action of hydrazine on imido-ethers, A., i, 637.

Pinnow, Johannes, differences between aromatic nitramines and nitrosamines,

A., i, 338.

Pionchon, Joseph, molecular volumes of crystallised carbohydrates, A., i, 547. Piper, E. See (Carl Arnold) August

Michaelis.

Pirsson, Louis V. [augite from Montana], A., ii, 458.

Pirsson, Louis V. See also Walter H. Weed.

Pitt, A. E. See John Theodore Hewitt. Pittman, Edward F., two new mineral substances from Broken Hill, N.S.W., A., ii, 102.

Piutti, Arnaldo, orthobromoparethoxyphenylsuccinimide, A., i, 412.

Piutti, Arnaldo, and Ercole Giustiniani, malic derivatives of aliphatic amines, A., i, 24.

Placeway, L. A. See Alfred Allen Bennet.

Plancher, Giuseppe. See Giacomo Luigi Ciamician.

Planchon, Victor, and Vuaffart, detection and estimation of borax in butter, A., ii, 73.

Plancken, Josef van der, detection of alum in flour and bread, A., ii, 602.

Platt, Charles, qualitative examination

of acetanilide, A., ii, 82.

Plöchl, Josef, and Bertram Mayer, phenylglyceric acids, A., i, 528.

Plugge, Pieter Cornelius, and A. Rauwerda, occurrence of cytisine in different Papilionaceæ, A., ii, 186.

Polásek, J., asafætida, A., i, 360. Poljanec, transpiration in the potato, A.,

ii, 185. Pollacci, Egidio, solubility of calcium carbonate and phosphate, A., ii, 260.

Poller, H. See Carl Paal.

Polonowsky, Max. See Auguste Petit. Pomeranz, Casar, synthesis of isoquin-

oline and its derivatives, A., i, 372. Pommerehne, *Herbert*, action of methylic iodide on xanthine salts: ψ-theobromine, A., i, 129.

action of the electric current on

some alkaloids, A., i, 641.

Pommerehne, Herbert. See also M. Toppelius.

Ponsot, A., exact cryometry, A., ii, 363.

Ponsot, A., reduction of the freezing point of an aqueous solution, A.,

- means of recognising a good method of cryoscopy, A., ii, 440.

Ponzio, Giacomo, action of nitric peroxide on isonitrosoketones, A., i, 551.

Ponzio, Giacomo. See also Michele Fileti. Pope, Frank G. See John Theodore Hewitt.

Pope, Frederick J., estimation of sulphides in calcium carbide, A., ii, 123.

- volumetric estimation of lead, A., ii, 125.

Pope, William Jackson, the localisation of deliquescence in chloral hydrate crystals, P., 1896, 249.

 the refraction constants of crystalline salts. A correction, P., 1897,

Pope, William Jackson, and Frederic Stanley Kipping, "enantiomorphism," P., **1896**, 249.

Pope, William Jackson. See also Frederic Stanley Kipping.

Theodor, orthocyanobenzalde-Posner, hyde, A., i, 472.

Pouget, potassium sulphantimonites, A., ii, 499.

- silver sulphantimonites, A., ii, 500. Prager, Albert, estimation of potassium,

A., 231.
Prall, Friedrich. See Richard Stoermer. Pratt, Julius Howard, northupite, pirssonite, gaylussite, and hanksite from Borax Lake, California, A., ii, 48.

Pratt, Julius Howard, and H. Foote, wellsite, a new mineral, A., ii, 565.

Pratt, Julius Howard. See also Henry Lord Wheeler.

Prausnitz, Wilhelm, behaviour of animal and vegetable foods in the alimentary canal, A., ii, 574.

- chemical composition of the fæces with different diets, A., ii, 574.

Precht, Heinrich, estimation of potassium as potassium platinochloride, A., ii, 161.

Predari, Franz. See Adolph Claus. Prenntzell, Wilhelm. See E. C. Theodore Zincke.

Prentice, Bertram, derivatives of dimethylacrylic acid, A., i, 12.

Prescott, Albert B., and S. H. Barr, pyridine alkyl hydroxides, A., i, 95.

Preyer, Wilhelm, synthesis of the hæmoglobins, A., i, 304.

Přibram, Richard, and Carl Glücksmann, connection between volume change and specific rotation of active solutions, A., ii, 534.

Price, Thomas Slater. See Percy Frankland.

Prior, Eugen, a third diastase-achroodextrin and the isomaltoses, A., i, 312. Prior, George Thurland, composition of zirkelite, A., ii, 411.

Prior, George Thurland. See also Eugen Hussak.

Přiwoznik, Eduard, composition of nagyagite, A., ii, 560.

Prud'homme, Maurice, benzyl derivatives of pararosaniline, A., i, 353.

- condensation of hydrols with aromatic amines in presence of sulphuric acid, A., i, 353.

- oxidation of the rosanilines by lead dioxide, A., i, 424.

Prunier, L. Léon A., preparation of ether, A., i, 503.

· formation of sulphonic derivatives in the preparation of ether, A., i, 504. Prussia, L., organo-mercuric compounds derived from benzylaniline, A., i, 337. Pschorr, Robert. See Ludwig Knorr.

Puckner, William August, estimation

of caffeine, A., ii, 390.

Purdie, Thomas, and G. Druce Lander, preliminary note on the action of alkyl iodides on silver malate, P., 1896, 221.

Purgotti, Attilio, nitrophenoxy-acids, A., i, 348.

- action of hydrazodicarbonamide on hydrazine sulphate, A., i, 640.

- application of the blue oxide of molybdenum in volumetric analysis, A., ii, 76.

quantitative analysis with the aid of hydrazine sulphate, A., ii, 349. Py, G., analysis and composition of stick-

liquorice, A., ii, 461.

Quenda, Enrico, βγ-substituted derivatives of hydantoin, A., i, 144.

Quiroga, Anastasio, argine and arginine, A., i, 448.

R.

Rabaut, Ch., benzenesulphonamides, A., i, 532.

Rabe, Paul, isoxazolones, A., i, 568. Rabe, Paul. See also Ludwig Knorr.

Rabe, W. O. See Karl A. Hofmann. Rabinerson, Ignaz. See (Carl Arnold) August Michaelis.

Raczkowski, Sig. de. See Fred. Bordas; L. Cuniasse.

Raikow, P. N., condensation of acetone on boiling with excess of zinc chloride, A., i, 316.

Ramage, Hugh. See Walter Nocl Hartley. Rammelsberg, Carl Friedrich, chemical nature of vesuvian [idocrase], A., ii, 180. theory of plagioclase mixing, A.,

arsenic compounds of iron, nickel, and cobalt, A., ii, 560.

- formula of apatite, A., ii, 561.

Ramsay, William, presentation of Long-staff medal to, T., 591; P., 1897, 80. Ramsay, William, and John Norman Collie, homogeneity of helium and

argon, A., ii, 258.

- helium and argon. III. Experiments which show the inactivity of these elements, A., ii, 315.

William.Ramsay, See also Edgar Philip $oldsymbol{ ext{Perman}}.$

Ramus, L. See Maurice Hanriot.

Randall, Wyatt W., permeation of hot platinum by gases, A., ii, 482.

Raoult, François Marie, influence of the temperature of the cold jacket on cryoscopic measurements, A., ii, 11. - exact cryometry: application to so-

dium chloride solutions, A., ii, 88, 89. influence of superfusion on the freezing points of aqueous solutions of sodium chloride and alcohol, A., ii, 362.

See Gactano Minunni. Rap, E.

Rast, Albert. See Max Busch.

Rau, O., a neutral "phosphoreisensinter," A., ii, 410.

Raumer, von, detection of margarine in cheese, A., ii, 356.

- testing American lard, A., ii, 389. Rauwerda, A. See Pieter Cornelis Plugge.

Rây, Prafulla Chandra, the nitrites of mercury and the varying conditions under which they are formed, T., 337; P., **1896**, 217.

mercury hyponitrites, T., 348; P., **1896**, 217.

on the action of sodium hyponi-

trite on mercuric solutions, T., 1097.

— on a new method of preparing mercuric hyponitrite, T., 1105.

- the interaction of mercurous nitrite and the alkyl iodides, P., 1896, 218.

Rayleigh, John William Strutt (Lord), observations on the oxidation of nitrogen gas, T., 181; P., 1897, 17; discussion, P., 18.

- amount of argon and helium contained in the gas from the Bath springs, A., ii, 316.

Rayman, Bohuslav, and Ottokar Sulc. catalytic hydrolysis by metals, A., ii, 136.

Rebuffat, Orazio, hydraulic cements, A., ii, 32.

Recklinghausen, Max von, a new shaking apparatus for the laboratory, A., ii, 19.

Recklinghausen, Max von. See also Victor Meyer.

Recoura, Albert, a new acid containing chromium: sulphochromic acid, A.,

Reeb, E. See Frederic Schlagdenhauffen. Reformatsky, Sergius N., synthesis of β-hydroxy-acids, A., i, 212.

- decomposition of β-hydroxy-acids, A., i, 213.

Regensdorfer, Carl. See EduardLippmann.

Régnard, Paul, and Th. Schlæsing, jun., argon and nitrogen in the blood, A., ii, 73.

Reicher, Lodewyk Theodorus. See W. Alberda van Ekenstein.

Reid, Edward Waymouth, a diffusion apparatus, A., ii, 219.

- comparison of the diffusion into serum, and the absorption by the intestine, of peptone and glucose, A., ii, 331.

Reinganum, Max, pressure differences produced by isothermal distillation, A., ii, 202.

Reinhardt, Carl, estimation of alkalis in fire-clays, A., ii, 599.

Reinitzer, Friedrich, the enzyme of barley which dissolves cell walls, A., ii, 382.

Reinke, J. See Theodor Curtius. Reis, Julius. See Karl Auwers.

Reissert, Arnold, action of ethylic oxalate and sodium ethoxide on nitrotoluenes: synthesis of nitrated phenylpyruvic acids, A., i, 417.

Reitzenstein, Fritz, metallic compounds of pyridine and the electrolysis of

pyridine, A., i, 580.

Relimpio y Ortega, Federico. Federico Chaves y Perez del Pulgar.

Remsen, Ira, two isomeric chlorides of orthosulphobenzoic acid, A., i, 243. - hydrolysis of acid amides, A.,

i, 412. Remsen, Ira, and G. Watson Gray, isomeric chlorides of paranitrorthosul-

phobenzoic acid, A., i, 477. Remsen, Ira, and J. H. Hunter, relations of the anilides of orthosulphobenzoic

acid, A., i, 244. Remsen, Ira, and W. J. Karslake, orthocyanobenzenesulphonic acid, A.,

Remsen, Ira, and S. R. McKee, purification of the chlorides of orthosulphobenzoic acid and the action of various reagents on them, A., i, 243.

Remy, Theodor, effect of potash manuring on the quality of brewing barley, A.,

Renwick, Frank Forster. See William Setten Gilles.

Retgers, Jan Willem, isomorphism, XII., A., ii, 17.

- heavy liquids for the separation of minerals, A., ii, 45, 179.

Rettie, Theodore, compounds of metallic hydroxides with iodine, P., 1896, 178. Retzoff. See Wladimir B. Markowni-

koff. Reverdin, Frédéric, migration of an

iodine atom in anisoil and phenetoil derivatives, A., i, 27. - a new yellow dye derived from

dinitrofluorescein, A., i, 226. evis, Cecil, and Frederic

Stanley Kipping, derivatives of α-hydrindone, T., 238; P., 1896, 229.

"a-bromocamphorsulpholac-

tone," P., 1896, 247.

Reychler, Albert, terpenes, A., i, 246.

--- geranyl chloride, A., i, 248. condensation products of isovaleraldehyde, A., i, 549.

— pinene, a correction, A., i, 578. Riazantseff, N. V., the work of digestion and the excretion of nitrogen, A., ii, 422.

See Edgar Henry Rice, Mary A.Summerfield Bailey.

Rice, William F. See Edwin J. Bartlett.

Richards, Theodore William, and H. Parker, atomic weight magnesium, A., ii, 33.

Richards, Theodore William, and John Trowbridge, effect of great currentstrength on the conductivity of electro-

lytes, A., ii, 439.

Richards, Theodore William. See also John Trowbridge.

Richardson, George M., and Pierre Allaire, specific gravities of aqueous solutions of formic acid, A., i, 266.

Richarz, Franz, electrolytic formation of persulphuric acid, A., ii, 549.

Richmond, Henry Droop, estimation of alcohol, A., ii, 193.

- composition of milk and milk pro-

ducts, A., ii, 511.
Richmond, Henry Droop, and L. Kidgell Boseley, estimation of milk sugar in milk, A., ii, 525.

-detection of mixtures of diluted, condensed, or sterilised milk with fresh milk, A., ii, 528.

Richmond, Henry Droop. See also Norman Leonard.

Richtmann, W. O., Edwardand

Kremers, menthene nitrosochloride and some of its derivatives, A., i, 84.

Ridder, Herm. See Max Busch.

Riebensahm, Walther. See Wilhelm Clemens Lossen.

Riedel, Fr., action of ethylic cyanacetate and of benzylic cyanide on aldehydes, ketones, and aldehyde ammonia, A., i, 219.

Riegler, E., new process for estimating albumin in urine, A., ii, 84.

--- sensitive test for nitrous acid, A., ii, 230.

estimation of sugar in animal liquids, A. ii, 354.

colorimetric estimation of nitrous acid, A., ii, 385.

estimation of urea in urine, A.,

— extremely sensitive reagent for detection and colorimetric estimation of nitrous acid, A., ii, 464.

Ries, Heinrich, clay, A., ii, 271.

—— monoclinic pyroxenes of New York State, A., ii, 563.

Rieter, E., estimation of aldehyde in alcoholic liquids, A., ii, 606.

Rijn, J. J. L. van, carpaine, A., i, 647. Rimatori, C. See G. Ampola.

Rimbach, Eberhard, occurrence of pineresin acids, A., i, 254.

Rimini, Enrico, synthesis of homocyclic compounds, A., i, 25.

— monoketazocamphadione, A., i, 90. — researches on camphor, A., i, 359.

Rimini, Enrico. See also Angelo Angeli. Rinman, Erich L., derivatives of ditriazole from cyanophenylhydrazine and cyanohydrazine, A., i, 444.

Rinne, Friedrich, physico-chemical investigation of desmine [stilbite], A., ii, 327.

carbon-bisulphide, &c., A., ii, 564.

Rint, Otto, etherification of 2:3:4-pyridinetricarboxylic acid, A., i, 485.

Ristenpart, Eugen, action of ammonia and alkylamines on bromethylphthalimide, A., i, 46.

Ritter, A. (Carlsbad), urinary sediments and gout, A., ii, 575.

Ritthausen (Carl) Heinrich (Leopold), calculation of proteids in seeds from the amount of nitrogen, A., ii, 68.

Ritthausen (Carl) Heinrich (Leopold), and Baumann, destruction of fat by moulds, A., ii, 69.

Riva, Carlo, quartz-mica-diorite from Val Camonica, A., ii, 567.

Rivals, Paul, some derivatives of salicylaldehyde, A., i, 413.

VOL. LXXII. ii.

Rivals, Paul, solutions of trichloracetic acid, A., ii, 359.

Rivals, Paul. See also Henri Baubigny. Rivière, G., and G. Bailhache, study of Kjeldahl's process and its modifications, A., ii, 385.

tions, A., ii, 385.

Robinson, A. E., and Charles Frederic

Mabery, mineral waters from Pennsylvania, A., ii, 510.

Rocha Schmidt. See Schmidt.

Rockwood, D. P. See B. Moore.

Rodger, James Wyllie. See Thomas Edward Thorpe.

Röhrig, H. See Karl Auwers.

Rossing, Adelbert, employment of ammonium carbonate in water analysis, A., ii, 465.

Rogoff, M., some anilides of phthalic acid, A., i, 470.

—— phthalyl and succinyl ethers of eugenol, A., i, 514.

Rohde, Georg. See Wilhelm von Miller. Romanoff, L. See Walthere Spring.

Romijn, Gysbert, estimation of formaldehyde, A., ii, 166.

— iodometric estimation of sugars, A., ii, 465.

Rongger, N. See Eugen Bamberger. Rose-Innes, J., isothermals of isopentane, A., ii, 542.

Rose-Innes, J. See Edgar Philip Perman.

Rosemann, Rudolf, course of excretion of nitrogen in man, A., ii, 182.

Rosendahl, H. V., Aconitum septentrionals (Koelle), A., i, 303.

Rosenheim. Arthur, salts of sulpho-

Rosenheim, Arthur, salts of sulphomolybdic acid, A., ii, 497.

Rosenstiehl, Auguste, reactions distinctive of the rosanilines and of carbinols containing amido-groups, A., i, 225.

— difference between ethers and salts considered in relation to the constitution of the rosanilines, A., i, 565.

hydrocyano-rosaniline, A., i, 566.
 solubility of the colouring matter of grapes: sterilisation of the musts of fruits, A., ii, 339.

Rosenthal, Isidor, estimation of carbonic anhydride in atmospheric air and the dissociation of sodium hydrogen carbonate, A., ii, 516.

Rosenthal, Werner, bromine in the animal body after the administration of bromine compounds, A., ii, 60.

Ross, B. B., analytical methods involving the use of hydrogen peroxide, A., ii, 192.

Roszkowski, Jan, organic compounds which prevent the precipitation of the hydroxides of iron, cobalt, and nickel, A., ii, 263.

Roszkowski, Johann von. See Stefan von Niementowski.

Rothe, Fritz. See Carl Arnold August Michaelis.

Rousset, L., ketones derived from naphthalene, A., i, 75.

- action of acid chlorides on methoxynaphthol in presence of aluminium chloride, A., i, 354.

Rouvier, Gaston, action of iodine on starch, A., i, 312. Rozdejczer, Karl von, nitrogen nutrition

in Leguminosæ, A., ii, 586.

Rüdel, Fritz. See Ludwig Wolff.

Ruer, Rudolf, estimation of potassium at the Stassfurt works, A., ii, 160. Rürup, L., estimation of tin and copper

in tin dross, A., ii, 234.

Ruete, Otto M. See Otto Wallach.

Ruff, Otto. See Oskar Piloty.

Ruhemann, Siegfried, contributions to the knowledge of the β -ketonic acids, part III., T., 323; P., 1897, 52.

formation of pyrimidones, A., i, 376.

action of hydroxylamine on ethylic dicarboxyglutaconate, A., i, 445, 641. Ruhemann, Siegfried, and A. S. Hemmy, contributions to the knowledge of the

B-ketonic acids, parts IV. and V., T., 329, 334; P., 1897, 53, 64. - pyrimidines, A., i, 488.

ethylic dicarboxyglutaconate,

A., i, 634. Rumpel, Hans, action of bromacetophenone on strychnine, A., i, 644.

Rumpf, O. See R. F. Weinland. Runge, Carl, and Friedr. Paschen,

series spectra of oxygen, sulphur and selenium, A., ii, 533.

Rupe, Hans, anthranilic acid deriva-tives, A., i, 416.

Rupe, Hans, and Joh. Všetečka, unsymmetrical phenylhydrazine derivatives, A., i, 409.

Ruppert. See Max Conrad.

Ruspaggiari, G., mercurocarbamide and its salts, A., i, 328.

Russell, Edward John. See Harold Baily Dixon.

Rydberg, Johannes Robert, study of atomic weights, A., ii, 399.

S.

Sabanéeff, Alexander P., structural isomerism in inorganic compounds, A., ii, 170.

- colloidal tungstic acid, A., ii, 456. Sabatier, Paul, action of cuprous oxide on silver nitrate solutions, A., ii, 261.

Sabatier, Paul, basic cupric salts and brown cupric hydroxide, A., ii, 491.

thermochemistry of copper compounds, A., ii, 540.

- action of cupric hydroxide on silver nitrate solution, A., ii, 553.

Sabatier, Paul, and Jean Baptiste Senderens, action of nickel on ethylene. A., i, 305, 545.

synthesis of ethane, A., i, 545.

Sahlbom, Naima, dyke rocks of Alnö, A., ii, 567.

Salkowski, Ernst (Leopold), and Katsusa-"oxidation · fer-Yamagiwa, ments" of the tissues, A., ii, 333.

Salomon, Alfred. See Adolf Pinner. Salzer, Theodor, calcium orthoethylbenzoate and the author's water of crystallisation theory, A., i, 190.

- norhemipinates and the author's water of crystallisation theory, A.,

i, 420.

- some salts of the phthalic acids and the author's water of crystallisation theory, A., i, 477.

Sammis, J. L. See Harry Sands Grindley.

Samoylowicz, H. See Fritz Haber. Sandberger, Fridolin von, [brown spar Goldkronach, Bavaria], from ii, 410.

Sandel, K. See Ernst Otto Beckmann. Sander, G., strychnine drugs, A., i, 383. Sani, Giovanni, a new asparagine, A., i, 601

- modification of the method of estimating the soluble phosphoric acid in

basic slag, A., ii, 344.
Santesson, Karl G., douradinha, or leaves of Palicourea rigida, A., i, 386.

Scanzoni, Friedrich von, absorption of dextrose in the small intestine and the effects of drugs on the process, A., ii, 111.

Schaefer, G. L., estimation of aloin in aloes, A., ii, 531.

Schaer, Eduard, action of morphine and of acetanilide on mixtures of ferric salts and ferricyanides, A., i, 3.

- remarkable behaviour of chloral hydrate with starch and iodine, A., i, 454.

- new kino from Myristica, A., ii, 278. Schaffer, Herbert A., and Edgar Francis Smith, tungsten hexabromide, A., ii, 408.

Schall, (Joh. Friedrich) Carl, electrolysis of potassium xanthate in aqueous solution, A., i, 138.

- elimination of sulphur from resorcinoldithiocarboxylic acid, A., i, 191. Schall, (Joh. Friedrich) Carl, electrolysis of salts of organic acids, A., i, 317. pentaphenylbiguanide, A., i, 519.

Schander, Alfred. See Martin Freund. W. Schaposchnikoff, See Friedrich

Kehrmann. Scharfenberger gen. Sertz, H. Ernst Otto Beckmann.

Scharvin, W. See Victor Meyer.

Schedler, A. See Rudolf Nietzki.

Scheel, Karl. See Max Thiesen.

Schenck, Friedrich, muscular work and glycogen, A., ii, 152.

Scherpenzeel, L. van, parchlorobenzonitrile, A., i, 621.

Schickler, P. G. See Reinhold Walther. Schiff, F. See Josef Herzig.

Schiff, Hugo, constitution of tannic acid, A., i, 349.

- influence of water on the solubility in ether of certain compounds, A., ii, 444.

Schiff, Hugo, and U. Monsacchi, expansion during the dissolution of ammonium salts and of sodium thiosulphate, A., ii, 89.

Schiff, Hugo, and Adriano Ostrogovich, uramides, urethanes, \mathbf{and} ethanes of para- and meta-phenylenediamine, A., i, 144.

Schiff, Robert, and C. Bertini, synthesis of ethereal salts of substituted diketodihydropyrrolinecarboxylic acids by means of ethylic oxalacetate and aldehydo-amido-bases, A., i, 293.

Schiff, Robert, and M. Betti, condensation products of methylisoxazolone with aldehydes and acetone, A., i, 493.

Schiff, Robert, and G. Viciani, derivatives of isoxazolone, A., i, 444.

Schilling, Wilhelm. See Carl Paal.

Schimmel and Co., quantitative testing of ethereal oils: oil of bergamot, A., ii, 435.

Schindelmeiser, Iwan Robert, derivatives of diamylene and of isodibutylene, A., i, 308.

Schlagdenhauffen, Frederic, and E. Reeb, coronilla and coronillin, A., i, 433.

Schlamp, A., determination of specific heats by means of the electric current, A., ii, 6.

Schleusner, Carl. See Johannes Thiele. Schlesing, Th. jun., nitrogen and argon in fire-damp and in the gas from the Rochebelle coal seam, A., ii, 46.

- uniformity in the distribution of argon in the atmosphere, A., ii, 96.

 fermentation in solid materials, A., ii, 513.

Schlesing, Th. jun. See Paul Régnard. Schlossmann, Arthur, proteids of milk and the methods for their separation, A., ii, 62.

- asses milk, A., ii, 574. lüter. Georg. See (Carl Arnold) Schlüter, Georg. S August Michaelis.

Schmidt, Ernst (Albert), the alkaloids of Corydalis, A., i, 174.

"Scopolaminum hydrobromicum" and scopoline, A., i, 385.

- alkaloids contained in the seeds of lupins, A., i, 645.

Schmidt, Gerhard Carl. See (Ernst) Eilhard (Gustav) Wiedemann.

Schmidt, Henry. See Richard Stoermer. Schmidt, Julius. See Ludwig Knorr.

Schmidt, Luis da Rocha. See Carl Arnold August Michaelis.

Schmidt, Max. See (Ernst Carl) Theodor Zincke.

Schmidt, R. See Ferdinand Tiemann. Schmidt, Robert E., and Ludwig Gattermann, hydroxylamine derivatives of anthraquinone, A., i, 196.

Schmiedel, M. See Arthur (Rudolf) Hantzsch.

Schmoeger, Max, estimation of citratesoluble phosphoric acid by means of molybdate solution, A., ii, 230.

Schneegans, August, pyrethrin, the active principle of the root of Anathe cyclus pyrethrum Dec., A., i, 485.

Schneider and Gaab, estimation of boric acid, A., ii, 597.

Schneider, Bernhard von, melting points of some organic compounds, ii, 304.

Schneider, Leopold, estimation of carbon in iron, A., ii, 519.

Schnerr, K. H., the garnet group, A., ii, 147.

- [analysis of ilvaite], A., ii, 507. Schnyder, Louis, muscular power and gaseous metabolism, A., ii, 59.

Schoene, Georg. See Franz Mylius. Schöttler, A., hazel-nut oil, A., i, 397.

Scholl, Roland, [preparation of cyanogen bromide, bromonitromethane and dibromonitromethane], A., i, 1.

- nitracetonitrile, A., i, 9.

— formation of isoxazolines from ketoaldehydes and isonitrosoketones, A., i, 491.

Scholl, Roland, and Moritz Baumann, 1-methyl-3-oximidoethyl-2-isoxazolonoxime, A., i, 492.

Schou, Dagmar, new double salt of plato-semidiamine, A., ii, 44.

Schrader, Georg M. J., xylenol bromethylic ether, A., i, 28. Schramm, Max, action of hydrogen bromide on methylbutallylcarbinol, A., i, 261.

Schrefeld, solubility of cane-sugar in dilute alcohol, A., i, 263. Schreinemakers, Frans Antoon Hubert,

equilibrium in systems of three bodies

with two liquid phases, A., ii, 483.

— equilibrium in the system, water, sodium chloride, ethylene cyanide, A., ii, 483.

Schreiner, Oswald. See Louis Kahlenberg.

Schreiner, O. S. See Edward Kremers. Schröder. See Richard Stoermer.

Schröder, E. See Wilhelm Muthmann. Schroeder van der Kolk, J. L. C., microchemical reaction for nitric acid, A., ii, 516.

Schroeter, Georg. See Richard Anschütz. Schürenberg, A. See Emil Knoevenagel. Schützenberger, Paul, and O. Boudouard, earths of the yttria group in monazite sands, A., ii, 144.

- earth contained in monazite

sands, A., ii, 317.

Schulten, August Benjamin (Baron) de, artificial pirssonite: simultaneous production of northupite, gaylussite, and pirssonite, A., ii, 146.

- synthesis of hanksite, A., ii, 505. Schulten, C. See Ernst Beckmann.

Schultze, Hermann, a new stirrer, A., ii, 138.

Schultze, Otto W., action of hydroxylamine on nitro-compounds, A., i, 40.

Schulz, Friedrich N., fat in the blood during hunger, A., ii, 150.

- fat estimation, A., ii, 333. Schulze, Ernst, crystalline nitrogenous compounds in seedlings, A., ii, 156.

- nitrogenous compounds derived from the proteid substances of certain conifers, A., ii, 156.

Schulze, H. See Ludwig Gattermann. Schur, Heinrich. See Richard Burian.

Schuyten, M. C., estimation of mercury salts by means of sodium dioxide, A., ii, 161.

- new reagent for detecting and estimating nitrites, A., ii, 596.

Schwanhäuser, August. See Wilhelm Wislicenus.

Schwarz, Heinrich P. SeeMartin Freund. Scoccianti, L. See Girolamo Daccomo.

Scott, Alexander, the atomic weight of carbon, T., 550; P., 1897, 70; discussion, P., 71.

--- a new series of mixed sulphates of the vitriol group, T., 564; P., 1897, 71; discussion, P., 71. Seal, Alfred Newlin, action of acid amides

on benzoin, A., i, 67.

Secrétant, Honoré, phosphates of diatomic phenols, A., i, 239.

Sedlazek, Erwin. See Wilhelm Marckwald.

Seeliger, Alb. See Richard E. Meyer. Seidel, Heinrich. See Ferdinand Ulzer. Seidel, O. See Fritz Foerster.

Seitter, E. See Wilhelm Muthmann. Seitz, Carl. See Eugen Bamberger.

II, William James, and Frederick William **Dootson**, studies on citrazinic acid, part V., T., 1068; P., 1897, 167.

Sembritzki, Kurt, malonyldiethylcarbamide and 1:3-diethyluric acid, A., i, 599.

Semmler, Friedrich W. See Ferdinand Tiemann.

Senderens, Jean Baptiste, metallic precipitation, A., ii, 171.

action of iron on solutions of metallic

nitrates, A., ii, 319.

action of hydrogen on solutions of silver nitrate: purification of hydrogen, A., ii, 448.

Senderens, Jean Baptiste. See also Paul Sabatier.

Seng, Walther. See Anton Steyrer.

Sestini, Fausto, direct estimation of calcium carbonate in soil, A., ii, 600.

Sestini, Fausto, and Leone Sestini, ammoniacal fermentation of uric acid, A., i, 22.

Sestini, Leone. See Fausto Sestini.

Sestini, Quirino, estimation of fluorine in wines or waters, A., ii, 281.

 rancidity of olive oil, A., ii, 291. Seubert, Karl, unit of atomic weights, A., ii, 137.

Severini, Ferruccio, phenylcoumalin, A.,

Seyberth, Hermann, ditolylimide, A., i, 68.

Alphonse. Seyewetz, See Auguste Lumiere.

Sgarlata, Giuseppe. See G. Mancuso-Lima.

Shenstone, William Ashwell, observations on the properties of some highly purified substances, T., 471; P., 1897, 2; discussion, P., 3.

Shimada, M., compound of albumin with phenol, A., i, 386.

Shimidzu, Tetsukichi, obituary notice of, T., 1205.

Shober, William B., action of sulphuric acid on anisoil, A., i, 239.

Shober, William B., and HermannEugene Kiefer, action of certain alcohols on asym-metadiazoxylene-sulphonic acid, A., i, 480.

Siegfried, Max A., phosphorus in human and cow's milk, A., ii, 220.

Silber, Paul G. See Giacomo Luigi Ciamician.

Silva, A. J. F. da. See Ferreira da Silva. Silva, W. da. See Alberto d'Aguiar.

Simon-Thomas, A. See Jacobus Martinus van Bemmelen.

Singer, Martin. See Arthur (Rudolf) Hantzsch.

Sjögren, (Sten Anders) Hjalmar, periclase from Långban, A., ii, 324.

- copiapite and botryogen from Falun,

A., ii, 325. - tilasite or fluor-adelite from Lång-

ban, A., ii, 325.

– mauzeliite, a new antimony mineral from Jakobsberg, Sweden, A., ii, 326. - analyses and constitution of vesuvian [idocrase], A., ii, 326.

 alteration of chondrodite, tremolite, and dolomite into serpentine at the Ko mine, Nordmark, A., ii, 326.

- analyses and constitution of axinite, A., ii, 328.

- celsian, a barium felspar corresponding with anorthite, A., ii, 411.

Sjollema, B., injury to rye by perchlorate contained in nitrates, A., ii, 585. Skraup, Zdenko Hanns, cincholeuponic acid, A., i, 98.

- Jacobsen and Brunn's method for the purification of hydrogen sulphide containing arsenic, A., ii, 123.

Slooten, Willem van der, homologues of caffeine, A., i, 382.

Smale, Frederic J., determination of the dielectric constants of some salt solutions by the electrometric method, A., ii, 357.

Smeeth, William Frederick, perlitic pitchstone from New South Wales, A., ii, 566.

Smith, Claud. See Charles Frederick Cross.

Smith, Ernest A. See Henry C. Jenkins. Smith, Edgar Francis, and Daniel L. Wallace, electrolytic estimation of

mercury, A., ii, 75. See also Arthur Smith, Edgar Francis. Benkert, Charles Field, Jerome Kelley, Herbert A. Schaffer, Walter T. Taggart.

Smith, E. S., action of nitric acid on triphenylmethane, A., i, 573.

Smith, George Otis, fayalite, A., ii, 507. Smith, Harry M. See Norman Leonard.

Smith, J. G. See Charles H. Herty.

Smith, James Lorrain, and John Scott Haldane, the causes of absorption of oxygen by the lungs, A., ii, 218.

Smith, James Lorrain. See also John Scott Haldane.

Smith, W. A., peroxide electrodes, A., ii, 5.

Smither, F. W., drying and deliquescence of certain salts, A., ii, 316.

- analyses of infusorial earth, A., ii, 329.

Smits, A., magnesium nitride, A., ii, 33. Smoot, Lewis E., mineral tallow from

Danby, Vermont, A., ii, 324.

— an alum water from Lea Co., Virginia, A., ii, 329.

Smorawski, St., and H. Jacobson, behaviour of superphosphate and basic slag in soil, A., ii, 120.

Smyth, Charles Henry, jun., the genesis of the talc deposits of St. Lawrence Co., New York, Ā., ii, 105.

Snape, Henry Lloyd, magnesium nitride as a reagent, T., 526; P., 1897, 50.

Snape, Henry Lloyd, and Arthur Brooke, Laurent's amarone, T., 528; P., 1897, 51.

Söderbaum, Henrik Gustav, action of acetylene on cupric salts, A., i, 309.

– acetylene as a qualitative reagent, A., ii, 348.

Söldner, Friedrich. See WilliamCamerer.

Sokoloff, Alexei P., experimental investigations on the electrolysis of water, A., ii, 200.

Soldaini, Arturo, alkaloids of Lupinus albus, A., i, 646.

Soldaini, Arturo, and E. Berté, analysis of essence of lemons, A., ii, 604.

Solomin, P., detection of soda or borax in milk, A., ii, 517.

- kynurenic acid, A., ii, 576.

Sommer, Karl. See Rudolph P. Weinland.

Sommerlad, Hermann, preparation of silver sulphantimonites and sulpharsenites by a dry method, A., ii, 500.

Sonstadt, Edward, the oxidation of ferrous sulphate by sea water, and on the detection of gold in sea water, P., 1896, 236.

Sostegni, Livio, analysis of copper salts, A., ii, 348.

Sowton, Miss S. C. M. See Augustus D Waller.

Soxhlet, Franz, characterisation of margarine by admixture of starch, A., ii, 528.

Spaeth, Eduard, new glass for collecting

sediments, A., ii, 281.

Spencer, A. E. See Louis M. Dennis. Sperber, Joachim, calculation of heats of dissociation and combination based on a theory of valency and affinity, A., ii, 307.

calculation of the coefficient of expansion of gases based on a theory

of valency, A., ii, 442.

Clarence Livingston, Speyers, some thoughts about liquids, A., ii, 247.

Spezia, Giorgio, influence of pressure on the solubility of quartz in water, A., ii, 406.

Spica, Matteo, adulteration of sumach,

A., ii, 530.

Spiller, John, the platinum silver alloys; their solubility in nitric acid, P., 1897, 118.

Spiro, Karl, and Alexander Ellinger, the antagonism of substances in the blood which accelerate and hinder coagulation, A., ii, 378.

Spitz, Gustave. See Max Hönig.

Sprankling, Charles H. G., ketolactonic acid and its homologues, T., 1159; P., **1897**, 173.

Sprenger, Hermann. See Carl Paal. Spring, Walthère, transparency of solu-

tions of colourless salts, A., ii, 14. Walthère, and L. Romanoff, solubility of lead and bismuth in zinc, A., ii, 36.

Squibb, Edward R., volumetric estimation of acetone, A., ii, 466.

Stackelberg, Ed. von, distribution of a current among the ions in a solution, A., ii, 471.

Stahre, Ludv., identification of citric acid, A., ii, 290.

Stansbie, J. H., estimation of sulphur in ores, A., ii, 123.

Stellwaag, August, molasses as food for cattle, A., ii, 119.

Stelzner, Robert. See Siegmund Gabriel. Stephan, Alfred, Zanzibar copal, A., i, 92. Stephan, Karl. See Eduard Gilde-

meister. Stern, O., influence of pressure on the inversion constants of some acids, A., ii, 92.

Stevens, Henry Potter. See Frederick D. Chattaway.

Stevignon, H. See Charles Astre. Steyrer, Anton, and Walther Seng, ethylic deoxalate, A., i, 21.

Stiegelmann, Armand. EugenBamberger.

Stieglitz, Julius, the "Beckmann rearrangement." I. Chlorimido-ethers, A., i, 43.

Stillmann, Thomas B., solubility of bismuth sulphide in sodium sulphide; estimation of small amounts of bismuth in anti-friction alloys, A., ii, 127.

Stingelin, Fritz. See Eugen Bamberger. Stobbe, Hans, condensation of ethereal salts of γ -substituted itaconic acids with aldehydes and ketones, i, 192.

Stock, Alfred. See Oscar Piloty. Stockman, Ralph, and E. D. W. Greig. ingestion and excretion of iron in health, A., ii, 153.

Stockman, Ralph. See also James Crauford Dunlop.

Stoeber, E. See Marcellus Nencki.

Stöber, F., artificial cotunite, A., ii, 409. Stoehr, Carl, cyclic ethers from polyatomic phenols, A., i, 262.

Stochr, Carl [and, in part, P. Brandes and W. Detert], pyrazines and piper-

azines, VII., A., i, 298. Stochr, Carl, and W. Detert, pyrazinetricarboxylic acids and their products of decomposition, A., i, 442.

Stochr, Carl. See also P. Brandes. Stoermer, Richard, further syntheses of

coumarone derivatives, A., i, 528. Stoermer, Richard, and H. Brockerof, nitrophenacetols [nitrophenoxyacetones]: a synthesis of 2-methylphenomorpholine (8-methyldihydropheno-paroxazine), A., i, 472.

Stoermer, Richard [and in part Adolf Gieseke, Henry Schmidt, Schröder], syntheses of coumarone and of coumarone derivatives from phen-

oxyacetals, A., i, 526.

Stoermer, Richard, and Friedrich Prall, disubstituted amidoacetals, and the preparation of homologues of betaine and choline, A., i, 457.

Stoffel, Fritz. See Robert Otto.

Stohmann, Friedrich (Carl Adolf), and Emil Haussmann, calorimetric investigations: heat of combustion of amides and anilides of the first members of the series of dibasic acids, A., ii, 359.

Stokes, Henry Gillert, a green mineral from Brisbane, Queensland, A., ii, 49. Stokes, *Henry N.*, trimetaphosphimic acid and its decomposition products,

A., ii, 28.

- tetrametaphosphimic acid, A., ii, 94. Stoklasa, Julius, the physiological significance of lecithin in plants, A., ii, 116. - phosphorus in human and cow's milk, A., ii, 573.

Stolz, Friedrich, constitution of acid derivatives of 1:3-phenylmethyl-5-pyr-

azolone, A., i, 374.

Stolz, Friedrich. See Ludwig Knorr. Stone, George C., solubility of bismuth

sulphide in alkali sulphides, A., ii,434. Stone, Winthrop E., action of enzymic

ferments on starches of different origin, A., ii, 461.

- the carbohydrates of wheat, maize, flour, and bread, A., ii, 461.

Storch, Karl, the proteids of cow's milk, A., ii, 420.

Stortenbeker, Willem, solubility of hydrated mixed crystals, A., ii, 250.

Stracciati, Enrico. See Adolfo Bartoli. Strauss, Hermann, occurrence of hydro-

strauss, Hermann, occurrence of hydrogen sulphide and indole in the human stomach, A., ii, 419.

estimation of hydrochloric acid in gastric juice, A., ii, 516.

Strohmer, Friedrich, production of sugars in beetroot, A., ii, 581.

Struve, Heinrich, magnesium phosphates, A., ii, 372.

Stutzer, Albert, and A. Karlowa, estimation of uric acid in guano, A., ii, 608.

Stutzer, Albert. See R. Burri. Subaschow, Eunm, separation of galac-

tose and arabinose, A., i, 311.

Sudborough, John James, researches in the stilbene series, I., T., 218; P., 1897, 19.

Sudborough, John James, Percy G. Jackson, and Lorenzo L. Lloyd, diortho-substituted benzoic acids, part III., hydrolysis of substituted benzamides, T., 229; P., 1897, 20.

Suida, Wilhelm. See Julius Mauthner. Šulo, Ottokar, electrolytic silver peroxide, A., ii, 98.

Šulč, Ottokar. See also Bohuslav Raýman. Summers, Bertrand S., estimation of

carbon in pig-iron, A., ii, 432.

Sundvick, Ernst Eduard, xanthine bases

from uric acid, A., i, 598.

Suringar, H., and Bernhard Tollens, amount of pentosan in cotton wool, A.,

i, 263.

different methods of estimating cellulose, A., ii, 235.

Sutherland, William, spontaneous change of oxygen into ozone, and a remarkable type of dissociation, A., ii, 246.

Suzuki, U., formation of asparagine in plants under different conditions, A., ii, 277.

an important function of leaves, A., ii, 580.

behaviour of active albumin as reserve material, A., ii, 582.

Swartz, S. E., action of sodium ethoxide on bromamides, A., i, 410.

Swoboda, A., new reaction of picric acid, A., ii, 606.

Szarvasy, Emerich, action of methylic alcohol on magnesium nitride, A., i, 211.

— magnesium methoxide, A., i, 309. — magnesium methylic carbonate and

sulphite, A., i, 585.

volumetric estimation of arsenic,
A., ii, 159.

—— arsenic monoselenide and the vapour density of selenium, A., ii, 405.

Szarvasy, Emerich and Carl Messinger, molecular weight of arsenamphide compounds, A., ii, 404.

Szyszkowski, Bohdan, affinity constants and constitution of organic acids, A., ii, 310.

T.

Tacke, Bruno, action of potash salts on peaty soil, A., ii, 342.

Tager, Issar, action of acetic and benzoic chlorides on styrene in presence of zinc chloride. A., i. 344.

chloride, A., i, 344.

Taggart, Walter T., and Edgar Francis
Smith, separation of manganese from
tungstic acid; estimation of molybdenum, A., ii, 433.

Takabayashi, S., poisonous action of ammonium salts on plants, A., ii, 585.

Talbot, Henry P., volatility of ferric chloride, A., ii, 214.

Tambach, R., occurrence of inosite in the thyroid gland, A., ii, 61.

Tammann, Gustav, thermodynamical surfaces of a substance in the solid and liquid states, A., ii, 8.

--- change of the refractive index by the neutralisation, the formation, and the dilution of solutions, A., ii, 197.

—— partition coefficients and abnormal diffusion, A., ii, 365.
—— velocity of solidification, A.,

ii, 444.

Tammann, Gustav. See also A. Bogojawlensky.

Tanret, Charles, molecular modifications and multirotation of the sugars, A., i, 391.

— effect of ammonium nitrate of Aspergillus niger, A., ii, 154, 338.

action of dilute nitric acid on nitrates in presence of ether, A., ii, 255.

Tappeiner, (Anton Josef Franz) Herman, action of phenylquinolines and phosphines on lower organisms, A., ii, 115.

Tardy, E., essence of bitter fennel, A., i, 578.

Tarugi, N., preparation of ammonium ferricyanide, A., i, 2.

behaviour of thioacetic acid towards salt solutions, A., i, 553.

— new method of separating the phosphates in the ammonia group, A., ii, 75.

---- platinum amalgam and its application in analysis, A., ii, 78.

Tarulli, G., electrolytic determination of copper in sugar analysis, A., ii, 353.

Tarulli, G., and E. Mameli-Cubeddu, reducing powers of various sugars determined by the electrolytic process, A., i, 354.

Tassilly, apparatus for filtering and drying substances unstable in presence of air, A., ii, 170.

- basic salts of cadmium, A., ii, 451. Tassinari, Gabriele, resin of gutta percha, A., i, 93.

Taussig, R. See Paul Friedländer. Taverne, H. J., action of nitric acid on the methylamides of phenylacetic and phenylpropionic acids, A., i, 619.

Taylor, A. Ernest, irreversible cells, A., ii, 131.

Taylor, Robert Lloyd, hypoiodous acid and hypoiodites, A., ii, 207.

Taylor, S. F., mass law studies, I. [solubility of benzene in aqueous alcohol], A., i, 402.

Teller, G. L., properties of the alcoholsoluble proteid of wheat and of certain other cereal grains, A., i, 304.

Tenbaum, *Ernst*, excretion of calcium in diabetes, A., ii, 113.

Tenne, C. August, leonite from Leopoldshall, A., ii, 268.

Termier, Pierre, bournonite from Isère, A., ii, 503.

Terray, Paul von, influence of atmospheric oxygen on metabolism. A., ii, 182.

Tetzner. See Voigtländer-Tetzner.

Thaddéeff, Konstantin, composition and specific gravity of sulphoborite, A., ii, 457.

estimation of boric acid as potassium borofluoride, A., ii, 597.

Thesen, Jörgen Eitzen, phenylglycine and phenylglycineorthocarboxylic acid and their behaviour in the animal body, A., i, 618.

Thibault, Paul, polarimetric estimation of milk-sugar in human milk, A.,

ii, 80.

Thiele, Johannes, constitution of nitramide, A., ii, 369.

Thiele, Johannes, and Karl Schleussner. diamidophenylosotriazole, A., i, 377. **Thiemich**, $J_{\cdot,\cdot}$ piperonylpicoline,

i. 487. Thierfelder, Hans. See George H. F.

Nuttall. Thierry, Maurice de, atmospheric ozone

on Mt. Blanc, A., ii, 253. Thiesen, Max, Karl Scheel, and H. Diesselhorst, absolute determination of the expansion of water, A., ii, 307. Thomas, Franz. See Ludwig Claisen.

Thomas, George L. See Sydney Young. Thomas, Victor, absorption of nitric oxide by ferrous bromide, A., ii, 145.

action of nitrogen oxides on ferrous chloride and bromide, A., ii, 262. - bismuth dichloride, A., ii, 377.

— action of air and nitric peroxide on bismuth, bromide, and iodide, A., ii, 377.

Thompson, William H., effects of injection of peptone into the circulation, A., ii, 60.

Thoms, Hermann, constituents of the root of Ononis spinosa, L., onocerin, A., i, 201, 361,

— phytosterin, A., i, 362. Thorpe, Jocelyn Field. S See William

Henry Perkin, jun,
Thorpe, Thomas Edward, the so-called hydrates of isopropylic alcohol, T., 920; P., 1897, 150.

Thorpe, Thomas Edward, and James Wyllie Rodger, the viscosity of miscible liquids, T., 360; P., 1897, 49. the viscosity of

Thurmann, H. See F. W. Theodor C. Pfeiffer.

Tickle, Thomas. See Wyndham Rowland Dunstan.

Tiemann, (Johann Carl Wilhelm) Ferdinand, methoethylheptanonolide of m.p. 64° (homoterpenylic acid methyl ketone), A., i, 83.

 constitution of isocamphoronic acid, A., i, 91.

- camphor, I., II., III., and IV., A., i, 161, 199, 249.

— campholene, A., i, 252.

Tiemann, Ferdinand, and R. Schmidt, artificial production of pulegone from citronellaldehyde, A., i, 198.

dextro- and lævo-configura-

tions in the citronellal series, A., i, 199.

Tiemann, Ferdinand, and Friedrich W. Semmler, pinene, A., i, 158.

- --- tanacetoketonic acid (thujaketonic acid), A., i, 247.

Tiemann, Ferdinand. See also Friedrich Mahla.

Tietjens and Apel, estimation of potassium at the works at Leopoldshall, Stassfurt, A., ii, 160.

Tingle, Alfred. See Francis Robert Japp.

Tingle, John Bishop, action of ethylic oxalate on camphor, A., i, 484.

Titherley, Arthur W., sodamide and some of its substitution derivatives, T., 460; P., 1897, 45.

- rubidamide, T., 469; P., **1897**, 46. Tollens, Bernhard, methylenecarbamide, A., i, 138.

Tollens, Bernhard, See also Martin Krüger, H. Suringar.

Tombeck, D., combination of metallic salts with organic bases, A., i, 463.

- combination of metallic salts with the homologues of aniline and their isomerides, A., i, 560.

Toppelius, M., and Herbert Pommerehne, creatinines of different origin, A., i, 128.

Torrey, Henry A., absorption of oxygen by tetrabromofurfuran, A., i, 557.

Torrey, Henry A. See also Charles Loring Jackson.

Tower, Olin Freeman, peroxide electrodes, A., ii, 4.

Traube, Hermann, the characteristics of optically isomeric compounds, A.,

 rutile, cassiterite and zircon, A., ii, 47.

- crystalline form of optically active

substances, A., ii, 534. Traube, Isidor, refraction and density, A., ii, 85.

- atomic refractions of carbon hydrogen, oxygen, and the halogens, A., ii, 197.

- atomic refractions of nitrogen, A., ii, 197.

- methods of determining the molecular weights of homogeneous liquids, A., ii, 205.

- extension of the law of Avogadro to homogeneous liquids, A., ii, 478.

Traube, Wilhelm, and E. Hoffa, hydrazidoacetic acid, A., i, 138.

Treubert, F. See Ludwig Vanino.

Trey, Heinrich, birotation of glucose, A., ii, 299.

Trillat, Auguste, preparation of fatty amines, A., i, 211.

Troeger, Julius, and F. Bolm, sulphoketones of the naphthalene series, A., i, 536.

Troeger, Julius, and A. Hinze, addition of halogens and halogen acids to unsaturated sulphones, A., i, 350. Troeger, Julius, and Walther Voigt-

länder-Tetzner, orthotoluenesulphinic acid, A., i, 223.

Trowbridge, John, and Theodore William Richards, spectra of argon, ii, 199.

- multiple spectra of gases, A., ii, 199.

Trowbridge, John. See also Theodore William Richards.

Truchot, P., estimation of gold and silver in auriferous minerals, A., ii, 522.

Truffaut, G. See Alexandre Hebert.

Tryller, Heinrich C., a new laboratory turbine, A., ii, 446.

estimation of dry matter in peat, A., ii, 523.

Tschirch, (Wilhelm Oswald) Alexander, colouring matters contained in leaves and the relationship of chlorophyll to the colouring matter of blood, A., ii, 225.

Tsuboi, Jiro, excretion of nitrogen by

the intestine, A., ii, 336.

Tsukamoto, Michito, formation of mannan in Amorphophallus Konjak, A., ii, 275.

Tucholka, W., bisabol-myrrha, A., ii, 584.

Tucker, C. W. See Arthur Amos Noyes.

See Emil Knoevenagel. Tübben, J. Turi, Gino, analysis of serpentine, A., ii, 562.

Tutton, Alfred Edwin, the refraction constants of crystalline salts, T., 235;

P., **1897**, 10.

- connection between the crystallographical characters of isomorphous salts and the atomic weight of the A comparative metals contained. crystallographical study of the normal selenates of potassium, rubidium, and cæsium, T., 846; P., 1897, 115; discussion, P., 118.

υ.

Uhlenhuth, Rudolf, isoxazolones, A., i, 444.

Ullmann, G., naphthoketocoumarin and its condensation products, A., i, 482.

Ulzer, Ferdinand, and Julius Brüll, estimation of manganese in cast iron, A., ii, 350.

Ulzer, Ferdinand, and Rudolf Defris, behaviour of the resin acids of shellac in Gladding's and Twitchell's processes for separating fatty and resin acids, A., ii, 195.

Ulzer, Ferdinand, and Heinrich Seidel, lactic acid, A., ii, 389.

Umbgrove, Herm., and Antoine Paul Nicolas Franchimont, methylallylnitramine, an isomeride, and their bromine derivatives, A., i, 7.

Umbgrove, Herm. See also Antoine Paul Nicolas Franchimont.

Umney, John C., essential oils of black and white peppermint, A., ii, 291. Unger, Karl. See Wilhelm Kerp.

Unger, Oskar, derivatives of benzoparathiazines [phenoparathiazines], A., i, 302.

Upmark, Aug. See Mats Weibull.

Urbain, G., thorium [derivative of acetylacetone], A., i, 236.

· Schiff's reaction for aldeliydes, A.,

Urbain, G., and E. Budischorsky, the earths in monazite sands, A., ii, 318. Urban, Leo C., halogen derivatives of

thymol and carvacrol, A., i, 334. Uster, R. See (Carl Arnold) August Michaelis.

V.

Vadam, microcrystallographic detection and differentiation of alkaloids, A., ii, 292, 390.

Vahlen, Ernst, deoxycholic acid, A., i, 647.

Vaillant, Victor, metallic derivatives of dithioacetylacetone, A., i, 265.

Valentin, Jean, fluorite from Argentina, A., ii, 561.

Vanino, Ludwig, peroxides of the acid

radicles, III., A., i, 621.

— action of hydrogen peroxide on metals as precipitated by hypophosphorus acid: detection of arsenic, antimony, and bismuth in the presence

of the noble metals, A., ii, 604. Vanino, Ludwig, and F. Treubert, esti-

mation of mercuric salts, A., ii, 601. Varet, Raoul, compounds of pyridine, piperidine, and quinoline with metallic salts, A., i, 542.

 compounds of mercuric cyanide with metallic haloids, A., i, 585.

double chlorides, A., ii, 38.

---- double bromides, A., ii, 99.

- thermochemistry of mercury salts, A., ii, 541.

Vassallo, D. See Gactano Minunni. Vaubel, Wilhelm, configuration of qui-

none-imide dyes, A., i, 108. behaviour of quinone-imide dyes

towards nascent bromine, A., i, 108. - the benzene nucleus, A., i, 330.

---- bromophenacetine, A., i, 337.

--- assay of commercial xylidines, A., ii, 389.

Vaudin, L., migration of calcium phosphate in plants, A., ii, 425.

Vedrödi, Victor, estimation of copper in

vegetable foods, A., ii, 602. Veragutt, Otto, effect of a meal on the

nitrogen of the urine, A., ii, 220. Verneuil, Auguste. See Gregoire N. Wyrouboff.

Vernon, Horace Middleton, relation of the respiratory exchange to temperature in cold-blooded animals, A., ii, 418.

Vernon Harcourt. See Harcourt.

Viard, Georges, rate of reduction of chromic acid by phosphorous acid, A., ii, 204.

- estimation of manganese in presence of phosphoric acid, A., ii, 519.

Viciani, G. See Robert Schiff.

Vieille, Paul. See Marcellin Pierre Eugene Berthelot.

Vigna, Agostino, estimation of tannin in wine, A., ii, 356.

Vignolo, G., "hypnoacetin" [acetophenoneparacetamidophenol],

Vignon, $L\acute{e}o$, apparatus for the industrial analysis of gases, A., ii, 463.

Villard, P., combination of argon with water, A., ii, 31.

Ville, Jules, and Joseph Moitessier, combination of phenylhydrazine with metallic chlorides, A., i, 518.

Villiers, Antoine, a process of oxidation and chlorination (by manganese salts), A., ii, 492.

- destruction of organic matter in

toxicology, A., ii, 522.

Villiger, Victor. See AdolfBaeyer.

Vincent, Swale, physiological effects of extracts of supra-renal capsules, A., ii, 420, 573.

Violette, Charles, detection of aniline blue in bread, A., ii, 295.

Vires. See Albert Mairet. Vitali, Dioscoride, toxicological examination for free ammonia, A., ii, 281.

Völlmer, B. See Ernst Dorn.

Vogel, G, physiological action of certain ethereal salts, A., ii, 419.

Vogel, J. Hans, the rôle of fat in manures, A., ii, 341.

Voigtländer-Tetzner, Walther. See Julius Troeger.

Voit, Erwin, the lowest limit of nitrogenous metabolism, A., ii, 59.
Voit, Fritz, effect of fresh thyroid and

iodothyrin on metabolism in the dog, A., ii, 330.

- behaviour of some varieties of sugar in the animal organism, A., ii, 511.

Volhard, Jakob, ethylic diphenylacetoacetate, A., i, 422.

Vongerichten, Eduard, methyl-Ψ-morphine and its relations to Ψ -morphine

and morphine, A., i, 260.

— morphine methohydroxide,

i, 303.

- ammonium bases of the morphine group, A., i, 643.

Vorländer, Daniel, synthesis of hydrogenised derivatives of resorcinol, A., i, 272.

Vorländer, Daniel, synthesis and hydrolysis of dihydroresorcinol, A., i, 272. alkyldihydroresorcylic acids, A.,

i, 272.

orländer, Daniel, and Joh. Erig, alkyldihydroresorcinols, A., i, 275. Vorländer,

Vorlander, Daniel, and Fritz Kalkow, hydrogenation of orcinol, A., i, 513.

Vorländer, Daniel, and Arthur Knotzsch [and in part Karl Hobohm], & ketonic acids, A., i, 285. Voss, Alfred. See Eugen Bamberger.

Voswinckel, Hugo. See Carl Theodor Liebermann.

Voswinkel, Arnold, benzoylcarbinol, A., i, 245.

Votoček, Emil, hydroxy-derivatives of tetramethyldiamidotriphenylmethane, A., i, 157.

- condensation of methylfurfuraldehyde with phloroglucinol, A., i, 405.

– carbazole derivatives, A., i, 439. Vrij, Johan Eliza de, calcium salt contained in cinchona bark and the preparation of quinic i, 383.

Vštečka, Joh. See Hans Rupe. Vuaffart. See Victor Planchon.

W.

Wachsmuth, Richard. See WilhelmJaeger.

Wagner, E., quantitative analysis by electrolysis, [copper:zinc], A., ii, 519.

Wagner, Paul. See Julius H. Aeby.
Waidner, C. W., and F. Mallory,
comparison of Rowland's mercury thermometer with a Griffith's platinum

thermometer, A., ii, 538.
Wait, Charles Edward, oxidation of silver, A., ii, 32.

- occurrence of titanium [in plants],

A., ii, 67. Walbaum, Heinrich. See Julius

Bertram. Wald, F., chemical proportions, I. and

II., A., ii, 311, 400. Walden, Paul, influence of linking on

the rotatory power, A., ii, 3. Walden, Percy T. See Henry Lord

Wheeler.

WilliamHenry,Walenn, obituary notice, of, T., 1206.

Walker, Charles, action of potassium on orthomethoxysulphhydroxide

aminebenzoic acid, A., i, 569.

Walker, James, and Frederick John
Hambly, electrical conductivity of diethylammonium chloride in aqueous alcohol, T., 61; P., 1896, 246.

Walker, James, and Sydney A. Kay, velocity of urea-formation in aqueous

Walker, James, and John S. Lumsden, dissociation pressure of ammonium hydrosulphides, T., 428; P., 1897, 48.

Wallace, Daniel L. See Edgar Francis Smith.

Wallach, Otto, the thugone series, A.,

-condensation products of cyclic ketones, III., A., i, 425.

terpenes and ethereal oils, A.,

i, 427.

Wallach, Otto [and in part Dorrance and Otto M. Ruete], condensation products of cyclic ketones: synthesis in the terpene series, A., i, 159.

Waller, Augustus D., action of acids and alkalis on the electrotonic currents

of nerve, A., ii, 220.

Waller, Augustus D., and Miss S. C. M. Sowton, action of carbonic anhydride on muscle, A., ii, 61.

Walter, Johann, a new bottle for washing gases, A., ii, 486.

Walther, Reinhold, preparation of cyanamide, A., i, 209.

- isomeric amidines, A., i, 242, 614. - dinitrilophenylhydrazones and the products of their intramolecular change, A., i, 297.

 isomeric diazoamido-compounds,

A., i, 616.

Walther, Reinhold, and P. G. Schickler, condensation of ethylic salts and cyanides by means of sodium ethoxide, A., i, 522.

Waltke, William, estimation of sodium carbonate, silicate and borate in slags, A., ii, 159.

- estimation of free fat in soap, A., ii, 195.

estimation of the percentage of alkali and fatty acids in soap, A., ii, 195.

-- estimation of free fatty acids in fats and oils, A., ii, 289.

Warder, Robert Bowne, speed of etherification as compared with theory, A., ii, 136.

Warren, Henry Nepean, calcium carbide, a new reducing agent, A., ii, 212.

action of boron on iron and steel: errors in iron analysis caused by the presence of boron, A., ii, 213.

- estimation of potassium, Α., ii, 386.

Washington, Henry S., igneous rocks

from Smyrna and Pergamon, A., ii, 216.

Wason, R. S. See Arthur Amos Noyes. Wauters, detection of "saccharin" in beers, A., ii, 356.

Wdowiszewski, Heinrich, estimation of tungsten in ferro-tungstates, A., ii, 351.

Weber, A. See Fritz Haber. Weber, Hermann. See Ernst Hintz.

Wedekind, Edgar, behaviour of aromatic diazo-chlorides towards benzylidineamidoguanidine, A., i, 241.

new synthesis of phenylated tetrazo-

derivatives, A., i, 302.

Wedekind, Edgar [with Paul Nissen], action of diphenyltetrazochloride on ethylic acetoacetate, A., i, 443.

Wedemeyer, K. See Emil Knoevenagel. Weed, Walter H., and Louis V. Pirsson, missourite, a new leucite rock from Montana, A., ii, 216.

Wegscheider, Rudolf, formation of ethe-

real salts, A., i, 55.

preparation of 2:4:6-tribromobenzoic acid from 2:4:6-tribromaniline, A., i, 476.

- exchange of bromine for chlorine in aromatic compounds, A., i, 557.

- estimation of copper, A., ii, 347. Wehmer, Carl, effect of temperature on the production of free oxalic acid in cultivations of Aspergillus niger, A., ii, 423.

Weibull, Mats, simple method of estimating fat in centrifugalised cream,

A., ii, 527. Weibull, Mats, and Aug. Upmark, the so-called dicksbergite, A., ii, 266.

Weida, George F., reaction of nitrodiazobenzene and diazobenzoic acid salts with methylic alcohol, A., i, 563.

Hugo, γ -acetoacetylquinolyl [4'-acetoacetylquinoline], A., i, 104.

Weil, Hermann, mesitylenediketones, A., i, 474.

Weil, Hermann. See also Victor Meyer. Weil, Hugo, constitution of the colour bases of the triphenylmethane series, A., i, 157.

Weinland, Rudolph F., and O. Lauen-stein, fluoroxyiodates, A., ii, 312.

Weinland, Rudolph F., and O. Rumpf, sulphoxyarsenates [thioarsenates], A., ii, 257.

Weinland, Rudolph F., and Karl Sommer, arsenothiomolybdates, A., ii, 556.

Weinlig, C. See Ludwig Gattermann. Weinschenk, Ernst, minerals of the Gross-Venediger in the Hohe Tauern, A., ii, 106.

- meerschaum from Eskishehir, Asia Minor, A., ii, 269.

Weinschenk, Ernst, mineral veins in the serpentines of the Austrian Alps, A.,

- fuggerite, a new mineral from the

Fassathal, A., ii, 271.

— [forsterite, hornblende, nontronite, batavite and garnet from Bavaria], A., ii, 413.

- graphite, graphitite and graphitoid, A., ii, 447.

Weisberg, Julius, origin of silica in incrustations and deposits of the beetroot sugar manufacture. Solubility of calcium silicate in saccharine solutions, A., ii, 462.

Weiske, Hugo, influence of inanition on the bones and teeth, A., ii, 219.

Weiske, Hugo. See also A. Wicke.

Weiss, J., influence of high altitude on the formation of hæmoglobin, A., ii, 219. Wells, Horace Lemuel, and H. W. Foote,

double halogen salts of cæsium and rubidium, A., ii, 551.

- double fluoride of zirconium with lithium, sodium, and thallium, A., ii, 558.

Welt, Ida, action of alcoholic potash on dihalogen derivatives, A., i, 452.

Wende, Hermann, imides of racemic acid, A., i, 140.

Went, F. A., production of carbon bisulphide by Schizophyllum lobatum, A., ii, 578.

Werenskiold, Fr., analyses of Norwegian hay, A., ii, 187.

Werner, Alfred, benzylation of acetaldoxime, A., i, 43.

- nomenclature of cobaltamine compounds, A., ii, 263.

- constitution of inorganic compounds, Triammine and diammine cobaltic salts, A., ii, 493

Werner, Alfred, and R. Falck, a-hydroxylaminebutyric acid, A., i, 9.

Werner, Alfred, and Fr. Fassbender, constitution of inorganic compounds, VIII., Anderson's reaction, A., i, 631.

Werner, Alfred, and Arnold Klein, 1:6dichlorotetramminocobalt salts (chloropraseo-salts), A., ii, 264.

Werner, Alfred, and Arturo Miolati, the constitution of inorganic compounds, A., ii, 100.

Werner, Stephan. See Heinrich Biltz. Wetzel, J., new form of vacuum pump,
A., ii, 251.

Wheeler, Henry Lord, diacid anilides, A., i, 44.

- non-existence of two orthophthalic acids, A., i, 243.

- non-existence of four phenylparatolylmethenylamidines, A., i, 465.

Wheeler, Henry Lord, Bayard Barnes, and Julius Howard Pratt, halogen additive products of the anilides, A., i, 559.

Wheeler, Henry Lord, and B. McFarland, preparation of metabromobenzoic acid and metabromonitroben-

zene, A., i, 476.

Wheeler, Henry Lord, and H. F. Metcalf, action of ethylic chloroformate

on formanilide, A., i, 470.

Wheeler, Henry Lord, and Percy Walden, action of acid chlorides on the imido-ethers and isoanilides: structure of the silver salts of the anilides, A., i, 280.

Whetham, W. C. Dampier, the ionising power of solvents, A., ii, 545.

White, W. Hale. See John Fawcett. Whitney, Willis Rodney. See Arthur Amos Noyes.

Whitten, W. M. See Edgar Henry

Summerfield Bailey.

Wicke, A., and Hugo Weiske, influence of fat on metabolism, A., ii, 60.

Widstoe, John A. See Henry Barker Hill.

Wiechmann, Ferdinand G., allotropy of sucrose, A., i, 179.

Wiedeburg, Otto, potential differences between metals and electrolytes, A., ii, 200.

Wiedemann, (Ernst) Eilhard (Gustav), and Gerhard Carl Schmidt, electrolytic conductivity of dilute gases, A., ii, 536.

Wiedermann, G. See Emil Knoevenagel.

Wild, W. See Carl Engler.

Wildermann, Meyer, Dalton's law in solution (molecular depression of mixtures of two non-electrolytes, T., 743; P., 1897, 19.

experimental verification of van't Hoff's constant in very dilute solution (law of molecular depression), T., 796; P., 1897, 139.

- degree of dissociation of electrolytes at 0°, A., ii, 11. Willcox, F. A. See F. W. Jones.

Willgerodt, (Heinrich) Conrad (Christoph), action of phenyliodosochlo-ride on mercury diphenyl: production of phenyliodochloride, &c., A., i, 192.

azimido-, aznitroso-, oxazimido-, oxaznitroso-, and nitrosazimido-com-

pounds, A., i, 518.
Williams, William Carleton, amount of carbonic anhydride in the atmosphere, A., ii, 405.

Williams, Miss Catherine I., the com-

position of cooked fish, T., 649; P.,

1897, 88; discussion, P., 89. Willstätter, Richard, ketones of the tropine group, VII., dibenzylidene-tropinone, A., i, 304.

- methylation of hydrotropidine, Λ.,

- dihydroecgonidine, A., i, 384. - arecoline methiodide, A., i, 385.

Winchell, Newton H., a crystal of labradorite from gabbro, A., ii, 54. the Arlington iron, A., ii, 109.

Windisch, Wilhelm, detection of traces of fluorine in beer, A., ii, 517.

Wing, Henry H., influence of fat in the

food on milk, A., ii, 220.

Winkler, Clemens, the discovery of new elements during the last quarter of a century, and questions relating thereto, A., ii, 138.

Winter, J., constancy of the freezing points of milk and other organic liquids, A., ii, 112, 378.

Winternitz, Hugo, the blood of newborn animals, A., ii, 149.

Winther, Chr., optical behaviour of malic acid, A., i, 324.

Wirths, Victor, derivatives of paramido-phenol, A., i, 145.

Wischo, Fritz, melilotol, A., i, 417.

— rutin, A., i, 433.
Wislicenus, Wilhelm, action of ethylic oxalate and sodium ethoxide on quinaldine, A., i, 488.

- preparation of ethylic phenylace-

tate, A., i, 571.

 convenient form of graduated flask, A., ii, 70, 188.

Wilhelm, Wislicenus, Walterand Beckh, action of ammonia and amines on ethylic oxalacetate, A., i, 397. Wislicenus, Wilhelm, and Karl Gold-

stein, synthesis with ethylic phenylmalonate, II., A., i, 63.

Wislicenus, Wilhelm,

islicenus, Wilhelm, and August Schwanhäuser, synthesis of cyclic compounds by means of ethylic oxalate, A., i, 604.

Witt, Otto Nikolaus, preparation of pure starch, A., i, 235.

Witt, Otto Nikolaus, and Jens Dedichen, naphthacetol, A., i, 193.

Wittmaack, Karl, amount of nucleon in cows', human, and goats' milk, A., ii, 220.

Wittorf, Nicolaus von. See Wladimir Ipatieff.

Wöhler, Lothar. See Victor Meyer. Wohl, Alfred, law of contraction on dis-

solving sugar in water, A., ii, 204.

Wohltmann, Ferdinand, and H. Kratz, soils of Cameroon, Senegambia and

Africa: German East improved methods of soil analysis, A., ii, 463. Wolf, C., formation of pyrimidones, A.,

i, 489.

Wolff, John Eliot, theralite from Costa Rica, A., ii, 56.

Wolff, Ludwig, and Fritz Rüdel, derivatives of pentamethylene and R-pentene, A., i, 215.

Woll, Fritz Wilhelm August, examination of linseed meal, A., ii, 188.

Wolpian, L. J., constitution of cymene and of the terpene in cummin oil (Cuminum cyminum), A., i, 357.

Wormley, Theodore George, obituary notice of, T., 1206.

Würst. See Ludwig Gattermann.

Wynne, William Palmer. See Henry Edward Armstrong.

Wyruboff, Grégoire N., the siliocotungstates, A., ii, 173.

Wyrouboff, Grégoire N., and Auguste (Victor Louis) Verneuil, purification of cerium, A., ii, 452.

- atomic weight of cerium, A., ii, 492.

Y.

Yabe, K., two new kinds of red yeast, A., ii, 578.

Yamigiwa, $Katsusabur\bar{o}$. See Ernst Leopold Salkowski.

Young, George, oxidation of phenylstyrenyloxytriazole, T., 311; P., 1897, 53. note on the formation of diacetanilide, P., 1897, 156.

Young, George, and Henry Annable, formation of substituted oxytriazoles from phenylsemicarbazide, T., 200; P., 1896, 246.

Young, George, and Ernest Clark, naphthylcarbamides, T., 1200; P., 1897, 199.

Young, Robert A., precipitation of carbohydrates by neutral salts, A., i, 235.

Young, Sydney, the vapour pressures, specific volumes, and critical constants of normal pentane, with a note on the critical point, T., 446; P., 1897, 58; discussion, P., 59.

Young, Sydney, and George L. Thomas, some hydrocarbons from American petroleum, I., normal and iso-pentane, T., 440; P., 1897, 58; discussion, P., 59.

Z.

Zaleski, J., non-occurrence of argon in the colouring matter of the blood, A., ii, 334.

See also Marcellus Nencki. Zaleski, J. Zaloziecki, Roman, new method of determining the specific gravity of liquids, A., ii, 134.

Zambelli, Luigi, estimation of very small

quantities of nitrous acid, A., ii, 343. Zanardi, Francesco, stearates of the alkaloids and their therapeutic application, A., i, 302.

See Lamberti-Zanardi. Zanardi.

Zander, Enoch, iodine reaction of chitin, A., i, 499.

Zanetti, Carlo Umberto, and A. Cimatti, action of acetic acid and zinc dust on 2:5-dimethylpyrroline, A., i, 485.

Zecchini, F., refractive powers of mixtures of two liquids, A., ii, 470.

- action of zinc on hydrogen chloride dissolved in organic solvents, A., ii, 491.

Zehenter, Josef, double chromates, A., ii. 322.

Zelinski, Nicolai D., the hexamethylene series, V., the isomerisation of hexamethylene, A., i, 237.

- the hexamethylene series, VI., isomerisation of methylhexamethylene, A., i, 462.

- semicarbazones of cyclic ketones, A., i, 462.

Zelinski, Nicolai D., and Sergei G. Krapiwin, electrolytic behaviour of solutions of salts and acids in methylic alcohol, A., ii, 5.

Zeynek, Richard von, the fat of ovarian

dermoid cysts, A., ii, 337.

Ziegelbauer, Rudolf, orthophenylenebiguanide, A., i, 142.

Ziegenbein, Hans, alkaloids of Corydalis

cava, A., i, 175. Ziegler, E. See Karl Auwers.

Zincke, (Ernst Carl) Theodor, conversion of nitro-8-naphthaquinone into indene derivatives, A., i, 354.

· action of chlorine on orthamido. phenols and ortho-diamines, A., i, 507.

Zincke, Theodor, F. Bergmann, and Bruno Francke, action of chlorine on orthamidoparacresol and orthotolylenediamine: 1-methylpentachloro-3:4diketo-R-hexene and its products of

change, A., i, 507.
Zincke, Theodor, and Bruno Francke, bromoprotocatechuic acid and the three isomeric bromo- and nitro-veratric acids, A., i, 58.

- action of chlorine on metamido-orthohydroxymetaxylene and ortho-diamidometaxylene: 1:3-dimethyl-4:5-diketotetrachloro-R-hexene its products of change, A., i, 511.

- [and in part Max Schmidt], action of nitric acid on bromoprotocatechuic acid: conversion into 3:4'dibromo-\(\beta\)-naphthaquinone-2'-carboxylic acid, A., i, 76.

Zincke, Theodor, and Franz Hodes, action of chlorine on orthodiamido-ψ-cumene,

A., i, 512.
Zincke, Theodor, and Heinrich Noack, action of chlorine on amido-B-naphthaquinol: dichlorotriketohydronaphthalene, naphthapyrogallol and other products of change, A., i, 355.

Zincke, Theodor, and Wilhelm Prenntzell, action of chlorine on trichlorortho-

diamidotoluene: 1-methyl-2: 3-diketopentachloro-R-hexene and its products of change, A., i, 509.

See Carl Amthor. Zink, Julius.

Zoja, Luigi, decomposition of elastin by anærobic ferments, A., ii, 579.

Zopf, Wilhelm, compounds from lichens,

II., III., A., i, 362, 436. Zoppelari, I. See Giacomo Carrara. Zuntz, Léo, Hammerschlag's method of estimating the specific gravity of blood

and serum, A., ii, 377.

Zuntz, Nathan, feeding experiments with turnip leaves, A., ii, 576.

Zuntz, Nathan, and Joh. Frentzel, organic analysis by analysis of the gases produced in the Berthelot caloristic thank iii. 1821. metric bomb, A., ii, 231.

Zwick, Karl G., bixin, A., i, 630.